

精密用セミロングスプリング 80L

注番	線径	外径	総巻数	自由長	バネ定数	価格
SLA80-1	0.40	3.5	80	80	0.0103	480
SLA80-2	0.40	4.0	70	80	0.0075	480
SLA80-3	0.40	4.0	80	80	0.0065	480
SLA80-4	0.40	4.5	60	80	0.0060	480
SLA80-5	0.40	4.5	70	80	0.0051	480
SLA80-6	0.40	4.5	80	80	0.0044	480
SLA80-7	0.40	5.0	60	80	0.0042	480
SLA80-8	0.40	5.0	70	80	0.0036	480
SLA80-9	0.40	5.0	80	80	0.0031	480
SLA80-10	0.40	5.5	60	80	0.0031	480
SLA80-11	0.40	5.5	70	80	0.0026	480
SLA80-12	0.40	5.5	80	80	0.0023	480
SLA80-13	0.40	6.0	60	80	0.0023	480
SLA80-14	0.40	6.0	70	80	0.0020	480
SLA80-15	0.40	6.0	80	80	0.0017	480
SLA80-16	0.40	6.5	60	80	0.0018	480
SLA80-17	0.40	6.5	70	80	0.0015	480
SLA80-18	0.40	6.5	80	80	0.0013	480
SLA80-19	0.40	7.0	60	80	0.0014	480
SLA80-20	0.40	7.0	70	80	0.0012	480
SLA80-21	0.40	7.0	80	80	0.0010	480
SLA80-22	0.40	7.5	60	80	0.0011	480
SLA80-23	0.40	7.5	70	80	0.0009	480
SLA80-24	0.40	7.5	80	80	0.0008	480
SLA80-25	0.40	8.0	60	80	0.0009	480
SLA80-26	0.40	8.0	70	80	0.0008	480
SLA80-27	0.40	8.0	80	80	0.0007	480
SLA80-28	0.40	8.5	60	80	0.0007	480
SLA80-29	0.40	8.5	70	80	0.0006	480
SLA80-30	0.40	8.5	80	80	0.0005	480
SLA80-31	0.40	9.0	60	80	0.0006	480
SLA80-32	0.40	9.0	70	80	0.0005	480
SLA80-33	0.40	9.0	80	80	0.0004	480
SLA80-34	0.40	9.5	60	80	0.0005	480
SLA80-35	0.40	9.5	70	80	0.0004	480
SLA80-36	0.40	9.5	80	80	0.0004	480
SLA80-37	0.40	10.0	60	80	0.0004	480
SLA80-38	0.40	10.0	70	80	0.0003	480
SLA80-39	0.40	10.0	80	80	0.0003	480
SLA80-40	0.45	3.5	80	80	0.0173	480
SLA80-41	0.45	4.0	70	80	0.0126	480
SLA80-42	0.45	4.0	80	80	0.0110	480
SLA80-43	0.45	4.5	60	80	0.0099	480
SLA80-44	0.45	4.5	70	80	0.0085	480
SLA80-45	0.45	4.5	80	80	0.0074	480
SLA80-46	0.45	5.0	60	80	0.0070	480
SLA80-47	0.45	5.0	70	80	0.0060	480
SLA80-48	0.45	5.0	80	80	0.0052	480
SLA80-49	0.45	5.5	60	80	0.0051	480
SLA80-50	0.45	5.5	70	80	0.0043	480
SLA80-51	0.45	5.5	80	80	0.0038	480
SLA80-52	0.45	6.0	60	80	0.0038	480
SLA80-53	0.45	6.0	70	80	0.0033	480
SLA80-54	0.45	6.0	80	80	0.0028	480
SLA80-55	0.45	6.5	60	80	0.0029	480
SLA80-56	0.45	6.5	70	80	0.0025	480
SLA80-57	0.45	6.5	80	80	0.0022	480
SLA80-58	0.45	7.0	60	80	0.0023	480
SLA80-59	0.45	7.0	70	80	0.0020	480
SLA80-60	0.45	7.0	80	80	0.0017	480
SLA80-61	0.45	7.5	60	80	0.0018	480
SLA80-62	0.45	7.5	70	80	0.0016	480
SLA80-63	0.45	7.5	80	80	0.0014	480
SLA80-64	0.45	8.0	60	80	0.0015	480
SLA80-65	0.45	8.0	70	80	0.0013	480
SLA80-66	0.45	8.0	80	80	0.0011	480
SLA80-67	0.45	8.5	60	80	0.0012	480
SLA80-68	0.45	8.5	70	80	0.0010	480
SLA80-69	0.45	8.5	80	80	0.0009	480
SLA80-70	0.45	9.0	60	80	0.0010	480
SLA80-71	0.45	9.0	70	80	0.0009	480
SLA80-72	0.45	9.0	80	80	0.0007	480

精密用セミロングスプリング 80L

注番	線径	外径	総巻数	自由長	バネ定数	価格
SLA80-73	0.45	9.5	60	80	0.0008	480
SLA80-74	0.45	9.5	70	80	0.0007	480
SLA80-75	0.45	9.5	80	80	0.0006	480
SLA80-76	0.45	10.0	60	80	0.0007	480
SLA80-77	0.45	10.0	70	80	0.0006	480
SLA80-78	0.45	10.0	80	80	0.0005	480
SLA80-79	0.50	4.0	70	80	0.0200	480
SLA80-80	0.50	4.0	80	80	0.0175	480
SLA80-81	0.50	4.5	60	80	0.0157	480
SLA80-82	0.50	4.5	70	80	0.0134	480
SLA80-83	0.50	4.5	80	80	0.0117	480
SLA80-84	0.50	5.0	60	80	0.0110	480
SLA80-85	0.50	5.0	70	80	0.0094	480
SLA80-86	0.50	5.0	80	80	0.0082	480
SLA80-87	0.50	5.5	60	80	0.0080	480
SLA80-88	0.50	5.5	70	80	0.0068	480
SLA80-89	0.50	5.5	80	80	0.0060	480
SLA80-90	0.50	6.0	60	80	0.0060	480
SLA80-91	0.50	6.0	70	80	0.0051	480
SLA80-92	0.50	6.0	80	80	0.0045	480
SLA80-93	0.50	6.5	60	80	0.0046	480
SLA80-94	0.50	6.5	70	80	0.0039	480
SLA80-95	0.50	6.5	80	80	0.0034	480
SLA80-96	0.50	7.0	60	80	0.0036	480
SLA80-97	0.50	7.0	70	80	0.0031	480
SLA80-98	0.50	7.0	80	80	0.0027	480
SLA80-99	0.50	7.5	60	80	0.0029	480
SLA80-100	0.50	7.5	70	80	0.0025	480
SLA80-101	0.50	7.5	80	80	0.0021	480
SLA80-102	0.50	8.0	60	80	0.0023	480
SLA80-103	0.50	8.0	70	80	0.0020	480
SLA80-104	0.50	8.0	80	80	0.0017	480
SLA80-105	0.50	8.5	60	80	0.0019	480
SLA80-106	0.50	8.5	70	80	0.0016	480
SLA80-107	0.50	8.5	80	80	0.0014	480
SLA80-108	0.50	9.0	60	80	0.0016	480

注番	線径	外径	総巻数	自由長	バネ定数	価格
SLA80-109	0.50	9.0	70	80	0.0014	480
SLA80-110	0.50	9.0	80	80	0.0012	480
SLA80-111	0.50	9.5	60	80	0.0013	480
SLA80-112	0.50	9.5	70	80	0.0011	480
SLA80-113	0.50	9.5	80	80	0.0010	480
SLA80-114	0.50	10.0	60	80	0.0011	480
SLA80-115	0.50	10.0	70	80	0.0010	480
SLA80-116	0.50	10.0	80	80	0.0080	480
SLA80-117	0.55	4.0	80	80	0.0267	480
SLA80-118	0.55	4.5	70	80	0.0204	480
SLA80-119	0.55	4.5	80	80	0.0178	480
SLA80-120	0.55	5.0	60	80	0.0167	480
SLA80-121	0.55	5.0	70	80	0.0143	480
SLA80-122	0.55	5.0	80	80	0.0124	480
SLA80-123	0.55	5.5	60	80	0.0121	480
SLA80-124	0.55	5.5	70	80	0.0104	480
SLA80-125	0.55	5.5	80	80	0.0090	480
SLA80-126	0.55	6.0	60	80	0.0091	480
SLA80-127	0.55	6.0	70	80	0.0077	480
SLA80-128	0.55	6.0	80	80	0.0067	480
SLA80-129	0.55	6.5	60	80	0.0070	480
SLA80-130	0.55	6.5	70	80	0.0059	480
SLA80-131	0.55	6.5	80	80	0.0052	480
SLA80-132	0.55	7.0	60	80	0.0055	480
SLA80-133	0.55	7.0	70	80	0.0047	480
SLA80-134	0.55	7.0	80	80	0.0040	480
SLA80-135	0.55	7.5	60	80	0.0044	480
SLA80-136	0.55	7.5	70	80	0.0037	480
SLA80-137	0.55	7.5	80	80	0.0032	480
SLA80-138	0.55	8.0	60	80	0.0035	480
SLA80-139	0.55	8.0	70	80	0.0030	480
SLA80-140	0.55	8.0	80	80	0.0026	480
SLA80-141	0.55	8.5	60	80	0.0029	480
SLA80-142	0.55	8.5	70	80	0.0025	480
SLA80-143	0.55	8.5	80	80	0.0021	480
SLA80-144	0.55	9.0	60	80	0.0024	480

精密用セミロングスプリング 80L

注番	線径	外径	総巻数	自由長	バネ定数	価格
SLA80-145	0.55	9.0	70	80	0.0020	480
SLA80-146	0.55	9.0	80	80	0.0018	480
SLA80-147	0.55	9.5	60	80	0.0020	480
SLA80-148	0.55	9.5	70	80	0.0017	480
SLA80-149	0.55	9.5	80	80	0.0015	480
SLA80-150	0.55	10.0	60	80	0.0017	480
SLA80-151	0.55	10.0	70	80	0.0014	480
SLA80-152	0.55	10.0	80	80	0.0013	480
SLA80-153	0.60	4.0	80	80	0.0396	480
SLA80-154	0.60	4.5	70	80	0.0301	480
SLA80-155	0.60	4.5	80	80	0.0262	480
SLA80-156	0.60	5.0	60	80	0.0245	480
SLA80-157	0.60	5.0	70	80	0.0209	480
SLA80-158	0.60	5.0	80	80	0.0182	480
SLA80-159	0.60	5.5	60	80	0.0178	480
SLA80-160	0.60	5.5	70	80	0.0151	480
SLA80-161	0.60	5.5	80	80	0.0132	480
SLA80-162	0.60	6.0	60	80	0.0133	480
SLA80-163	0.60	6.0	70	80	0.0113	480
SLA80-164	0.60	6.0	80	80	0.0098	480
SLA80-165	0.60	6.5	60	80	0.0101	480
SLA80-166	0.60	6.5	70	80	0.0086	480
SLA80-167	0.60	6.5	80	80	0.0075	480
SLA80-168	0.60	7.0	60	80	0.0079	480
SLA80-169	0.60	7.0	70	80	0.0068	480
SLA80-170	0.60	7.0	80	80	0.0059	480
SLA80-171	0.60	7.5	60	80	0.0063	480
SLA80-172	0.60	7.5	70	80	0.0054	480
SLA80-173	0.60	7.5	80	80	0.0047	480
SLA80-174	0.60	8.0	60	80	0.0051	480
SLA80-175	0.60	8.0	70	80	0.0044	480
SLA80-176	0.60	8.0	80	80	0.0038	480
SLA80-177	0.60	8.5	60	80	0.0042	480
SLA80-178	0.60	8.5	70	80	0.0036	480
SLA80-179	0.60	8.5	80	80	0.0031	480
SLA80-180	0.60	9.0	60	80	0.0035	480

注番	線径	外径	総巻数	自由長	バネ定数	価格
SLA80-181	0.60	9.0	70	80	0.0030	480
SLA80-182	0.60	9.0	80	80	0.0026	480
SLA80-183	0.60	9.5	60	80	0.0029	480
SLA80-184	0.60	9.5	70	80	0.0025	480
SLA80-185	0.60	9.5	80	80	0.0022	480
SLA80-186	0.60	10.0	60	80	0.0025	480
SLA80-187	0.60	10.0	70	80	0.0021	480
SLA80-188	0.60	10.0	80	80	0.0018	480
SLA80-189	0.65	5.0	60	80	0.0350	480
SLA80-190	0.65	5.0	70	80	0.0298	480
SLA80-191	0.65	5.0	80	80	0.0260	480
SLA80-192	0.65	5.5	60	80	0.0252	480
SLA80-193	0.65	5.5	70	80	0.0215	480
SLA80-194	0.65	5.5	80	80	0.0188	480
SLA80-195	0.65	6.0	60	80	0.0188	480
SLA80-196	0.65	6.0	70	80	0.0160	480
SLA80-197	0.65	6.0	80	80	0.0140	480
SLA80-198	0.65	6.5	60	80	0.0144	480
SLA80-199	0.65	6.5	70	80	0.0122	480
SLA80-200	0.65	6.5	80	80	0.0107	480
SLA80-201	0.65	7.0	60	80	0.0112	480
SLA80-202	0.65	7.0	70	80	0.0096	480
SLA80-203	0.65	7.0	80	80	0.0083	480
SLA80-204	0.65	7.5	60	80	0.0089	480
SLA80-205	0.65	7.5	70	80	0.0076	480
SLA80-206	0.65	7.5	80	80	0.0066	480
SLA80-207	0.65	8.0	60	80	0.0072	480
SLA80-208	0.65	8.0	70	80	0.0061	480
SLA80-209	0.65	8.0	80	80	0.0054	480
SLA80-210	0.65	8.5	60	80	0.0059	480
SLA80-211	0.65	8.5	70	80	0.0050	480
SLA80-212	0.65	8.5	80	80	0.0044	480
SLA80-213	0.65	9.0	60	80	0.0049	480
SLA80-214	0.65	9.0	70	80	0.0042	480
SLA80-215	0.65	9.0	80	80	0.0036	480
SLA80-216	0.65	9.5	60	80	0.0041	480

精密用セミロングスプリング80L

注番	線径	外径	総巻数	自由長	バネ定数	価格	注番	線径	外径	総巻数	自由長	バネ定数	価格
SLA80-217	0.65	9.5	70	80	0.0035	480	SLA80-253	0.70	10.0	70	80	0.0041	480
SLA80-218	0.65	9.5	80	80	0.0030	480	SLA80-254	0.70	10.0	80	80	0.0035	480
SLA80-219	0.65	10.0	60	80	0.0035	480	SLA80-255	0.75	5.0	60	80	0.0666	480
SLA80-220	0.65	10.0	70	80	0.0030	480	SLA80-256	0.75	5.0	70	80	0.0568	480
SLA80-221	0.65	10.0	80	80	0.0026	480	SLA80-257	0.75	5.5	60	80	0.0477	480
SLA80-222	0.70	5.0	60	80	0.0488	480	SLA80-258	0.75	5.5	70	80	0.0407	480
SLA80-223	0.70	5.0	70	80	0.0416	480	SLA80-259	0.75	6.0	50	80	0.0427	480
SLA80-224	0.70	5.0	80	80	0.0362	480	SLA80-260	0.75	6.0	60	80	0.0353	480
SLA80-225	0.70	5.5	60	80	0.0350	480	SLA80-261	0.75	6.0	70	80	0.0301	480
SLA80-226	0.70	5.5	70	80	0.0299	480	SLA80-262	0.75	6.5	50	80	0.0325	480
SLA80-227	0.70	5.5	80	80	0.0260	480	SLA80-263	0.75	6.5	60	80	0.0269	480
SLA80-228	0.70	6.0	60	80	0.0260	480	SLA80-264	0.75	6.5	70	80	0.0229	480
SLA80-229	0.70	6.0	70	80	0.0222	480	SLA80-265	0.75	7.0	50	80	0.0253	480
SLA80-230	0.70	6.0	80	80	0.0193	480	SLA80-266	0.75	7.0	60	80	0.0209	480
SLA80-231	0.70	6.5	60	80	0.0198	480	SLA80-267	0.75	7.0	70	80	0.0178	480
SLA80-232	0.70	6.5	70	80	0.0169	480	SLA80-268	0.75	7.5	50	80	0.0200	480
SLA80-233	0.70	6.5	80	80	0.0147	480	SLA80-269	0.75	7.5	60	80	0.0166	480
SLA80-234	0.70	7.0	60	80	0.0155	480	SLA80-270	0.75	7.5	70	80	0.0141	480
SLA80-235	0.70	7.0	70	80	0.0132	480	SLA80-271	0.75	8.0	50	80	0.0162	480
SLA80-236	0.70	7.0	80	80	0.0115	480	SLA80-272	0.75	8.0	60	80	0.0134	480
SLA80-237	0.70	7.5	60	80	0.0123	480	SLA80-273	0.75	8.0	70	80	0.0114	480
SLA80-238	0.70	7.5	70	80	0.0105	480	SLA80-274	0.75	8.5	50	80	0.0132	480
SLA80-239	0.70	7.5	80	80	0.0091	480	SLA80-275	0.75	8.5	60	80	0.0109	480
SLA80-240	0.70	8.0	60	80	0.0099	480	SLA80-276	0.75	8.5	70	80	0.0093	480
SLA80-241	0.70	8.0	70	80	0.0085	480	SLA80-277	0.75	9.0	50	80	0.0110	480
SLA80-242	0.70	8.0	80	80	0.0074	480	SLA80-278	0.75	9.0	60	80	0.0091	480
SLA80-243	0.70	8.5	60	80	0.0081	480	SLA80-279	0.75	9.0	70	80	0.0077	480
SLA80-244	0.70	8.5	70	80	0.0069	480	SLA80-280	0.75	9.5	50	80	0.0092	480
SLA80-245	0.70	8.5	80	80	0.0060	480	SLA80-281	0.75	9.5	60	80	0.0076	480
SLA80-246	0.70	9.0	60	80	0.0067	480	SLA80-282	0.75	9.5	70	80	0.0065	480
SLA80-247	0.70	9.0	70	80	0.0057	480	SLA80-283	0.75	10.0	50	80	0.0078	480
SLA80-248	0.70	9.0	80	80	0.0050	480	SLA80-284	0.75	10.0	60	80	0.0064	480
SLA80-249	0.70	9.5	60	80	0.0056	480	SLA80-285	0.75	10.0	70	80	0.0055	480
SLA80-250	0.70	9.5	70	80	0.0048	480	SLA80-286	0.80	5.0	60	80	0.0893	480
SLA80-251	0.70	9.5	80	80	0.0042	480	SLA80-287	0.80	5.0	70	80	0.0762	480
SLA80-252	0.70	10.0	60	80	0.0048	480	SLA80-288	0.80	5.5	60	80	0.0637	480

精密用セミロングスプリング80L

注番	線径	外径	総巻数	自由長	バネ定数	価格
SLA80-289	0.80	5.5	70	80	0.0543	480
SLA80-290	0.80	6.0	50	80	0.0568	480
SLA80-291	0.80	6.0	60	80	0.0470	480
SLA80-292	0.80	6.0	70	80	0.0401	480
SLA80-293	0.80	6.5	50	80	0.0431	480
SLA80-294	0.80	6.5	60	80	0.0357	480
SLA80-295	0.80	6.5	70	80	0.0304	480
SLA80-296	0.80	7.0	50	80	0.0335	480
SLA80-297	0.80	7.0	60	80	0.0277	480
SLA80-298	0.80	7.0	70	80	0.0236	480
SLA80-299	0.80	7.5	50	80	0.0265	480
SLA80-300	0.80	7.5	60	80	0.0220	480
SLA80-301	0.80	7.5	70	80	0.0187	480
SLA80-302	0.80	8.0	50	80	0.0214	480
SLA80-303	0.80	8.0	60	80	0.0177	480
SLA80-304	0.80	8.0	70	80	0.0151	480
SLA80-305	0.80	8.5	50	80	0.0175	480
SLA80-306	0.80	8.5	60	80	0.0145	480
SLA80-307	0.80	8.5	70	80	0.0123	480
SLA80-308	0.80	9.0	50	80	0.0145	480
SLA80-309	0.80	9.0	60	80	0.0120	480
SLA80-310	0.80	9.0	70	80	0.0102	480
SLA80-311	0.80	9.5	50	80	0.0121	480
SLA80-312	0.80	9.5	60	80	0.0100	480
SLA80-313	0.80	9.5	70	80	0.0085	480
SLA80-314	0.80	10.0	50	80	0.0102	480
SLA80-315	0.80	10.0	60	80	0.0085	480
SLA80-316	0.80	10.0	70	80	0.0072	480
SLA80-317	0.85	5.0	60	80	0.1180	480
SLA80-318	0.85	5.0	65	80	0.1086	480
SLA80-319	0.85	5.5	55	80	0.0918	480
SLA80-320	0.85	5.5	60	80	0.0839	480
SLA80-321	0.85	5.5	65	80	0.0772	480
SLA80-322	0.85	6.0	55	80	0.0676	480
SLA80-323	0.85	6.0	60	80	0.0617	480
SLA80-324	0.85	6.0	65	80	0.0568	480

注番	線径	外径	総巻数	自由長	バネ定数	価格
SLA80-325	0.85	6.5	55	80	0.0511	480
SLA80-326	0.85	6.5	60	80	0.0467	480
SLA80-327	0.85	6.5	65	80	0.0430	480
SLA80-328	0.85	7.0	55	80	0.0423	480
SLA80-329	0.85	7.0	60	80	0.0362	480
SLA80-330	0.85	7.0	65	80	0.0333	480
SLA80-331	0.85	7.5	55	80	0.0313	480
SLA80-332	0.85	7.5	60	80	0.0286	480
SLA80-333	0.85	7.5	65	80	0.0264	480
SLA80-334	0.85	8.0	55	80	0.0252	480
SLA80-335	0.85	8.0	60	80	0.0230	480
SLA80-336	0.85	8.0	65	80	0.0212	480
SLA80-337	0.85	8.5	55	80	0.0206	480
SLA80-338	0.85	8.5	60	80	0.0188	480
SLA80-339	0.85	8.5	65	80	0.0173	480
SLA80-340	0.85	9.0	55	80	0.0170	480
SLA80-341	0.85	9.0	60	80	0.0155	480
SLA80-342	0.85	9.0	65	80	0.0143	480
SLA80-343	0.85	9.5	55	80	0.0142	480
SLA80-344	0.85	9.5	60	80	0.0130	480
SLA80-345	0.85	9.5	65	80	0.0120	480
SLA80-346	0.85	10.0	55	80	0.0120	480
SLA80-347	0.85	10.0	60	80	0.0110	480
SLA80-348	0.85	10.0	65	80	0.0101	480
SLA80-349	0.90	5.0	65	80	0.1416	480
SLA80-350	0.90	5.5	55	80	0.1192	480
SLA80-351	0.90	5.5	65	80	0.1003	480
SLA80-352	0.90	6.0	55	80	0.0874	480
SLA80-353	0.90	6.0	65	80	0.0736	480
SLA80-354	0.90	6.5	55	80	0.0660	480
SLA80-355	0.90	6.5	65	80	0.0555	480
SLA80-356	0.90	7.0	55	80	0.0511	480
SLA80-357	0.90	7.0	65	80	0.0430	480
SLA80-358	0.90	7.5	55	80	0.0403	480
SLA80-359	0.90	7.5	65	80	0.0339	480
SLA80-360	0.90	8.0	55	80	0.0324	480

精密用セミロングスプリング 100L

注番	線径	外径	総巻数	自由長	バネ定数	価格
SLA100-1	0.40	4.0	70	100	0.0075	500
SLA100-2	0.40	4.0	80	100	0.0065	500
SLA100-3	0.40	4.5	60	100	0.0060	500
SLA100-4	0.40	4.5	70	100	0.0051	500
SLA100-5	0.40	4.5	80	100	0.0044	500
SLA100-6	0.40	5.0	60	100	0.0042	500
SLA100-7	0.40	5.0	70	100	0.0036	500
SLA100-8	0.40	5.0	80	100	0.0031	500
SLA100-9	0.40	5.5	60	100	0.0031	500
SLA100-10	0.40	5.5	70	100	0.0026	500
SLA100-11	0.40	5.5	80	100	0.0023	500
SLA100-12	0.40	6.0	60	100	0.0023	500
SLA100-13	0.40	6.0	70	100	0.0020	500
SLA100-14	0.40	6.0	80	100	0.0017	500
SLA100-15	0.40	6.5	60	100	0.0018	500
SLA100-16	0.40	6.5	70	100	0.0015	500
SLA100-17	0.40	6.5	80	100	0.0013	500
SLA100-18	0.40	7.0	60	100	0.0014	500
SLA100-19	0.40	7.0	70	100	0.0012	500
SLA100-20	0.40	7.0	80	100	0.0010	500
SLA100-21	0.40	7.5	60	100	0.0011	500
SLA100-22	0.40	7.5	70	100	0.0009	500
SLA100-23	0.40	7.5	80	100	0.0008	500
SLA100-24	0.40	8.0	60	100	0.0009	500
SLA100-25	0.40	8.0	70	100	0.0008	500
SLA100-26	0.40	8.0	80	100	0.0007	500
SLA100-27	0.40	8.5	60	100	0.0007	500
SLA100-28	0.40	8.5	70	100	0.0006	500
SLA100-29	0.40	8.5	80	100	0.0005	500
SLA100-30	0.40	9.0	60	100	0.0006	500
SLA100-31	0.40	9.0	70	100	0.0005	500
SLA100-32	0.40	9.0	80	100	0.0004	500
SLA100-33	0.40	9.5	60	100	0.0005	500
SLA100-34	0.40	9.5	70	100	0.0004	500
SLA100-35	0.40	9.5	80	100	0.0004	500
SLA100-36	0.40	10.0	60	100	0.0004	500

注番	線径	外径	総巻数	自由長	バネ定数	価格
SLA100-37	0.40	10.0	70	100	0.0003	500
SLA100-38	0.40	10.0	80	100	0.0003	500
SLA100-39	0.45	4.5	70	100	0.0085	500
SLA100-40	0.45	4.5	80	100	0.0074	500
SLA100-41	0.45	5.0	60	100	0.0070	500
SLA100-42	0.45	5.0	70	100	0.0060	500
SLA100-43	0.45	5.0	80	100	0.0052	500
SLA100-44	0.45	5.5	60	100	0.0051	500
SLA100-45	0.45	5.5	70	100	0.0043	500
SLA100-46	0.45	5.5	80	100	0.0038	500
SLA100-47	0.45	6.0	60	100	0.0038	500
SLA100-48	0.45	6.0	70	100	0.0033	500
SLA100-49	0.45	6.0	80	100	0.0028	500
SLA100-50	0.45	6.5	60	100	0.0029	500
SLA100-51	0.45	6.5	70	100	0.0025	500
SLA100-52	0.45	6.5	80	100	0.0022	500
SLA100-53	0.45	7.0	60	100	0.0023	500
SLA100-54	0.45	7.0	70	100	0.0020	500
SLA100-55	0.45	7.0	80	100	0.0017	500
SLA100-56	0.45	7.5	60	100	0.0018	500
SLA100-57	0.45	7.5	70	100	0.0016	500
SLA100-58	0.45	7.5	80	100	0.0014	500
SLA100-59	0.45	8.0	60	100	0.0015	500
SLA100-60	0.45	8.0	70	100	0.0013	500
SLA100-61	0.45	8.0	80	100	0.0011	500
SLA100-62	0.45	8.5	60	100	0.0012	500
SLA100-63	0.45	8.5	70	100	0.0010	500
SLA100-64	0.45	8.5	80	100	0.0009	500
SLA100-65	0.45	9.0	60	100	0.0010	500
SLA100-66	0.45	9.0	70	100	0.0009	500
SLA100-67	0.45	9.0	80	100	0.0007	500
SLA100-68	0.45	9.5	60	100	0.0008	500
SLA100-69	0.45	9.5	70	100	0.0007	500
SLA100-70	0.45	9.5	80	100	0.0006	500
SLA100-71	0.45	10.0	60	100	0.0007	500
SLA100-72	0.45	10.0	70	100	0.0006	500

精密用セミロングスプリング 100L

注番	線径	外径	総巻数	自由長	バネ定数	価格
SLA100-73	0.45	10.0	80	100	0.0005	500
SLA100-74	0.50	4.0	80	100	0.0175	500
SLA100-75	0.50	4.5	80	100	0.0117	500
SLA100-76	0.50	5.0	70	100	0.0094	500
SLA100-77	0.50	5.0	80	100	0.0082	500
SLA100-78	0.50	5.5	60	100	0.0080	500
SLA100-79	0.50	5.5	70	100	0.0068	500
SLA100-80	0.50	5.5	80	100	0.0060	500
SLA100-81	0.50	6.0	60	100	0.0060	500
SLA100-82	0.50	6.0	70	100	0.0051	500
SLA100-83	0.50	6.0	80	100	0.0045	500
SLA100-84	0.50	6.5	60	100	0.0046	500
SLA100-85	0.50	6.5	70	100	0.0039	500
SLA100-86	0.50	6.5	80	100	0.0034	500
SLA100-87	0.50	7.0	60	100	0.0036	500
SLA100-88	0.50	7.0	70	100	0.0031	500
SLA100-89	0.50	7.0	80	100	0.0027	500
SLA100-90	0.50	7.5	60	100	0.0029	500
SLA100-91	0.50	7.5	70	100	0.0025	500
SLA100-92	0.50	7.5	80	100	0.0021	500
SLA100-93	0.50	8.0	60	100	0.0023	500
SLA100-94	0.50	8.0	70	100	0.0020	500
SLA100-95	0.50	8.0	80	100	0.0017	500
SLA100-96	0.50	8.5	60	100	0.0019	500
SLA100-97	0.50	8.5	70	100	0.0016	500
SLA100-98	0.50	8.5	80	100	0.0014	500
SLA100-99	0.50	9.0	60	100	0.0016	500
SLA100-100	0.50	9.0	70	100	0.0014	500
SLA100-101	0.50	9.0	80	100	0.0012	500
SLA100-102	0.50	9.5	60	100	0.0013	500
SLA100-103	0.50	9.5	70	100	0.0011	500
SLA100-104	0.50	9.5	80	100	0.0010	500
SLA100-105	0.50	10.0	60	100	0.0011	500
SLA100-106	0.50	10.0	70	100	0.0010	500
SLA100-107	0.50	10.0	80	100	0.0008	500
SLA100-108	0.55	4.5	80	100	0.0178	500

注番	線径	外径	総巻数	自由長	バネ定数	価格
SLA100-109	0.55	5.0	70	100	0.0143	500
SLA100-110	0.55	5.0	80	100	0.0124	500
SLA100-111	0.55	5.5	60	100	0.0121	500
SLA100-112	0.55	5.5	70	100	0.0104	500
SLA100-113	0.55	5.5	80	100	0.0090	500
SLA100-114	0.55	6.0	60	100	0.0091	500
SLA100-115	0.55	6.0	70	100	0.0077	500
SLA100-116	0.55	6.0	80	100	0.0067	500
SLA100-117	0.55	6.5	60	100	0.0070	500
SLA100-118	0.55	6.5	70	100	0.0059	500
SLA100-119	0.55	6.5	80	100	0.0052	500
SLA100-120	0.55	7.0	60	100	0.0055	500
SLA100-121	0.55	7.0	70	100	0.0047	500
SLA100-122	0.55	7.0	80	100	0.0040	500
SLA100-123	0.55	7.5	60	100	0.0044	500
SLA100-124	0.55	7.5	40	100	0.0037	500
SLA100-125	0.55	7.5	80	100	0.0032	500
SLA100-126	0.55	8.0	60	100	0.0035	500
SLA100-127	0.55	8.0	70	100	0.0030	500
SLA100-128	0.55	8.0	80	100	0.0026	500
SLA100-129	0.55	8.5	60	100	0.0029	500
SLA100-130	0.55	8.5	70	100	0.0025	500
SLA100-131	0.55	8.5	80	100	0.0021	500
SLA100-132	0.55	9.0	60	100	0.0024	500
SLA100-133	0.55	9.0	70	100	0.0020	500
SLA100-134	0.55	9.0	80	100	0.0018	500
SLA100-135	0.55	9.5	60	100	0.0020	500
SLA100-136	0.55	9.5	70	100	0.0017	500
SLA100-137	0.55	9.5	80	100	0.0015	500
SLA100-138	0.55	10.0	60	100	0.0017	500
SLA100-139	0.55	10.0	70	100	0.0014	500
SLA100-140	0.55	10.0	80	100	0.0013	500
SLA100-141	0.60	4.5	80	100	0.0262	500
SLA100-142	0.60	5.0	70	100	0.0209	500
SLA100-143	0.60	5.0	80	100	0.0182	500
SLA100-144	0.60	5.5	60	100	0.0178	500

精密用セミロングスプリング 100L

注番	線径	外径	総巻数	自由長	バネ定数	価格
SLA100-145	0.60	5.5	70	100	0.0151	500
SLA100-146	0.60	5.5	80	100	0.0132	500
SLA100-147	0.60	6.0	60	100	0.0133	500
SLA100-148	0.60	6.0	70	100	0.0113	500
SLA100-149	0.60	6.0	80	100	0.0098	500
SLA100-150	0.60	6.5	60	100	0.0101	500
SLA100-151	0.60	6.5	70	100	0.0086	500
SLA100-152	0.60	6.5	80	100	0.0075	500
SLA100-153	0.60	7.0	60	100	0.0079	500
SLA100-154	0.60	7.0	70	100	0.0068	500
SLA100-155	0.60	7.0	80	100	0.0059	500
SLA100-156	0.60	7.5	60	100	0.0063	500
SLA100-157	0.60	7.5	70	100	0.0054	500
SLA100-158	0.60	7.5	80	100	0.0047	500
SLA100-159	0.60	8.0	60	100	0.0051	500
SLA100-160	0.60	8.0	70	100	0.0044	500
SLA100-161	0.60	8.0	80	100	0.0038	500
SLA100-162	0.60	8.5	60	100	0.0042	500
SLA100-163	0.60	8.5	70	100	0.0036	500
SLA100-164	0.60	8.5	80	100	0.0031	500
SLA100-165	0.60	9.0	60	100	0.0035	500
SLA100-166	0.60	9.0	70	100	0.0030	500
SLA100-167	0.60	9.0	80	100	0.0026	500
SLA100-168	0.60	9.5	60	100	0.0029	500
SLA100-169	0.60	9.5	70	100	0.0025	500
SLA100-170	0.60	9.5	80	100	0.0022	500
SLA100-171	0.60	10.0	60	100	0.0025	500
SLA100-172	0.60	10.0	70	100	0.0021	500
SLA100-173	0.60	10.0	80	100	0.0018	500
SLA100-174	0.65	4.5	80	100	0.0375	500
SLA100-175	0.65	5.0	70	100	0.0298	500
SLA100-176	0.65	5.0	80	100	0.0260	500
SLA100-177	0.65	5.5	60	100	0.0252	500
SLA100-178	0.65	5.5	70	100	0.0215	500
SLA100-179	0.65	5.5	80	100	0.0188	500
SLA100-180	0.65	6.0	60	100	0.0188	500

注番	線径	外径	総巻数	自由長	バネ定数	価格
SLA100-181	0.65	6.0	70	100	0.0160	500
SLA100-182	0.65	6.0	80	100	0.0140	500
SLA100-183	0.65	6.5	60	100	0.0144	500
SLA100-184	0.65	6.5	70	100	0.0122	500
SLA100-185	0.65	6.5	80	100	0.0107	500
SLA100-186	0.65	7.0	60	100	0.0112	500
SLA100-187	0.65	7.0	70	100	0.0096	500
SLA100-188	0.65	7.0	80	100	0.0083	500
SLA100-189	0.65	7.5	60	100	0.0089	500
SLA100-190	0.65	7.5	70	100	0.0076	500
SLA100-191	0.65	7.5	80	100	0.0066	500
SLA100-192	0.65	8.0	60	100	0.0072	500
SLA100-193	0.65	8.0	70	100	0.0061	500
SLA100-194	0.65	8.0	80	100	0.0054	500
SLA100-195	0.65	8.5	60	100	0.0059	500
SLA100-196	0.65	8.5	70	100	0.0050	500
SLA100-197	0.65	8.5	80	100	0.0044	500
SLA100-198	0.65	9.0	60	100	0.0049	500
SLA100-199	0.65	9.0	70	100	0.0042	500
SLA100-200	0.65	9.0	80	100	0.0036	500
SLA100-201	0.65	9.5	60	100	0.0041	500
SLA100-202	0.65	9.5	70	100	0.0035	500
SLA100-203	0.65	9.5	80	100	0.0030	500
SLA100-204	0.65	10.0	60	100	0.0035	500
SLA100-205	0.65	10.0	70	100	0.0030	500
SLA100-206	0.65	10.0	80	100	0.0026	500
SLA100-207	0.70	5.0	70	100	0.0416	500
SLA100-208	0.70	5.0	80	100	0.0362	500
SLA100-209	0.70	5.5	70	100	0.0299	500
SLA100-210	0.70	5.5	80	100	0.0260	500
SLA100-211	0.70	6.0	60	100	0.0260	500
SLA100-212	0.70	6.0	70	100	0.0222	500
SLA100-213	0.70	6.0	80	100	0.0193	500
SLA100-214	0.70	6.5	60	100	0.0198	500
SLA100-215	0.70	6.5	70	100	0.0169	500
SLA100-216	0.70	6.5	80	100	0.0147	500

精密用セミロングスプリング 100

注番	線径	外径	総巻数	自由長	バネ定数	価格	注番	線径	外径	総巻数	自由長	バネ定数	価格
SLA100-217	0.70	7.0	60	100	0.0155	500	SLA100-253	0.75	8.0	60	100	0.0134	500
SLA100-218	0.70	7.0	70	100	0.0132	500	SLA100-254	0.75	8.0	70	100	0.0114	500
SLA100-219	0.70	7.0	80	100	0.0115	500	SLA100-255	0.75	8.0	80	100	0.0099	500
SLA100-220	0.70	7.5	60	100	0.0123	500	SLA100-256	0.75	8.5	60	100	0.0109	500
SLA100-221	0.70	7.5	70	100	0.0105	500	SLA100-257	0.75	8.5	70	100	0.0093	500
SLA100-222	0.70	7.5	80	100	0.0091	500	SLA100-258	0.75	8.5	80	100	0.0081	500
SLA100-223	0.70	8.0	60	100	0.0099	500	SLA100-259	0.75	9.0	60	100	0.0091	500
SLA100-224	0.70	8.0	70	100	0.0085	500	SLA100-260	0.75	9.0	70	100	0.0077	500
SLA100-225	0.70	8.0	80	100	0.0074	500	SLA100-261	0.75	9.0	80	100	0.0067	500
SLA100-226	0.70	8.5	60	100	0.0081	500	SLA100-262	0.75	9.5	60	100	0.0076	500
SLA100-227	0.70	8.5	70	100	0.0069	500	SLA100-263	0.75	9.5	70	100	0.0065	500
SLA100-228	0.70	8.5	80	100	0.0060	500	SLA100-264	0.75	9.5	80	100	0.0056	500
SLA100-229	0.70	9.0	60	100	0.0067	500	SLA100-265	0.75	10.0	60	100	0.0064	500
SLA100-230	0.70	9.0	70	100	0.0057	500	SLA100-266	0.75	10.0	70	100	0.0055	500
SLA100-231	0.70	9.0	80	100	0.0050	500	SLA100-267	0.75	10.0	80	100	0.0048	500
SLA100-232	0.70	9.5	60	100	0.0056	500	SLA100-268	0.80	5.0	80	100	0.0664	500
SLA100-233	0.70	9.5	70	100	0.0048	500	SLA100-269	0.80	5.5	70	100	0.0543	500
SLA100-234	0.70	9.5	80	100	0.0042	500	SLA100-270	0.80	5.5	80	100	0.0474	500
SLA100-235	0.70	10.0	60	100	0.0048	500	SLA100-271	0.80	6.0	60	100	0.0470	500
SLA100-236	0.70	10.0	70	100	0.0041	500	SLA100-272	0.80	6.0	70	100	0.0401	500
SLA100-237	0.70	10.0	80	100	0.0035	500	SLA100-273	0.80	6.0	80	100	0.0350	500
SLA100-238	0.75	5.0	80	100	0.0495	500	SLA100-274	0.80	6.5	60	100	0.0357	500
SLA100-239	0.75	5.5	70	100	0.0407	500	SLA100-275	0.80	6.5	70	100	0.0304	500
SLA100-240	0.75	5.5	80	100	0.0354	500	SLA100-276	0.80	6.5	80	100	0.0265	500
SLA100-241	0.75	6.0	60	100	0.0353	500	SLA100-277	0.80	7.0	60	100	0.0277	500
SLA100-242	0.75	6.0	70	100	0.0301	500	SLA100-278	0.80	7.0	70	100	0.0236	500
SLA100-243	0.75	6.0	80	100	0.0262	500	SLA100-279	0.80	7.0	80	100	0.0206	500
SLA100-244	0.75	6.5	60	100	0.0269	500	SLA100-280	0.80	7.5	60	100	0.0220	500
SLA100-245	0.75	6.5	70	100	0.0229	500	SLA100-281	0.80	7.5	70	100	0.0187	500
SLA100-246	0.75	6.5	80	100	0.0200	500	SLA100-282	0.80	7.5	80	100	0.0163	500
SLA100-247	0.75	7.0	60	100	0.0209	500	SLA100-283	0.80	8.0	60	100	0.0177	500
SLA100-248	0.75	7.0	70	100	0.0178	500	SLA100-284	0.80	8.0	70	100	0.0151	500
SLA100-249	0.75	7.0	80	100	0.0155	500	SLA100-285	0.80	8.0	80	100	0.0131	500
SLA100-250	0.75	7.5	60	100	0.0166	500	SLA100-286	0.80	8.5	60	100	0.0145	500
SLA100-251	0.75	7.5	70	100	0.0141	500	SLA100-287	0.80	8.5	70	100	0.0123	500
SLA100-252	0.75	7.5	80	100	0.0123	500	SLA100-288	0.80	8.5	80	100	0.0107	500

精密用セミロングスプリング 100L

注番	線径	外径	総巻数	自由長	バネ定数	価格
SLA100-289	0.80	9.0	60	100	0.0120	500
SLA100-290	0.80	9.0	70	100	0.0102	500
SLA100-291	0.80	9.0	80	100	0.0089	500
SLA100-292	0.80	9.5	60	100	0.0100	500
SLA100-293	0.80	9.5	70	100	0.0085	500
SLA100-294	0.80	9.5	80	100	0.0074	500
SLA100-295	0.80	10.0	60	100	0.0085	500
SLA100-296	0.80	10.0	70	100	0.0072	500
SLA100-297	0.80	10.0	80	100	0.0063	500
SLA100-298	0.85	5.0	80	100	0.0877	500
SLA100-299	0.85	5.5	70	100	0.0715	500
SLA100-300	0.85	5.5	80	100	0.0624	500
SLA100-301	0.85	6.0	60	100	0.0617	500
SLA100-302	0.85	6.0	70	100	0.0526	500
SLA100-303	0.85	6.0	80	100	0.0459	500
SLA100-304	0.85	6.5	60	100	0.0467	500
SLA100-305	0.85	6.5	70	100	0.0399	500
SLA100-306	0.85	6.5	80	100	0.0347	500
SLA100-307	0.85	7.0	60	100	0.0362	500
SLA100-308	0.85	7.0	70	100	0.0309	500
SLA100-309	0.85	7.0	80	100	0.0269	500
SLA100-310	0.85	7.5	60	100	0.0286	500
SLA100-311	0.85	7.5	70	100	0.0244	500
SLA100-312	0.85	7.5	80	100	0.0213	500
SLA100-313	0.85	8.0	60	100	0.0230	500
SLA100-314	0.85	8.0	70	100	0.0196	500
SLA100-315	0.85	8.0	80	100	0.0171	500
SLA100-316	0.85	8.5	60	100	0.0188	500
SLA100-317	0.85	8.5	70	100	0.0160	500
SLA100-318	0.85	8.5	80	100	0.0140	500
SLA100-319	0.85	9.0	60	100	0.0155	500
SLA100-320	0.85	9.0	70	100	0.0132	500
SLA100-321	0.85	9.0	80	100	0.0115	500
SLA100-322	0.85	9.5	60	100	0.0130	500
SLA100-323	0.85	9.5	70	100	0.0111	500
SLA100-324	0.85	9.5	80	100	0.0096	500

注番	線径	外径	総巻数	自由長	バネ定数	価格
SLA100-325	0.85	10.0	60	100	0.0110	500
SLA100-326	0.85	10.0	70	100	0.0093	500
SLA100-327	0.85	10.0	80	100	0.0081	500
SLA100-328	0.90	5.5	65	100	0.1003	500
SLA100-329	0.90	5.5	70	100	0.0929	500
SLA100-330	0.90	6.0	60	100	0.0799	500
SLA100-331	0.90	6.0	65	100	0.0736	500
SLA100-332	0.90	6.0	70	100	0.0681	500
SLA100-333	0.90	6.5	60	100	0.0603	500
SLA100-334	0.90	6.5	65	100	0.0555	500
SLA100-335	0.90	6.5	70	100	0.0515	500
SLA100-336	0.90	7.0	60	100	0.0467	500
SLA100-337	0.90	7.0	65	100	0.0430	500
SLA100-338	0.90	7.0	70	100	0.0398	500
SLA100-339	0.90	7.5	60	100	0.0368	500
SLA100-340	0.90	7.5	65	100	0.0339	500
SLA100-341	0.90	7.5	70	100	0.0314	500
SLA100-342	0.90	8.0	60	100	0.0296	500
SLA100-343	0.90	8.0	65	100	0.0272	500
SLA100-344	0.90	8.0	70	100	0.0252	500
SLA100-345	0.90	8.5	60	100	0.0241	500
SLA100-346	0.90	8.5	65	100	0.0222	500
SLA100-347	0.90	8.5	70	100	0.0206	500
SLA100-348	0.90	9.0	60	100	0.0199	500
SLA100-349	0.90	9.0	65	100	0.0183	500
SLA100-350	0.90	9.0	70	100	0.0170	500
SLA100-351	0.90	9.5	60	100	0.0166	500
SLA100-352	0.90	9.5	65	100	0.0153	500
SLA100-353	0.90	9.5	70	100	0.0142	500
SLA100-354	0.90	10.0	60	100	0.0140	500
SLA100-355	0.90	10.0	65	100	0.0129	500
SLA100-356	0.90	10.0	70	100	0.0120	500
SLA100-357	0.95	5.5	70	100	0.1192	500
SLA100-358	0.95	6.0	60	100	0.1022	500
SLA100-359	0.95	6.0	65	100	0.0941	500
SLA100-360	0.95	6.0	70	100	0.0871	500

精密用セミロングスプリング 120L

注番	線径	外径	総巻数	自由長	バネ定数	価格
SLA120-1	0.40	5.0	70	120	0.0036	550
SLA120-2	0.40	5.0	80	120	0.0031	550
SLA120-3	0.40	5.0	90	120	0.0028	550
SLA120-4	0.40	5.0	100	120	0.0025	550
SLA120-5	0.40	5.0	110	120	0.0022	550
SLA120-6	0.40	5.5	60	120	0.0031	550
SLA120-7	0.40	5.5	70	120	0.0026	550
SLA120-8	0.40	5.5	80	120	0.0023	550
SLA120-9	0.40	5.5	90	120	0.0020	550
SLA120-10	0.40	5.5	10	120	0.0018	550
SLA120-11	0.40	5.5	110	120	0.0016	550
SLA120-12	0.40	6.0	50	120	0.0028	550
SLA120-13	0.40	6.0	60	120	0.0023	550
SLA120-14	0.40	6.0	70	120	0.0020	550
SLA120-15	0.40	6.0	80	120	0.0017	550
SLA120-16	0.40	6.0	90	120	0.0015	550
SLA120-17	0.40	6.0	100	120	0.0013	550
SLA120-18	0.40	6.0	110	120	0.0012	550
SLA120-19	0.40	6.5	50	120	0.0022	550
SLA120-20	0.40	6.5	60	120	0.0018	550
SLA120-21	0.40	6.5	70	120	0.0015	550
SLA120-22	0.40	6.5	80	120	0.0013	550
SLA120-23	0.40	6.5	90	120	0.0012	550
SLA120-24	0.40	6.5	100	120	0.0010	550
SLA120-25	0.40	6.5	110	120	0.0009	550
SLA120-26	0.40	7.0	50	120	0.0017	550
SLA120-27	0.40	7.0	60	120	0.0014	550
SLA120-28	0.40	7.0	70	120	0.0012	550
SLA120-29	0.40	7.0	80	120	0.0010	550
SLA120-30	0.40	7.0	90	120	0.0009	550
SLA120-31	0.40	7.0	100	120	0.0008	550
SLA120-32	0.40	7.0	110	120	0.0007	550
SLA120-33	0.40	7.5	50	120	0.0013	550
SLA120-34	0.40	7.5	60	120	0.0011	550
SLA120-35	0.40	7.5	70	120	0.0009	550
SLA120-36	0.40	7.5	80	120	0.0008	550

注番	線径	外径	総巻数	自由長	バネ定数	価格
SLA120-37	0.40	7.5	90	120	0.0007	550
SLA120-38	0.40	7.5	100	120	0.0006	550
SLA120-39	0.40	7.5	110	120	0.0006	550
SLA120-40	0.40	8.0	50	120	0.0011	550
SLA120-41	0.40	8.0	60	120	0.0009	550
SLA120-42	0.40	8.0	70	120	0.0008	550
SLA120-43	0.40	8.0	80	120	0.0007	550
SLA120-44	0.40	8.0	90	120	0.0006	550
SLA120-45	0.40	8.0	100	120	0.0005	550
SLA120-46	0.40	8.0	110	120	0.0005	550
SLA120-47	0.40	8.5	50	120	0.0009	550
SLA120-48	0.40	8.5	60	120	0.0007	550
SLA120-49	0.40	8.5	70	120	0.0006	550
SLA120-50	0.40	8.5	80	120	0.0005	550
SLA120-51	0.40	8.5	90	120	0.0005	550
SLA120-52	0.40	8.5	100	120	0.0004	550
SLA120-53	0.40	8.5	110	120	0.0004	550
SLA120-54	0.40	9.0	50	120	0.0007	550
SLA120-55	0.40	9.0	60	120	0.0006	550
SLA120-56	0.40	9.0	70	120	0.0005	550
SLA120-57	0.40	9.0	80	120	0.0004	550
SLA120-58	0.40	9.0	90	120	0.0004	550
SLA120-59	0.40	9.0	100	120	0.0003	550
SLA120-60	0.40	9.0	110	120	0.0003	550
SLA120-61	0.40	9.5	50	120	0.0006	550
SLA120-62	0.40	9.5	60	120	0.0005	550
SLA120-63	0.40	9.5	70	120	0.0004	550
SLA120-64	0.40	9.5	80	120	0.0004	550
SLA120-65	0.40	9.5	90	120	0.0003	550
SLA120-66	0.40	9.5	100	120	0.0003	550
SLA120-67	0.40	9.5	110	120	0.0002	550
SLA120-68	0.40	10.0	50	120	0.0005	550
SLA120-69	0.40	10.0	60	120	0.0004	550
SLA120-70	0.40	10.0	70	120	0.0003	550
SLA120-71	0.40	10.0	80	120	0.0003	550
SLA120-72	0.40	10.0	90	120	0.0003	550

精密用セミロングスプリング 120L

注番	線径	外径	総巻数	自由長	バネ定数	価格
SLA120-73	0.40	10.0	100	120	0.0002	550
SLA120-74	0.40	10.0	110	120	0.0002	550
SLA120-75	0.45	5.0	70	120	0.0060	550
SLA120-76	0.45	5.0	80	120	0.0052	550
SLA120-77	0.45	5.0	90	120	0.0046	550
SLA120-78	0.45	5.0	100	120	0.0041	550
SLA120-79	0.45	5.0	110	120	0.0037	550
SLA120-80	0.45	5.5	60	120	0.0051	550
SLA120-81	0.45	5.5	70	120	0.0043	550
SLA120-82	0.45	5.5	80	120	0.0038	550
SLA120-83	0.45	5.5	90	120	0.0033	550
SLA120-84	0.45	5.5	100	120	0.0030	550
SLA120-85	0.45	5.5	110	120	0.0027	550
SLA120-86	0.45	6.0	60	120	0.0038	550
SLA120-87	0.45	6.0	70	120	0.0033	550
SLA120-88	0.45	6.0	80	120	0.0028	550
SLA120-89	0.45	6.0	90	120	0.0025	550
SLA120-90	0.45	6.0	100	120	0.0022	550
SLA120-91	0.45	6.0	110	120	0.0020	550
SLA120-92	0.45	6.5	50	120	0.0036	550
SLA120-93	0.45	6.5	60	120	0.0029	550
SLA120-94	0.45	6.5	70	120	0.0025	550
SLA120-95	0.45	6.5	80	120	0.0022	550
SLA120-96	0.45	6.5	90	120	0.0019	550
SLA120-97	0.45	6.5	100	120	0.0017	550
SLA120-98	0.45	6.5	110	120	0.0016	550
SLA120-99	0.45	7.0	50	120	0.0028	550
SLA120-100	0.45	7.0	60	120	0.0023	550
SLA120-101	0.45	7.0	70	120	0.0020	550
SLA120-102	0.45	7.0	80	120	0.0017	550
SLA120-103	0.45	7.0	90	120	0.0015	550
SLA120-104	0.45	7.0	100	120	0.0013	550
SLA120-105	0.45	7.0	110	120	0.0012	550
SLA120-106	0.45	7.5	50	120	0.0022	550
SLA120-107	0.45	7.5	60	120	0.0018	550
SLA120-108	0.45	7.5	70	120	0.0016	550

注番	線径	外径	総巻数	自由長	バネ定数	価格
SLA120-109	0.45	7.5	80	120	0.0014	550
SLA120-110	0.45	7.5	90	120	0.0012	550
SLA120-111	0.45	7.5	100	120	0.0011	550
SLA120-112	0.45	7.5	110	120	0.0010	550
SLA120-113	0.45	8.0	50	120	0.0018	550
SLA120-114	0.45	8.0	60	120	0.0015	550
SLA120-115	0.45	8.0	70	120	0.0013	550
SLA120-116	0.45	8.0	80	120	0.0011	550
SLA120-117	0.45	8.0	90	120	0.0010	550
SLA120-118	0.45	8.0	100	120	0.0009	550
SLA120-119	0.45	8.0	110	120	0.0008	550
SLA120-120	0.45	8.5	50	120	0.0015	550
SLA120-121	0.45	8.5	60	120	0.0012	550
SLA120-122	0.45	8.5	70	120	0.0010	550
SLA120-123	0.45	8.5	80	120	0.0009	550
SLA120-124	0.45	8.5	90	120	0.0008	550
SLA120-125	0.45	8.5	100	120	0.0007	550
SLA120-126	0.45	8.5	110	120	0.0006	550
SLA120-127	0.45	9.0	50	120	0.0012	550
SLA120-128	0.45	9.0	60	120	0.0010	550
SLA120-129	0.45	9.0	70	120	0.0009	550
SLA120-130	0.45	9.0	80	120	0.0007	550
SLA120-131	0.45	9.0	90	120	0.0006	550
SLA120-132	0.45	9.0	100	120	0.0006	550
SLA120-133	0.45	9.0	110	120	0.0005	550
SLA120-134	0.45	9.5	50	120	0.0010	550
SLA120-135	0.45	9.5	60	120	0.0008	550
SLA120-136	0.45	9.5	70	120	0.0007	550
SLA120-137	0.45	9.5	80	120	0.0006	550
SLA120-138	0.45	9.5	90	120	0.0005	550
SLA120-139	0.45	9.5	100	120	0.0005	550
SLA120-140	0.45	9.5	110	120	0.0004	550
SLA120-141	0.45	10.0	50	120	0.0009	550
SLA120-142	0.45	10.0	60	120	0.0007	550
SLA120-143	0.45	10.0	70	120	0.0006	550
SLA120-144	0.45	10.0	80	120	0.0005	550

精密用セミロングスプリング 120L

注番	線径	外径	総巻数	自由長	バネ定数	価格
SLA120-145	0.45	10.0	90	120	0.0005	550
SLA120-146	0.45	10.0	100	120	0.0004	550
SLA120-147	0.45	10.0	110	120	0.0004	550
SLA120-148	0.50	5.0	80	120	0.0082	550
SLA120-149	0.50	5.0	90	120	0.0073	550
SLA120-150	0.50	5.0	100	120	0.0065	550
SLA120-151	0.50	5.0	110	120	0.0059	550
SLA120-152	0.50	5.5	70	120	0.0068	550
SLA120-153	0.50	5.5	80	120	0.0060	550
SLA120-154	0.50	5.5	90	120	0.0053	550
SLA120-155	0.50	5.5	100	120	0.0047	550
SLA120-156	0.50	5.5	110	120	0.0043	550
SLA120-157	0.50	6.0	60	120	0.0060	550
SLA120-158	0.50	6.0	70	120	0.0051	550
SLA120-159	0.50	6.0	80	120	0.0045	550
SLA120-160	0.50	6.0	90	120	0.0040	550
SLA120-161	0.50	6.0	100	120	0.0035	550
SLA120-162	0.50	6.0	110	120	0.0032	550
SLA120-163	0.50	6.5	50	120	0.0056	550
SLA120-164	0.50	6.5	60	120	0.0046	550
SLA120-165	0.50	6.5	70	120	0.0039	550
SLA120-166	0.50	6.5	80	120	0.0034	550
SLA120-167	0.50	6.5	90	120	0.0030	550
SLA120-168	0.50	6.5	100	120	0.0027	550
SLA120-169	0.50	6.5	110	120	0.0025	550
SLA120-170	0.50	7.0	50	120	0.0044	550
SLA120-171	0.50	7.0	60	120	0.0036	550
SLA120-172	0.50	7.0	70	120	0.0031	550
SLA120-173	0.50	7.0	80	120	0.0027	550
SLA120-174	0.50	7.0	90	120	0.0024	550
SLA120-175	0.50	7.0	100	120	0.0021	550
SLA120-176	0.50	7.0	110	120	0.0019	550
SLA120-177	0.50	7.5	50	120	0.0035	550
SLA120-178	0.50	7.5	60	120	0.0029	550
SLA120-179	0.50	7.5	70	120	0.0025	550
SLA120-180	0.50	7.5	80	120	0.0021	550

注番	線径	外径	総巻数	自由長	バネ定数	価格
SLA120-181	0.50	7.5	90	120	0.0019	550
SLA120-182	0.50	7.5	100	120	0.0017	550
SLA120-183	0.50	7.5	110	120	0.0015	550
SLA120-184	0.50	8.0	50	120	0.0028	550
SLA120-185	0.50	8.0	60	120	0.0023	550
SLA120-186	0.50	8.0	70	120	0.0020	550
SLA120-187	0.50	8.0	80	120	0.0017	550
SLA120-188	0.50	8.0	90	120	0.0015	550
SLA120-189	0.50	8.0	100	120	0.0014	550
SLA120-190	0.50	8.0	110	120	0.0012	550
SLA120-191	0.50	8.5	50	120	0.0023	550
SLA120-192	0.50	8.5	60	120	0.0019	550
SLA120-193	0.50	8.5	70	120	0.0016	550
SLA120-194	0.50	8.5	80	120	0.0014	550
SLA120-195	0.50	8.5	90	120	0.0013	550
SLA120-196	0.50	8.5	100	120	0.0011	550
SLA120-197	0.50	8.5	110	120	0.0010	550
SLA120-198	0.50	9.0	50	120	0.0019	550
SLA120-199	0.50	9.0	60	120	0.0016	550
SLA120-200	0.50	9.0	70	120	0.0014	550
SLA120-201	0.50	9.0	80	120	0.0012	550
SLA120-202	0.50	9.0	90	120	0.0010	550
SLA120-203	0.50	9.0	100	120	0.0009	550
SLA120-204	0.50	9.0	110	120	0.0008	550
SLA120-205	0.50	9.5	50	120	0.0016	550
SLA120-206	0.50	9.5	60	120	0.0013	550
SLA120-207	0.50	9.5	70	120	0.0011	550
SLA120-208	0.50	9.5	80	120	0.0010	550
SLA120-209	0.50	9.5	90	120	0.0009	550
SLA120-210	0.50	9.5	100	120	0.0008	550
SLA120-211	0.50	9.5	110	120	0.0007	550
SLA120-212	0.50	10.0	50	120	0.0014	550
SLA120-213	0.50	10.0	60	120	0.0011	550
SLA120-214	0.50	10.0	70	120	0.0010	550
SLA120-215	0.50	10.0	80	120	0.0008	550
SLA120-216	0.50	10.0	90	120	0.0007	550

精密用セミロングスプリング 120L

注番	線径	外径	総巻数	自由長	バネ定数	価格	注番	線径	外径	総巻数	自由長	バネ定数	価格
SLA120-217	0.50	10.0	100	120	0.0006	550	SLA120-253	0.55	8.0	100	120	0.0021	550
SLA120-218	0.50	10.0	110	120	0.0006	550	SLA120-254	0.55	8.5	50	120	0.0035	550
SLA120-219	0.55	5.0	80	120	0.1223	550	SLA120-255	0.55	8.5	60	120	0.0029	550
SLA120-220	0.55	5.0	90	120	0.0110	550	SLA120-256	0.55	8.5	70	120	0.0025	550
SLA120-221	0.55	5.0	100	120	0.0099	550	SLA120-257	0.55	8.5	80	120	0.0021	550
SLA120-222	0.55	5.5	70	120	0.0010	550	SLA120-258	0.55	8.5	90	120	0.0019	550
SLA120-223	0.55	5.5	80	120	0.0090	550	SLA120-259	0.55	8.5	100	120	0.0017	550
SLA120-224	0.55	5.5	90	120	0.0080	550	SLA120-260	0.55	9.0	50	120	0.0029	550
SLA120-225	0.55	6.0	100	120	0.0072	550	SLA120-261	0.55	9.0	60	120	0.0024	550
SLA120-226	0.55	6.0	60	120	0.0091	550	SLA120-262	0.55	9.0	70	120	0.0020	550
SLA120-227	0.55	6.0	70	120	0.0077	550	SLA120-263	0.55	9.0	80	120	0.0018	550
SLA120-228	0.55	6.0	80	120	0.0067	550	SLA120-264	0.55	9.0	90	120	0.0016	550
SLA120-229	0.55	6.0	90	120	0.0060	550	SLA120-265	0.55	9.0	100	120	0.0014	550
SLA120-230	0.55	6.0	100	120	0.0054	550	SLA120-266	0.55	9.5	50	120	0.0024	550
SLA120-231	0.55	6.5	60	120	0.0070	550	SLA120-267	0.55	9.5	60	120	0.0020	550
SLA120-232	0.55	6.5	70	120	0.0059	550	SLA120-268	0.55	9.5	70	120	0.0017	550
SLA120-233	0.55	6.5	80	120	0.0052	550	SLA120-269	0.55	9.5	80	120	0.0015	550
SLA120-234	0.55	6.5	90	120	0.0046	550	SLA120-270	0.55	9.5	90	120	0.0013	550
SLA120-235	0.55	6.5	100	120	0.0041	550	SLA120-271	0.55	9.5	100	120	0.0012	550
SLA120-236	0.55	7.0	50	120	0.0066	550	SLA120-272	0.55	10.0	50	120	0.0021	550
SLA120-237	0.55	7.0	60	120	0.0055	550	SLA120-273	0.55	10.0	60	120	0.0017	550
SLA120-238	0.55	7.0	70	120	0.0047	550	SLA120-274	0.55	10.0	70	120	0.0014	550
SLA120-239	0.55	7.0	80	120	0.0040	550	SLA120-275	0.55	10.0	80	120	0.0013	550
SLA120-240	0.55	7.0	90	120	0.0036	550	SLA120-276	0.55	10.0	90	120	0.0011	550
SLA120-241	0.55	7.0	100	120	0.0032	550	SLA120-277	0.55	10.0	100	120	0.0010	550
SLA120-242	0.55	7.5	50	120	0.0053	550	SLA120-278	0.60	5.0	80	120	0.0182	550
SLA120-243	0.55	7.5	60	120	0.0044	550	SLA120-279	0.60	5.0	90	120	0.0162	550
SLA120-244	0.55	7.5	70	120	0.0037	550	SLA120-280	0.60	5.0	100	120	0.0145	550
SLA120-245	0.55	7.5	80	120	0.0032	550	SLA120-281	0.60	5.5	70	120	0.0151	550
SLA120-246	0.55	7.5	90	120	0.0029	550	SLA120-282	0.60	5.5	80	120	0.0132	550
SLA120-247	0.55	7.5	100	120	0.0026	550	SLA120-283	0.60	5.5	90	120	0.0117	550
SLA120-248	0.55	8.0	50	120	0.0043	550	SLA120-284	0.60	5.5	100	120	0.0105	550
SLA120-249	0.55	8.0	60	120	0.0035	550	SLA120-285	0.60	6.0	70	120	0.0113	550
SLA120-250	0.55	8.0	70	120	0.0030	550	SLA120-286	0.60	6.0	80	120	0.0098	550
SLA120-251	0.55	8.0	80	120	0.0026	550	SLA120-287	0.60	6.0	90	120	0.0087	550
SLA120-252	0.55	8.0	90	120	0.0023	550	SLA120-288	0.60	6.0	100	120	0.0078	550

精密用セミロングスプリング 120L

注番	線径	外径	総巻数	自由長	バネ定数	価格
SLA120-289	0.60	6.5	60	120	0.0101	550
SLA120-290	0.60	6.5	70	120	0.0086	550
SLA120-291	0.60	6.5	80	120	0.0075	550
SLA120-292	0.60	6.5	90	120	0.0067	550
SLA120-293	0.60	6.5	100	120	0.0060	550
SLA120-294	0.60	7.0	50	120	0.0096	550
SLA120-295	0.60	7.0	60	120	0.0079	550
SLA120-296	0.60	7.0	70	120	0.0068	550
SLA120-297	0.60	7.0	80	120	0.0059	550
SLA120-298	0.60	7.0	90	120	0.0052	550
SLA120-299	0.60	7.0	100	120	0.0047	550
SLA120-300	0.60	7.5	50	120	0.0077	550
SLA120-301	0.60	7.5	60	120	0.0063	550
SLA120-302	0.60	7.5	70	120	0.0054	550
SLA120-303	0.60	7.5	80	120	0.0047	550
SLA120-304	0.60	7.5	90	120	0.0042	550
SLA120-305	0.60	7.5	100	120	0.0037	550
SLA120-306	0.60	8.0	50	120	0.0062	550
SLA120-307	0.60	8.0	60	120	0.0051	550
SLA120-308	0.60	8.0	70	120	0.0044	550
SLA120-309	0.60	8.0	80	120	0.0038	550
SLA120-310	0.60	8.0	90	120	0.0034	550
SLA120-311	0.60	8.0	100	120	0.0030	550
SLA120-312	0.60	8.5	50	120	0.0051	550
SLA120-313	0.60	8.5	60	120	0.0042	550
SLA120-314	0.60	8.5	70	120	0.0036	550
SLA120-315	0.60	8.5	80	120	0.0031	550
SLA120-316	0.60	8.5	90	120	0.0028	550
SLA120-317	0.60	8.5	100	120	0.0025	550
SLA120-318	0.60	9.0	50	120	0.0042	550
SLA120-319	0.60	9.0	60	120	0.0035	550
SLA120-320	0.60	9.0	70	120	0.0030	550
SLA120-321	0.60	9.0	80	120	0.0026	550
SLA120-322	0.60	9.0	90	120	0.0023	550
SLA120-323	0.60	9.0	100	120	0.0020	550
SLA120-324	0.60	9.5	50	120	0.0035	550

注番	線径	外径	総巻数	自由長	バネ定数	価格
SLA120-325	0.60	9.5	60	120	0.0029	550
SLA120-326	0.60	9.5	70	120	0.0025	550
SLA120-327	0.60	9.5	80	120	0.0022	550
SLA120-328	0.60	9.5	90	120	0.0019	550
SLA120-329	0.60	9.5	100	120	0.0017	550
SLA120-330	0.60	10.0	50	120	0.0030	550
SLA120-331	0.60	10.0	60	120	0.0025	550
SLA120-332	0.60	10.0	70	120	0.0021	550
SLA120-333	0.60	10.0	80	120	0.0018	550
SLA120-334	0.60	10.0	90	120	0.0016	550
SLA120-335	0.60	10.0	100	120	0.0014	550
SLA120-336	0.65	5.0	80	120	0.0260	550
SLA120-337	0.65	5.0	90	120	0.0231	550
SLA120-338	0.65	5.0	100	120	0.0207	550
SLA120-339	0.65	5.5	80	120	0.0188	550
SLA120-340	0.65	5.5	90	120	0.0166	550
SLA120-341	0.65	5.5	100	120	0.0149	550
SLA120-342	0.65	6.0	70	120	0.0160	550
SLA120-343	0.65	6.0	80	120	0.0140	550
SLA120-344	0.65	6.0	90	120	0.0124	550
SLA120-345	0.65	6.0	100	120	0.0111	550
SLA120-346	0.65	6.5	60	120	0.0144	550
SLA120-347	0.65	6.5	70	120	0.0122	550
SLA120-348	0.65	6.5	80	120	0.0107	550
SLA120-349	0.65	6.5	90	120	0.0094	550
SLA120-350	0.65	6.5	100	120	0.0085	550
SLA120-351	0.65	7.0	50	120	0.0136	550
SLA120-352	0.65	7.0	60	120	0.0112	550
SLA120-353	0.65	7.0	70	120	0.0096	550
SLA120-354	0.65	7.0	80	120	0.0083	550
SLA120-355	0.65	7.0	90	120	0.0074	550
SLA120-356	0.65	7.0	100	120	0.0066	550
SLA120-357	0.65	7.5	50	120	0.0108	550
SLA120-358	0.65	7.5	60	120	0.0089	550
SLA120-359	0.65	7.5	70	120	0.0076	550
SLA120-360	0.65	7.5	80	120	0.0066	550

精密用セミロングスプリング 120L

注番	線径	外径	総巻数	自由長	バネ定数	価格
SLA120-361	0.65	7.5	90	120	0.0059	550
SLA120-362	0.65	7.5	100	120	0.0053	550
SLA120-363	0.65	8.0	50	120	0.0087	550
SLA120-364	0.65	8.0	60	120	0.0072	550
SLA120-365	0.65	8.0	70	120	0.0061	550
SLA120-366	0.65	8.0	80	120	0.0054	550
SLA120-367	0.65	8.0	90	120	0.0047	550
SLA120-368	0.65	8.0	100	120	0.0043	550
SLA120-369	0.65	8.5	50	120	0.0072	550
SLA120-370	0.65	8.5	60	120	0.0059	550
SLA120-371	0.65	8.5	70	120	0.0050	550
SLA120-372	0.65	8.5	80	120	0.0044	550
SLA120-373	0.65	8.5	90	120	0.0039	550
SLA120-374	0.65	8.5	100	120	0.0035	550
SLA120-375	0.65	9.0	50	120	0.0059	550
SLA120-376	0.65	9.0	60	120	0.0049	550
SLA120-377	0.65	9.0	70	120	0.0042	550
SLA120-378	0.65	9.0	80	120	0.0036	550
SLA120-379	0.65	9.0	90	120	0.0032	550
SLA120-380	0.65	9.0	100	120	0.0029	550
SLA120-381	0.65	9.5	50	120	0.0050	550
SLA120-382	0.65	9.5	60	120	0.0041	550
SLA120-383	0.65	9.5	70	120	0.0035	550
SLA120-384	0.65	9.5	80	120	0.0030	550
SLA120-385	0.65	9.5	90	120	0.0027	550
SLA120-386	0.65	9.5	100	120	0.0024	550
SLA120-387	0.65	10.0	50	120	0.0042	550
SLA120-388	0.65	10.0	60	120	0.0035	550
SLA120-389	0.65	10.0	70	120	0.0030	550
SLA120-390	0.65	10.0	80	120	0.0026	550
SLA120-391	0.65	10.0	90	120	0.0023	550
SLA120-392	0.65	10.0	100	120	0.0020	550
SLA120-393	0.70	6.0	70	120	0.0222	550
SLA120-394	0.70	6.0	80	120	0.0193	550
SLA120-395	0.70	6.0	90	120	0.0171	550
SLA120-396	0.70	6.5	60	120	0.0198	550

注番	線径	外径	総巻数	自由長	バネ定数	価格
SLA120-397	0.70	6.5	70	120	0.0169	550
SLA120-398	0.70	6.5	80	120	0.0147	550
SLA120-399	0.70	6.5	90	120	0.0131	550
SLA120-400	0.70	7.0	60	120	0.0155	550
SLA120-401	0.70	7.0	70	120	0.0132	550
SLA120-402	0.70	7.0	80	120	0.0115	550
SLA120-403	0.70	7.0	90	120	0.0102	550
SLA120-404	0.70	7.5	50	120	0.0149	550
SLA120-405	0.70	7.5	60	120	0.0123	550
SLA120-406	0.70	7.5	70	120	0.0105	550
SLA120-407	0.70	7.5	80	120	0.0091	550
SLA120-408	0.70	7.5	90	120	0.0081	550
SLA120-409	0.70	8.0	50	120	0.0120	550
SLA120-410	0.70	8.0	60	120	0.0099	550
SLA120-411	0.70	8.0	70	120	0.0085	550
SLA120-412	0.70	8.0	80	120	0.0074	550
SLA120-413	0.70	8.0	90	120	0.0065	550
SLA120-414	0.70	8.5	50	120	0.0098	550
SLA120-415	0.70	8.5	60	120	0.0081	550
SLA120-416	0.70	8.5	70	120	0.0069	550
SLA120-417	0.70	8.5	80	120	0.0060	550
SLA120-418	0.70	8.5	90	120	0.0053	550
SLA120-419	0.70	9.0	50	120	0.0082	550
SLA120-420	0.70	9.0	60	120	0.0067	550
SLA120-421	0.70	9.0	70	120	0.0057	550
SLA120-422	0.70	9.0	80	120	0.0050	550
SLA120-423	0.70	9.0	90	120	0.0044	550
SLA120-424	0.70	9.5	50	120	0.0068	550
SLA120-425	0.70	9.5	60	120	0.0056	550
SLA120-426	0.70	9.5	70	120	0.0048	550
SLA120-427	0.70	9.5	80	120	0.0042	550
SLA120-428	0.70	9.5	90	120	0.0037	550
SLA120-429	0.70	10.0	50	120	0.0058	550
SLA120-430	0.70	10.0	60	120	0.0048	550
SLA120-431	0.70	10.0	70	120	0.0041	550
SLA120-432	0.70	10.0	80	120	0.0035	550

精密用セミロングスプリング 120L

注番	線径	外径	総巻数	自由長	バネ定数	価格
SLA120-433	0.70	10.0	90	120	0.0031	550
SLA120-434	0.75	6.0	70	120	0.0301	550
SLA120-435	0.75	6.0	80	120	0.0262	550
SLA120-436	0.75	6.0	90	120	0.0232	550
SLA120-437	0.75	6.5	70	120	0.0229	550
SLA120-438	0.75	6.5	80	120	0.0200	550
SLA120-439	0.75	6.5	90	120	0.0177	550
SLA120-440	0.75	7.0	60	120	0.0209	550
SLA120-441	0.75	7.0	70	120	0.0178	550
SLA120-442	0.75	7.0	80	120	0.0155	550
SLA120-443	0.75	7.0	90	120	0.0138	550
SLA120-444	0.75	7.5	50	120	0.0200	550
SLA120-445	0.75	7.5	60	120	0.0166	550
SLA120-446	0.75	7.5	70	120	0.0141	550
SLA120-447	0.75	7.5	80	120	0.0123	550
SLA120-448	0.75	7.5	90	120	0.0109	550
SLA120-449	0.75	8.0	50	120	0.0162	550
SLA120-450	0.75	8.0	60	120	0.0134	550
SLA120-451	0.75	8.0	70	120	0.0114	550
SLA120-452	0.75	8.0	80	120	0.0099	550
SLA120-453	0.75	8.0	90	120	0.0088	550
SLA120-454	0.75	8.5	50	120	0.0132	550
SLA120-455	0.75	8.5	60	120	0.0109	550
SLA120-456	0.75	8.5	70	120	0.0093	550
SLA120-457	0.75	8.5	80	120	0.0081	550
SLA120-458	0.75	8.5	90	120	0.0072	550
SLA120-459	0.75	9.0	50	120	0.0110	550
SLA120-460	0.75	9.0	60	120	0.0091	550
SLA120-461	0.75	9.0	70	120	0.0077	550
SLA120-462	0.75	9.0	80	120	0.0067	550
SLA120-463	0.75	9.0	90	120	0.0060	550
SLA120-464	0.75	9.5	50	120	0.0092	550
SLA120-465	0.75	9.5	60	120	0.0076	550
SLA120-466	0.75	9.5	70	120	0.0065	550
SLA120-467	0.75	9.5	80	120	0.0056	550
SLA120-468	0.75	9.5	90	120	0.0050	550

注番	線径	外径	総巻数	自由長	バネ定数	価格
SLA120-469	0.75	10.0	50	120	0.0078	550
SLA120-470	0.75	10.0	60	120	0.0064	550
SLA120-471	0.75	10.0	70	120	0.0055	550
SLA120-472	0.75	10.0	80	120	0.0048	550
SLA120-473	0.75	10.0	90	120	0.0042	550
SLA120-474	0.80	6.0	70	120	0.0401	550
SLA120-475	0.80	6.0	80	120	0.0350	550
SLA120-476	0.80	6.0	90	120	0.0310	550
SLA120-477	0.80	6.5	70	120	0.0304	550
SLA120-478	0.80	6.5	80	120	0.0265	550
SLA120-479	0.80	6.5	90	120	0.0235	550
SLA120-480	0.80	7.0	60	120	0.0277	550
SLA120-481	0.80	7.0	70	120	0.0236	550
SLA120-482	0.80	7.0	80	120	0.0206	550
SLA120-483	0.80	7.0	90	120	0.0183	550
SLA120-484	0.80	7.5	60	120	0.0220	550
SLA120-485	0.80	7.5	70	120	0.0187	550
SLA120-486	0.80	7.5	80	120	0.0163	550
SLA120-487	0.80	7.5	90	120	0.0145	550
SLA120-488	0.80	8.0	50	120	0.0214	550
SLA120-489	0.80	8.0	60	120	0.0177	550
SLA120-490	0.80	8.0	70	120	0.0151	550
SLA120-491	0.80	8.0	80	120	0.0131	550
SLA120-492	0.80	8.0	90	120	0.0116	550
SLA120-493	0.80	8.5	50	120	0.0175	550
SLA120-494	0.80	8.5	60	120	0.0145	550
SLA120-495	0.80	8.5	70	120	0.0123	550
SLA120-496	0.80	8.5	80	120	0.0107	550
SLA120-497	0.80	8.5	90	120	0.0095	550
SLA120-498	0.80	9.0	50	120	0.0145	550
SLA120-499	0.80	9.0	60	120	0.0120	550
SLA120-500	0.80	9.0	70	120	0.0102	550
SLA120-501	0.80	9.0	80	120	0.0089	550
SLA120-502	0.80	9.0	90	120	0.0079	550
SLA120-503	0.80	9.5	50	120	0.0121	550
SLA120-504	0.80	9.5	60	120	0.0100	550

精密用セミロングスプリング 120L

注番	線径	外径	総巻数	自由長	バネ定数	価格
SLA120-505	0.80	9.5	70	120	0.0850	550
SLA120-506	0.80	9.5	80	120	0.0074	550
SLA120-507	0.80	9.5	90	120	0.0066	550
SLA120-508	0.80	10.0	50	120	0.0102	550
SLA120-509	0.80	10.0	60	120	0.0085	550
SLA120-510	0.80	10.0	70	120	0.0072	550
SLA120-511	0.80	10.0	80	120	0.0063	550
SLA120-512	0.80	10.0	90	120	0.0056	550
SLA120-513	0.85	6.0	70	120	0.0526	550
SLA120-514	0.85	6.0	80	120	0.0459	550
SLA120-515	0.85	6.5	70	120	0.0399	550
SLA120-516	0.85	6.5	80	120	0.0347	550
SLA120-517	0.85	7.0	60	120	0.0362	550
SLA120-518	0.85	7.0	70	120	0.0309	550
SLA120-519	0.85	7.0	80	120	0.0269	550
SLA120-520	0.85	7.5	60	120	0.0286	550
SLA120-521	0.85	7.5	70	120	0.0244	550
SLA120-522	0.85	7.5	80	120	0.0213	550
SLA120-523	0.85	8.0	50	120	0.0278	550
SLA120-524	0.85	8.0	60	120	0.0230	550
SLA120-525	0.85	8.0	70	120	0.0196	550
SLA120-526	0.85	8.0	80	120	0.0171	550
SLA120-527	0.85	8.5	50	120	0.0227	550
SLA120-528	0.85	8.5	60	120	0.0188	550
SLA120-529	0.85	8.5	70	120	0.0160	550
SLA120-530	0.85	8.5	80	120	0.0140	550
SLA120-531	0.85	9.0	50	120	0.0188	550
SLA120-532	0.85	9.0	60	120	0.0155	550
SLA120-533	0.85	9.0	70	120	0.0132	550
SLA120-534	0.85	9.0	80	120	0.0115	550
SLA120-535	0.85	9.5	50	120	0.0157	550
SLA120-536	0.85	9.5	60	120	0.0130	550
SLA120-537	0.85	9.5	70	120	0.0111	550
SLA120-538	0.85	9.5	80	120	0.0096	550
SLA120-539	0.85	10.0	50	120	0.0133	550
SLA120-540	0.85	10.0	60	120	0.0110	550

注番	線径	外径	総巻数	自由長	バネ定数	価格
SLA120-541	0.85	10.0	70	120	0.0093	550
SLA120-542	0.85	10.0	80	120	0.0081	550
SLA120-543	0.90	6.0	80	120	0.0594	550
SLA120-544	0.90	6.5	70	120	0.0515	550
SLA120-545	0.90	6.5	80	120	0.0449	550
SLA120-546	0.90	7.0	60	120	0.0467	550
SLA120-547	0.90	7.0	70	120	0.0398	550
SLA120-548	0.90	7.0	80	120	0.0347	550
SLA120-549	0.90	7.5	60	120	0.0368	550
SLA120-550	0.90	7.5	70	120	0.0314	550
SLA120-551	0.90	7.5	80	120	0.0274	550
SLA120-552	0.90	8.0	50	120	0.0358	550
SLA120-553	0.90	8.0	60	120	0.0296	550
SLA120-554	0.90	8.0	70	120	0.0252	550
SLA120-555	0.90	8.0	80	120	0.0220	550
SLA120-556	0.90	8.5	50	120	0.0291	550
SLA120-557	0.90	8.5	60	120	0.0241	550
SLA120-558	0.90	8.5	70	120	0.0206	550
SLA120-559	0.90	8.5	80	120	0.0179	550
SLA120-560	0.90	9.0	50	120	0.0241	550
SLA120-561	0.90	9.0	60	120	0.0199	550
SLA120-562	0.90	9.0	70	120	0.0170	550
SLA120-563	0.90	9.0	80	120	0.0148	550
SLA120-564	0.90	9.5	50	120	0.0201	550
SLA120-565	0.90	9.5	60	120	0.0166	550
SLA120-566	0.90	9.5	70	120	0.0142	550
SLA120-567	0.90	9.5	80	120	0.0123	550
SLA120-568	0.90	10.0	50	120	0.0170	550
SLA120-569	0.90	10.0	60	120	0.0140	550
SLA120-570	0.90	10.0	70	120	0.0120	550
SLA120-571	0.90	10.0	80	120	0.0104	550
SLA120-572	0.95	6.0	80	120	0.0760	550
SLA120-573	0.95	6.5	70	120	0.0656	550
SLA120-574	0.95	6.5	80	120	0.0572	550
SLA120-575	0.95	7.0	60	120	0.0594	550
SLA120-576	0.95	7.0	70	120	0.0507	550

精密用セミロングスプリング 140L

注番	線径	外径	総巻数	自由長	バネ定数	価格
SLA140-1	0.40	4.0	100	140	0.0052	560
SLA140-2	0.40	4.0	110	140	0.0047	560
SLA140-3	0.40	4.0	120	140	0.0043	560
SLA140-4	0.40	4.5	90	140	0.0039	560
SLA140-5	0.40	4.5	100	140	0.0035	560
SLA140-6	0.40	4.5	110	140	0.0032	560
SLA140-7	0.40	4.5	120	140	0.0029	560
SLA140-8	0.40	4.5	70	140	0.0036	560
SLA140-9	0.40	5.0	80	140	0.0031	560
SLA140-10	0.40	5.0	90	140	0.0028	560
SLA140-11	0.40	5.0	100	140	0.0025	560
SLA140-12	0.40	5.0	110	140	0.0022	560
SLA140-13	0.40	5.0	120	140	0.0020	560
SLA140-14	0.40	5.0	60	140	0.0031	560
SLA140-15	0.40	5.5	70	140	0.0026	560
SLA140-16	0.40	5.5	80	140	0.0023	560
SLA140-17	0.40	5.5	90	140	0.0200	560
SLA140-18	0.40	5.5	100	140	0.0018	560
SLA140-19	0.40	5.5	110	140	0.0016	560
SLA140-20	0.40	5.5	120	140	0.0015	560
SLA140-21	0.40	5.5	60	140	0.0023	560
SLA140-22	0.40	6.0	70	140	0.0020	560
SLA140-23	0.40	6.0	80	140	0.0017	560
SLA140-24	0.40	6.0	90	140	0.0015	560
SLA140-25	0.40	6.0	100	140	0.0013	560
SLA140-26	0.40	6.0	110	140	0.0012	560
SLA140-27	0.40	6.0	120	140	0.0011	560
SLA140-28	0.40	6.5	60	140	0.0018	560
SLA140-29	0.40	6.5	70	140	0.0015	560
SLA140-30	0.40	6.5	80	140	0.0013	560
SLA140-31	0.40	6.5	90	140	0.0012	560
SLA140-32	0.40	6.5	100	140	0.0010	560
SLA140-33	0.40	6.5	110	140	0.0009	560
SLA140-34	0.40	6.5	120	140	0.0008	560
SLA140-35	0.40	7.0	60	140	0.0014	560
SLA140-36	0.40	7.0	70	140	0.0012	560

注番	線径	外径	総巻数	自由長	バネ定数	価格
SLA140-37	0.40	7.0	80	140	0.0010	560
SLA140-38	0.40	7.0	90	140	0.0009	560
SLA140-39	0.40	7.0	100	140	0.0008	560
SLA140-40	0.40	7.0	110	140	0.0007	560
SLA140-41	0.40	7.0	120	140	0.0007	560
SLA140-42	0.40	7.5	60	140	0.0011	560
SLA140-43	0.40	7.5	70	140	0.0009	560
SLA140-44	0.40	7.5	80	140	0.0008	560
SLA140-45	0.40	7.5	90	140	0.0007	560
SLA140-46	0.40	7.5	100	140	0.0006	560
SLA140-47	0.40	7.5	110	140	0.0006	560
SLA140-48	0.40	7.5	120	140	0.0005	560
SLA140-49	0.40	8.0	60	140	0.0009	560
SLA140-50	0.40	8.0	70	140	0.0008	560
SLA140-51	0.40	8.0	80	140	0.0007	560
SLA140-52	0.40	8.0	90	140	0.0006	560
SLA140-53	0.40	8.0	100	140	0.0005	560
SLA140-54	0.40	8.0	110	140	0.0005	560
SLA140-55	0.40	8.0	120	140	0.0004	560
SLA140-56	0.40	8.5	60	140	0.0007	560
SLA140-57	0.40	8.5	70	140	0.0006	560
SLA140-58	0.40	8.5	80	140	0.0005	560
SLA140-59	0.40	8.5	90	140	0.0005	560
SLA140-60	0.40	8.5	100	140	0.0004	560
SLA140-61	0.40	8.5	110	140	0.0004	560
SLA140-62	0.40	8.5	120	140	0.0003	560
SLA140-63	0.40	9.0	60	140	0.0006	560
SLA140-64	0.40	9.0	70	140	0.0005	560
SLA140-65	0.40	9.0	80	140	0.0004	560
SLA140-66	0.40	9.0	90	140	0.0004	560
SLA140-67	0.40	9.0	100	140	0.0003	560
SLA140-68	0.40	9.0	110	140	0.0003	560
SLA140-69	0.40	9.0	120	140	0.0003	560
SLA140-70	0.40	9.5	60	140	0.0005	560
SLA140-71	0.40	9.5	70	140	0.0004	560
SLA140-72	0.40	9.5	80	140	0.0004	560

精密用セミロングスプリング 140L

注番	線径	外径	総巻数	自由長	バネ定数	価格
SLA140-73	0.40	9.5	90	140	0.0003	560
SLA140-74	0.40	9.5	100	140	0.0003	560
SLA140-75	0.40	9.5	110	140	0.0002	560
SLA140-76	0.40	9.5	120	140	0.0002	560
SLA140-77	0.40	10.0	60	140	0.0004	560
SLA140-78	0.40	10.0	70	140	0.0003	560
SLA140-79	0.40	10.0	80	140	0.0003	560
SLA140-80	0.40	10.0	90	140	0.0003	560
SLA140-81	0.40	10.0	100	140	0.0002	560
SLA140-82	0.40	10.0	110	140	0.0002	560
SLA140-83	0.40	10.0	120	140	0.0002	560
SLA140-84	0.45	4.0	110	140	0.0079	560
SLA140-85	0.45	4.0	120	140	0.0072	560
SLA140-86	0.45	4.5	100	140	0.0059	560
SLA140-87	0.45	4.5	110	140	0.0053	560
SLA140-88	0.45	4.5	120	140	0.0049	560
SLA140-89	0.45	5.0	80	140	0.0052	560
SLA140-90	0.45	5.0	90	140	0.0046	560
SLA140-91	0.45	5.0	100	140	0.0041	560
SLA140-92	0.45	5.0	110	140	0.0037	560
SLA140-93	0.45	5.0	120	140	0.0034	560
SLA140-94	0.45	5.5	70	140	0.0043	560
SLA140-95	0.45	5.5	80	140	0.0038	560
SLA140-96	0.45	5.5	90	140	0.0033	560
SLA140-97	0.45	5.5	100	140	0.0030	560
SLA140-98	0.45	5.5	110	140	0.0027	560
SLA140-99	0.45	5.5	120	140	0.0025	560
SLA140-100	0.45	6.0	60	140	0.0038	560
SLA140-101	0.45	6.0	70	140	0.0033	560
SLA140-102	0.45	6.0	80	140	0.0028	560
SLA140-103	0.45	6.0	90	140	0.0025	560
SLA140-104	0.45	6.0	100	140	0.0022	560
SLA140-105	0.45	6.0	110	140	0.0020	560
SLA140-106	0.45	6.0	120	140	0.0019	560
SLA140-107	0.45	6.5	60	140	0.0029	560
SLA140-108	0.45	6.5	70	140	0.0025	560

注番	線径	外径	総巻数	自由長	バネ定数	価格
SLA140-109	0.45	6.5	80	140	0.0022	560
SLA140-110	0.45	6.5	90	140	0.0019	560
SLA140-111	0.45	6.5	100	140	0.0017	560
SLA140-112	0.45	6.5	110	140	0.0016	560
SLA140-113	0.45	6.5	120	140	0.0014	560
SLA140-114	0.45	7.0	60	140	0.0023	560
SLA140-115	0.45	7.0	70	140	0.0020	560
SLA140-116	0.45	7.0	80	140	0.0017	560
SLA140-117	0.45	7.0	90	140	0.0015	560
SLA140-118	0.45	7.0	100	140	0.0013	560
SLA140-119	0.45	7.0	110	140	0.0012	560
SLA140-120	0.45	7.0	120	140	0.0011	560
SLA140-121	0.45	7.5	60	140	0.0018	560
SLA140-122	0.45	7.5	70	140	0.0016	560
SLA140-123	0.45	7.5	80	140	0.0014	560
SLA140-124	0.45	7.5	90	140	0.0012	560
SLA140-125	0.45	7.5	100	140	0.0011	560
SLA140-126	0.45	7.5	110	140	0.0010	560
SLA140-127	0.45	7.5	120	140	0.0009	560
SLA140-128	0.45	8.0	60	140	0.0015	560
SLA140-129	0.45	8.0	70	140	0.0013	560
SLA140-130	0.45	8.0	80	140	0.0011	560
SLA140-131	0.45	8.0	90	140	0.0010	560
SLA140-132	0.45	8.0	100	140	0.0009	560
SLA140-133	0.45	8.0	110	140	0.0008	560
SLA140-134	0.45	8.0	120	140	0.0007	560
SLA140-135	0.45	8.5	60	140	0.0012	560
SLA140-136	0.45	8.5	70	140	0.0010	560
SLA140-137	0.45	8.5	80	140	0.0009	560
SLA140-138	0.45	8.5	90	140	0.0008	560
SLA140-139	0.45	8.5	100	140	0.0007	560
SLA140-140	0.45	8.5	110	140	0.0006	560
SLA140-141	0.45	8.5	120	140	0.0006	560
SLA140-142	0.45	9.0	60	140	0.0010	560
SLA140-143	0.45	9.0	70	140	0.0009	560
SLA140-144	0.45	9.0	80	140	0.0007	560

精密用セミロングスプリング 140L

注番	線径	外径	総巻数	自由長	バネ定数	価格
SLA140-145	0.45	9.0	90	140	0.0006	560
SLA140-146	0.45	9.0	100	140	0.0006	560
SLA140-147	0.45	9.0	110	140	0.0005	560
SLA140-148	0.45	9.0	120	140	0.0005	560
SLA140-149	0.45	9.5	60	140	0.0008	560
SLA140-150	0.45	9.5	70	140	0.0007	560
SLA140-151	0.45	9.5	80	140	0.0006	560
SLA140-152	0.45	9.5	90	140	0.0005	560
SLA140-153	0.45	9.5	100	140	0.0005	560
SLA140-154	0.45	9.5	110	140	0.0004	560
SLA140-155	0.45	9.5	120	140	0.0004	560
SLA140-156	0.45	10.0	60	140	0.0007	560
SLA140-157	0.45	10.0	70	140	0.0006	560
SLA140-158	0.45	10.0	80	140	0.0005	560
SLA140-159	0.45	10.0	90	140	0.0005	560
SLA140-160	0.45	10.0	100	140	0.0004	560
SLA140-161	0.45	10.0	110	140	0.0004	560
SLA140-162	0.45	10.0	120	140	0.0003	560
SLA140-163	0.50	4.5	100	140	0.0093	560
SLA140-164	0.50	4.5	110	140	0.0084	560
SLA140-165	0.50	4.5	120	140	0.0077	560
SLA140-166	0.50	5.0	90	140	0.0073	560
SLA140-167	0.50	5.0	100	140	0.0065	560
SLA140-168	0.50	5.0	110	140	0.0059	560
SLA140-169	0.50	5.0	120	140	0.0054	560
SLA140-170	0.50	5.5	80	140	0.0060	560
SLA140-171	0.50	5.5	90	140	0.0053	560
SLA140-172	0.50	5.5	100	140	0.0047	560
SLA140-173	0.50	5.5	110	140	0.0043	560
SLA140-174	0.50	5.5	120	140	0.0039	560
SLA140-175	0.50	6.0	70	140	0.0051	560
SLA140-176	0.50	6.0	80	140	0.0045	560
SLA140-177	0.50	6.0	90	140	0.0040	560
SLA140-178	0.50	6.0	100	140	0.0035	560
SLA140-179	0.50	6.0	110	140	0.0032	560
SLA140-180	0.50	6.0	120	140	0.0029	560

注番	線径	外径	総巻数	自由長	バネ定数	価格
SLA140-181	0.50	6.5	60	140	0.0046	560
SLA140-182	0.50	6.5	70	140	0.0039	560
SLA140-183	0.50	6.5	80	140	0.0034	560
SLA140-184	0.50	6.5	90	140	0.0030	560
SLA140-185	0.50	6.5	100	140	0.0027	560
SLA140-186	0.50	6.5	110	140	0.0025	560
SLA140-187	0.50	6.5	120	140	0.0022	560
SLA140-188	0.50	7.0	60	140	0.0036	560
SLA140-189	0.50	7.0	70	140	0.0031	560
SLA140-190	0.50	7.0	80	140	0.0027	560
SLA140-191	0.50	7.0	90	140	0.0024	560
SLA140-192	0.50	7.0	100	140	0.0021	560
SLA140-193	0.50	7.0	110	140	0.0019	560
SLA140-194	0.50	7.0	120	140	0.0018	560
SLA140-195	0.50	7.5	60	140	0.0029	560
SLA140-196	0.50	7.5	70	140	0.0025	560
SLA140-197	0.50	7.5	80	140	0.0021	560
SLA140-198	0.50	7.5	90	140	0.0019	560
SLA140-199	0.50	7.5	100	140	0.0017	560
SLA140-200	0.50	7.5	110	140	0.0015	560
SLA140-201	0.50	7.5	120	140	0.0014	560
SLA140-202	0.50	8.0	60	140	0.0023	560
SLA140-203	0.50	8.0	70	140	0.0020	560
SLA140-204	0.50	8.0	80	140	0.0017	560
SLA140-205	0.50	8.0	90	140	0.0015	560
SLA140-206	0.50	8.0	100	140	0.0014	560
SLA140-207	0.50	8.0	110	140	0.0012	560
SLA140-208	0.50	8.0	120	140	0.0011	560
SLA140-209	0.50	8.5	60	140	0.0019	560
SLA140-210	0.50	8.5	70	140	0.0016	560
SLA140-211	0.50	8.5	80	140	0.0014	560
SLA140-212	0.50	8.5	90	140	0.0013	560
SLA140-213	0.50	8.5	100	140	0.0011	560
SLA140-214	0.50	8.5	110	140	0.0010	560
SLA140-215	0.50	8.5	120	140	0.0009	560
SLA140-216	0.50	9.0	60	140	0.0016	560

精密用セミロングスプリング 140

注番	線径	外径	総巻数	自由長	バネ定数	価格	注番	線径	外径	総巻数	自由長	バネ定数	価格
SLA140-217	0.50	9.0	70	140	0.0014	560	SLA140-253	0.55	6.5	70	140	0.0059	560
SLA140-218	0.50	9.0	80	140	0.0012	560	SLA140-254	0.55	6.5	80	140	0.0052	560
SLA140-219	0.50	9.0	90	140	0.0010	560	SLA140-255	0.55	6.5	90	140	0.0046	560
SLA140-220	0.50	9.0	100	140	0.0009	560	SLA140-256	0.55	6.5	100	140	0.0041	560
SLA140-221	0.50	9.0	110	140	0.0008	560	SLA140-257	0.55	6.5	110	140	0.0037	560
SLA140-222	0.50	9.0	120	140	0.0008	560	SLA140-258	0.55	6.5	120	140	0.0034	560
SLA140-223	0.50	9.5	60	140	0.0013	560	SLA140-259	0.55	7.0	60	140	0.0055	560
SLA140-224	0.50	9.5	70	140	0.0011	560	SLA140-260	0.55	7.0	70	140	0.0047	560
SLA140-225	0.50	9.5	80	140	0.0010	560	SLA140-261	0.55	7.0	80	140	0.0040	560
SLA140-226	0.50	9.5	90	140	0.0009	560	SLA140-262	0.55	7.0	90	140	0.0036	560
SLA140-227	0.50	9.5	100	140	0.0008	560	SLA140-263	0.55	7.0	100	140	0.0032	560
SLA140-228	0.50	9.5	110	140	0.0007	560	SLA140-264	0.55	7.0	110	140	0.0029	560
SLA140-229	0.50	9.5	120	140	0.0006	560	SLA140-265	0.55	7.0	120	140	0.0027	560
SLA140-230	0.50	10.0	60	140	0.0011	560	SLA140-266	0.55	7.5	60	140	0.0044	560
SLA140-231	0.50	10.0	70	140	0.0010	560	SLA140-267	0.55	7.5	70	140	0.0037	560
SLA140-232	0.50	10.0	80	140	0.0008	560	SLA140-268	0.55	7.5	80	140	0.0032	560
SLA140-233	0.50	10.0	90	140	0.0007	560	SLA140-269	0.55	7.5	90	140	0.0029	560
SLA140-234	0.50	10.0	100	140	0.0006	560	SLA140-270	0.55	7.5	100	140	0.0026	560
SLA140-235	0.50	10.0	110	140	0.0006	560	SLA140-271	0.55	7.5	110	140	0.0023	560
SLA140-236	0.50	10.0	120	140	0.0005	560	SLA140-272	0.55	7.5	120	140	0.0021	560
SLA140-237	0.55	5.0	90	140	0.0110	560	SLA140-273	0.55	8.0	60	140	0.0035	560
SLA140-238	0.55	5.0	100	140	0.0099	560	SLA140-274	0.55	8.0	70	140	0.0030	560
SLA140-239	0.55	5.0	110	140	0.0090	560	SLA140-275	0.55	8.0	80	140	0.0026	560
SLA140-240	0.55	5.0	120	140	0.0082	560	SLA140-276	0.55	8.0	90	140	0.0023	560
SLA140-241	0.55	5.5	80	140	0.0090	560	SLA140-277	0.55	8.0	100	140	0.0021	560
SLA140-242	0.55	5.5	90	140	0.0080	560	SLA140-278	0.55	8.0	110	140	0.0019	560
SLA140-243	0.55	5.5	100	140	0.0072	560	SLA140-279	0.55	8.0	120	140	0.0017	560
SLA140-244	0.55	5.5	110	140	0.0065	560	SLA140-280	0.55	8.5	60	140	0.0029	560
SLA140-245	0.55	5.5	120	140	0.0059	560	SLA140-281	0.55	8.5	70	140	0.0025	560
SLA140-246	0.55	6.0	70	140	0.0077	560	SLA140-282	0.55	8.5	80	140	0.0021	560
SLA140-247	0.55	6.0	80	140	0.0067	560	SLA140-283	0.55	8.5	90	140	0.0019	560
SLA140-248	0.55	6.0	90	140	0.0060	560	SLA140-284	0.55	8.5	100	140	0.0017	560
SLA140-249	0.55	6.0	100	140	0.0054	560	SLA140-285	0.55	8.5	110	140	0.0015	560
SLA140-250	0.55	6.0	110	140	0.0049	560	SLA140-286	0.55	8.5	120	140	0.0014	560
SLA140-251	0.55	6.0	120	140	0.0044	560	SLA140-287	0.55	9.0	60	140	0.0024	560
SLA140-252	0.55	6.5	60	140	0.0070	560	SLA140-288	0.55	9.0	70	140	0.0020	560

精密用セミロングスプリング 140

注番	線径	外径	総巻数	自由長	バネ定数	価格
SLA140-289	0.55	9.0	80	140	0.0018	560
SLA140-290	0.55	9.0	90	140	0.0016	560
SLA140-291	0.55	9.0	100	140	0.0014	560
SLA140-292	0.55	9.0	110	140	0.0013	560
SLA140-293	0.55	9.0	120	140	0.0012	560
SLA140-294	0.55	9.5	60	140	0.0020	560
SLA140-295	0.55	9.5	70	140	0.0017	560
SLA140-296	0.55	9.5	80	140	0.0015	560
SLA140-297	0.55	9.5	90	140	0.0013	560
SLA140-298	0.55	9.5	100	140	0.0012	560
SLA140-299	0.55	9.5	110	140	0.0011	560
SLA140-300	0.55	9.5	120	140	0.0010	560
SLA140-301	0.55	10.0	60	140	0.0017	560
SLA140-302	0.55	10.0	70	140	0.0014	560
SLA140-303	0.55	10.0	80	140	0.0013	560
SLA140-304	0.55	10.0	90	140	0.0011	560
SLA140-305	0.55	10.0	100	140	0.0010	560
SLA140-306	0.55	10.0	110	140	0.0009	560
SLA140-307	0.55	10.0	120	140	0.0008	560
SLA140-308	0.60	5.0	90	140	0.0162	560
SLA140-309	0.60	5.0	100	140	0.0145	560
SLA140-310	0.60	5.0	110	140	0.0132	560
SLA140-311	0.60	5.5	80	140	0.0132	560
SLA140-312	0.60	5.5	90	140	0.0117	560
SLA140-313	0.60	5.5	100	140	0.0105	560
SLA140-314	0.60	5.5	110	140	0.0095	560
SLA140-315	0.60	6.0	70	140	0.0113	560
SLA140-316	0.60	6.0	80	140	0.0098	560
SLA140-317	0.60	6.0	90	140	0.0087	560
SLA140-318	0.60	6.0	100	140	0.0078	560
SLA140-319	0.60	6.0	110	140	0.0071	560
SLA140-320	0.60	6.5	70	140	0.0086	560
SLA140-321	0.60	6.5	80	140	0.0075	560
SLA140-322	0.60	6.5	90	140	0.0067	560
SLA140-323	0.60	6.5	100	140	0.0060	560
SLA140-324	0.60	6.5	110	140	0.0054	560

注番	線径	外径	総巻数	自由長	バネ定数	価格
SLA140-325	0.60	7.0	60	140	0.0079	560
SLA140-326	0.60	7.0	70	140	0.0068	560
SLA140-327	0.60	7.0	80	140	0.0059	560
SLA140-328	0.60	7.0	90	140	0.0052	560
SLA140-329	0.60	7.0	100	140	0.0047	560
SLA140-330	0.60	7.0	110	140	0.0042	560
SLA140-331	0.60	7.5	60	140	0.0063	560
SLA140-332	0.60	7.5	70	140	0.0054	560
SLA140-333	0.60	7.5	80	140	0.0047	560
SLA140-334	0.60	7.5	90	140	0.0042	560
SLA140-335	0.60	7.5	100	140	0.0037	560
SLA140-336	0.60	7.5	110	140	0.0034	560
SLA140-337	0.60	8.0	60	140	0.0051	560
SLA140-338	0.60	8.0	70	140	0.0044	560
SLA140-339	0.60	8.0	80	140	0.0038	560
SLA140-340	0.60	8.0	90	140	0.0034	560
SLA140-341	0.60	8.0	100	140	0.0030	560
SLA140-342	0.60	8.0	110	140	0.0027	560
SLA140-343	0.60	8.5	60	140	0.0042	560
SLA140-344	0.60	8.5	70	140	0.0036	560
SLA140-345	0.60	8.5	80	140	0.0031	560
SLA140-346	0.60	8.5	90	140	0.0028	560
SLA140-347	0.60	8.5	100	140	0.0025	560
SLA140-348	0.60	8.5	110	140	0.0022	560
SLA140-349	0.60	9.0	60	140	0.0035	560
SLA140-350	0.60	9.0	70	140	0.0030	560
SLA140-351	0.60	9.0	80	140	0.0026	560
SLA140-352	0.60	9.0	90	140	0.0023	560
SLA140-353	0.60	9.0	100	140	0.0020	560
SLA140-354	0.60	9.0	110	140	0.0018	560
SLA140-355	0.60	9.0	60	140	0.0029	560
SLA140-356	0.60	9.5	70	140	0.0025	560
SLA140-357	0.60	9.5	80	140	0.0022	560
SLA140-358	0.60	9.5	90	140	0.0019	560
SLA140-359	0.60	9.5	100	140	0.0017	560
SLA140-360	0.60	9.5	110	140	0.0015	560

精密用セミロングスプリング 140L

注番	線径	外径	総巻数	自由長	バネ定数	価格
SLA140-361	0.60	10.0	60	140	0.0025	560
SLA140-362	0.60	10.0	70	140	0.0021	560
SLA140-363	0.60	10.0	80	140	0.0018	560
SLA140-364	0.60	10.0	90	140	0.0016	560
SLA140-365	0.60	10.0	100	140	0.0014	560
SLA140-366	0.60	10.0	110	140	0.0013	560
SLA140-367	0.65	5.0	100	140	0.0207	560
SLA140-368	0.65	5.0	110	140	0.0188	560
SLA140-369	0.65	5.5	90	140	0.0166	560
SLA140-370	0.65	5.5	100	140	0.0149	560
SLA140-371	0.65	5.5	110	140	0.0135	560
SLA140-372	0.65	6.0	80	140	0.0140	560
SLA140-373	0.65	6.0	90	140	0.0124	560
SLA140-374	0.65	6.0	100	140	0.0111	560
SLA140-375	0.65	6.0	110	140	0.0101	560
SLA140-376	0.65	6.5	70	140	0.0122	560
SLA140-377	0.65	6.5	80	140	0.0107	560
SLA140-378	0.65	6.5	90	140	0.0094	560
SLA140-379	0.65	6.5	100	140	0.0085	560
SLA140-380	0.65	6.5	110	140	0.0077	560
SLA140-381	0.65	7.0	60	140	0.0112	560
SLA140-382	0.65	7.0	70	140	0.0096	560
SLA140-383	0.65	7.0	80	140	0.0083	560
SLA140-384	0.65	7.0	90	140	0.0074	560
SLA140-385	0.65	7.0	100	140	0.0066	560
SLA140-386	0.65	7.0	110	140	0.0060	560
SLA140-387	0.65	7.5	60	140	0.0089	560
SLA140-388	0.65	7.5	70	140	0.0076	560
SLA140-389	0.65	7.5	80	140	0.0066	560
SLA140-390	0.65	7.5	90	140	0.0059	560
SLA140-391	0.65	7.5	100	140	0.0053	560
SLA140-392	0.65	7.5	110	140	0.0048	560
SLA140-393	0.65	8.0	60	140	0.0072	560
SLA140-394	0.65	8.0	70	140	0.0061	560
SLA140-395	0.65	8.0	80	140	0.0054	560
SLA140-396	0.65	8.0	90	140	0.0047	560

注番	線径	外径	総巻数	自由長	バネ定数	価格
SLA140-397	0.65	8.0	100	140	0.0043	560
SLA140-398	0.65	8.0	110	140	0.0039	560
SLA140-399	0.65	8.5	60	140	0.0059	560
SLA140-400	0.65	8.5	70	140	0.0050	560
SLA140-401	0.65	8.5	80	140	0.0044	560
SLA140-402	0.65	8.5	90	140	0.0039	560
SLA140-403	0.65	8.5	100	140	0.0035	560
SLA140-404	0.65	8.5	110	140	0.0032	560
SLA140-405	0.65	9.0	60	140	0.0049	560
SLA140-406	0.65	9.0	70	140	0.0042	560
SLA140-407	0.65	9.0	80	140	0.0036	560
SLA140-408	0.65	9.0	90	140	0.0032	560
SLA140-409	0.65	9.0	100	140	0.0029	560
SLA140-410	0.65	9.0	110	140	0.0026	560
SLA140-411	0.65	9.5	60	140	0.0041	560
SLA140-412	0.65	9.5	70	140	0.0035	560
SLA140-413	0.65	9.5	80	140	0.0030	560
SLA140-414	0.65	9.5	90	140	0.0027	560
SLA140-415	0.65	9.5	100	140	0.0024	560
SLA140-416	0.65	9.5	110	140	0.0022	560
SLA140-417	0.65	10.0	60	140	0.0035	560
SLA140-418	0.65	10.0	70	140	0.0030	560
SLA140-419	0.65	10.0	80	140	0.0026	560
SLA140-420	0.65	10.0	90	140	0.0023	560
SLA140-421	0.65	10.0	100	140	0.0020	560
SLA140-422	0.65	10.0	110	140	0.0018	560
SLA140-423	0.70	6.0	80	140	0.0193	560
SLA140-424	0.70	6.0	90	140	0.0171	560
SLA140-425	0.70	6.0	100	140	0.0154	560
SLA140-426	0.70	6.0	110	140	0.0139	560
SLA140-427	0.70	6.5	70	140	0.0169	560
SLA140-428	0.70	6.5	80	140	0.0147	560
SLA140-429	0.70	6.5	90	140	0.0131	560
SLA140-430	0.70	6.5	100	140	0.0117	560
SLA140-431	0.70	6.5	110	140	0.0106	560
SLA140-432	0.70	7.0	60	140	0.0155	560

精密用セミロングスプリング 140L

注番	線径	外径	総巻数	自由長	バネ定数	価格
SLA140-433	0.70	7.0	70	140	0.0132	560
SLA140-434	0.70	7.0	80	140	0.0115	560
SLA140-435	0.70	7.0	90	140	0.0102	560
SLA140-436	0.70	7.0	100	140	0.0091	560
SLA140-437	0.70	7.0	110	140	0.0083	560
SLA140-438	0.70	7.5	60	140	0.0123	560
SLA140-439	0.70	7.5	70	140	0.0105	560
SLA140-440	0.70	7.5	80	140	0.0091	560
SLA140-441	0.70	7.5	90	140	0.0081	560
SLA140-442	0.70	7.5	100	140	0.0073	560
SLA140-443	0.70	7.5	110	140	0.0066	560
SLA140-444	0.70	8.0	60	140	0.0099	560
SLA140-445	0.70	8.0	70	140	0.0085	560
SLA140-446	0.70	8.0	80	140	0.0074	560
SLA140-447	0.70	8.0	90	140	0.0065	560
SLA140-448	0.70	8.0	100	140	0.0059	560
SLA140-449	0.70	8.0	110	140	0.0053	560
SLA140-450	0.70	8.5	60	140	0.0081	560
SLA140-451	0.70	8.5	70	140	0.0069	560
SLA140-452	0.70	8.5	80	140	0.0060	560
SLA140-453	0.70	8.5	90	140	0.0053	560
SLA140-454	0.70	8.5	100	140	0.0048	560
SLA140-455	0.70	8.5	110	140	0.0043	560
SLA140-456	0.70	9.0	60	140	0.0067	560
SLA140-457	0.70	9.0	70	140	0.0057	560
SLA140-458	0.70	9.0	80	140	0.0050	560
SLA140-459	0.70	9.0	90	140	0.0044	560
SLA140-460	0.70	9.0	100	140	0.0040	560
SLA140-461	0.70	9.0	110	140	0.0036	560
SLA140-462	0.70	9.5	60	140	0.0056	560
SLA140-463	0.70	9.5	70	140	0.0048	560
SLA140-464	0.70	9.5	80	140	0.0042	560
SLA140-465	0.70	9.5	90	140	0.0037	560
SLA140-466	0.70	9.5	100	140	0.0033	560
SLA140-467	0.70	9.5	110	140	0.0030	560
SLA140-468	0.70	10.0	60	140	0.0048	560

注番	線径	外径	総巻数	自由長	バネ定数	価格
SLA140-469	0.70	10.0	70	140	0.0041	560
SLA140-470	0.70	10.0	80	140	0.0035	560
SLA140-471	0.70	10.0	90	140	0.0031	560
SLA140-472	0.70	10.0	100	140	0.0028	560
SLA140-473	0.70	10.0	110	140	0.0025	560
SLA140-474	0.75	6.0	80	140	0.0262	560
SLA140-475	0.75	6.0	90	140	0.0232	560
SLA140-476	0.75	6.0	100	140	0.0209	560
SLA140-477	0.75	6.5	70	140	0.0229	560
SLA140-478	0.75	6.5	80	140	0.0200	560
SLA140-479	0.75	6.5	90	140	0.0177	560
SLA140-480	0.75	6.5	100	140	0.0159	560
SLA140-481	0.75	7.0	70	140	0.0178	560
SLA140-482	0.75	7.0	80	140	0.0155	560
SLA140-483	0.75	7.0	90	140	0.0138	560
SLA140-484	0.75	7.0	100	140	0.0123	560
SLA140-485	0.75	7.5	60	140	0.0166	560
SLA140-486	0.75	7.5	70	140	0.0141	560
SLA140-487	0.75	7.5	80	140	0.0123	560
SLA140-488	0.75	7.5	90	140	0.0109	560
SLA140-489	0.75	7.5	100	140	0.0098	560
SLA140-490	0.75	8.0	60	140	0.0134	560
SLA140-491	0.75	8.0	70	140	0.0114	560
SLA140-492	0.75	8.0	80	140	0.0099	560
SLA140-493	0.75	8.0	90	140	0.0088	560
SLA140-494	0.75	8.0	100	140	0.0079	560
SLA140-495	0.75	8.5	50	140	0.0132	560
SLA140-496	0.75	8.5	60	140	0.0109	560
SLA140-497	0.75	8.5	70	140	0.0093	560
SLA140-498	0.75	8.5	80	140	0.0081	560
SLA140-499	0.75	8.5	90	140	0.0072	560
SLA140-500	0.75	8.5	100	140	0.0065	560
SLA140-501	0.75	9.0	50	140	0.0110	560
SLA140-502	0.75	9.0	60	140	0.0091	560
SLA140-503	0.75	9.0	70	140	0.0077	560
SLA140-504	0.75	9.0	80	140	0.0067	560

精密用セミロングスプリング 140L

注番	線径	外径	総巻数	自由長	バネ定数	価格
SLA140-505	0.75	9.0	90	140	0.0060	560
SLA140-506	0.75	9.0	100	140	0.0053	560
SLA140-507	0.75	9.5	50	140	0.0092	560
SLA140-508	0.75	9.5	60	140	0.0076	560
SLA140-509	0.75	9.5	70	140	0.0065	560
SLA140-510	0.75	9.5	80	140	0.0056	560
SLA140-511	0.75	9.5	90	140	0.0050	560
SLA140-512	0.75	9.5	100	140	0.0045	560
SLA140-513	0.75	10.0	50	140	0.0078	560
SLA140-514	0.75	10.0	60	140	0.0064	560
SLA140-515	0.75	10.0	70	140	0.0055	560
SLA140-516	0.75	10.0	80	140	0.0048	560
SLA140-517	0.75	10.0	90	140	0.0042	560
SLA140-518	0.75	10.0	100	140	0.0038	560
SLA140-519	0.80	6.0	80	140	0.0350	560
SLA140-520	0.80	6.0	90	140	0.0310	560
SLA140-521	0.80	6.0	100	140	0.0278	560
SLA140-522	0.80	6.5	80	140	0.0265	560
SLA140-523	0.80	6.5	90	140	0.0235	560
SLA140-524	0.80	6.5	100	140	0.0211	560
SLA140-525	0.80	7.0	70	140	0.0236	560
SLA140-526	0.80	7.0	80	140	0.0206	560
SLA140-527	0.80	7.0	90	140	0.0183	560
SLA140-528	0.80	7.0	100	140	0.0164	560
SLA140-529	0.80	7.5	60	140	0.0220	560
SLA140-530	0.80	7.5	70	140	0.0187	560
SLA140-531	0.80	7.5	80	140	0.0163	560
SLA140-532	0.80	7.5	90	140	0.0145	560
SLA140-533	0.80	7.5	100	140	0.0130	560
SLA140-534	0.80	8.0	60	140	0.0177	560
SLA140-535	0.80	8.0	70	140	0.0151	560
SLA140-536	0.80	8.0	80	140	0.0131	560
SLA140-537	0.80	8.0	90	140	0.0116	560
SLA140-538	0.80	8.0	100	140	0.0104	560
SLA140-539	0.80	8.5	50	140	0.0175	560
SLA140-540	0.80	8.5	60	140	0.0145	560

注番	線径	外径	総巻数	自由長	バネ定数	価格
SLA140-541	0.80	8.5	70	140	0.0123	560
SLA140-542	0.80	8.5	80	140	0.0107	560
SLA140-543	0.80	8.5	90	140	0.0095	560
SLA140-544	0.80	8.5	100	140	0.0085	560
SLA140-545	0.80	8.5	50	140	0.0145	560
SLA140-546	0.80	9.0	60	140	0.0120	560
SLA140-547	0.80	9.0	70	140	0.0102	560
SLA140-548	0.80	9.0	80	140	0.0089	560
SLA140-549	0.80	9.0	90	140	0.0079	560
SLA140-550	0.80	9.0	100	140	0.0071	560
SLA140-551	0.80	9.5	50	140	0.0121	560
SLA140-552	0.80	9.5	60	140	0.0100	560
SLA140-553	0.80	9.5	70	140	0.0085	560
SLA140-554	0.80	9.5	80	140	0.0074	560
SLA140-555	0.80	9.5	90	140	0.0066	560
SLA140-556	0.80	9.5	100	140	0.0059	560
SLA140-557	0.80	10.0	50	140	0.0102	560
SLA140-558	0.80	10.0	60	140	0.0085	560
SLA140-559	0.80	10.0	70	140	0.0072	560
SLA140-560	0.80	10.0	80	140	0.0063	560
SLA140-561	0.80	10.0	90	140	0.0056	560
SLA140-562	0.80	10.0	100	140	0.0050	560
SLA140-563	0.85	6.0	90	140	0.0407	560
SLA140-564	0.85	6.5	80	140	0.0347	560
SLA140-565	0.85	6.5	90	140	0.0308	560
SLA140-566	0.85	7.0	70	140	0.0309	560
SLA140-567	0.85	7.0	80	140	0.0269	560
SLA140-568	0.85	7.0	90	140	0.0239	560
SLA140-569	0.85	7.5	60	140	0.0286	560
SLA140-570	0.85	7.5	70	140	0.0244	560
SLA140-571	0.85	7.5	80	140	0.0213	560
SLA140-572	0.85	7.5	90	140	0.0189	560
SLA140-573	0.85	8.0	60	140	0.0230	560
SLA140-574	0.85	8.0	70	140	0.0196	560
SLA140-575	0.85	8.0	80	140	0.0171	560
SLA140-576	0.85	8.0	90	140	0.0152	560

精密用セミロングスプリング 140L

注番	線径	外径	総巻数	自由長	バネ定数	価格
SLA140-577	0.85	8.5	60	140	0.0188	560
SLA140-578	0.85	8.5	70	140	0.0160	560
SLA140-579	0.85	8.5	80	140	0.0140	560
SLA140-580	0.85	8.5	90	140	0.0124	560
SLA140-581	0.85	9.0	50	140	0.0188	560
SLA140-582	0.85	9.0	60	140	0.0155	560
SLA140-583	0.85	9.0	70	140	0.0132	560
SLA140-584	0.85	9.0	80	140	0.0115	560
SLA140-585	0.85	9.0	90	140	0.0102	560
SLA140-586	0.85	9.5	50	140	0.0157	560
SLA140-587	0.85	9.5	60	140	0.0130	560
SLA140-588	0.85	9.5	70	140	0.0111	560
SLA140-589	0.85	9.5	80	140	0.0096	560
SLA140-590	0.85	9.5	90	140	0.0085	560
SLA140-591	0.85	10.0	50	140	0.0133	560
SLA140-592	0.85	10.0	60	140	0.0110	560
SLA140-593	0.85	10.0	70	140	0.0093	560
SLA140-594	0.85	10.0	80	140	0.0081	560
SLA140-595	0.85	10.0	90	140	0.0072	560
SLA140-596	0.90	6.0	90	140	0.0526	560
SLA140-597	0.90	6.5	80	140	0.0449	560
SLA140-598	0.90	6.5	90	140	0.0398	560
SLA140-599	0.90	7.0	70	140	0.0398	560
SLA140-600	0.90	7.0	80	140	0.0347	560
SLA140-601	0.90	7.0	90	140	0.0307	560
SLA140-602	0.90	7.5	70	140	0.0314	560
SLA140-603	0.90	7.5	80	140	0.0274	560
SLA140-604	0.90	7.5	90	140	0.0243	560
SLA140-605	0.90	8.0	60	140	0.0296	560
SLA140-606	0.90	8.0	70	140	0.0252	560
SLA140-607	0.90	8.0	80	140	0.0220	560
SLA140-608	0.90	8.0	90	140	0.0195	560
SLA140-609	0.90	8.5	60	140	0.0241	560
SLA140-610	0.90	8.5	70	140	0.0206	560
SLA140-611	0.90	8.5	80	140	0.0179	560
SLA140-612	0.90	8.5	90	140	0.0159	560

注番	線径	外径	総巻数	自由長	バネ定数	価格
SLA140-613	0.90	9.0	50	140	0.0241	560
SLA140-614	0.90	9.0	60	140	0.0199	560
SLA140-615	0.90	9.0	70	140	0.0170	560
SLA140-616	0.90	9.0	80	140	0.0148	560
SLA140-617	0.90	9.0	90	140	0.0131	560
SLA140-618	0.90	9.5	50	140	0.0201	560
SLA140-619	0.90	9.5	60	140	0.0166	560
SLA140-620	0.90	9.5	70	140	0.0142	560
SLA140-621	0.90	9.5	80	140	0.0123	560
SLA140-622	0.90	9.5	90	140	0.0109	560
SLA140-623	0.90	10.0	50	140	0.0170	560
SLA140-624	0.90	10.0	60	140	0.0140	560
SLA140-625	0.90	10.0	70	140	0.0120	560
SLA140-626	0.90	10.0	80	140	0.0104	560
SLA140-627	0.90	10.0	90	140	0.0092	560
SLA140-628	0.95	6.5	80	140	0.0572	560
SLA140-629	0.95	7.0	70	140	0.0507	560
SLA140-630	0.95	7.0	80	140	0.0442	560
SLA140-631	0.95	7.5	70	140	0.0399	560
SLA140-632	0.95	7.5	80	140	0.0348	560
SLA140-633	0.95	8.0	60	140	0.0375	560
SLA140-634	0.95	8.0	70	140	0.0320	560
SLA140-635	0.95	8.0	80	140	0.0279	560
SLA140-636	0.95	8.5	60	140	0.0305	560
SLA140-637	0.95	8.5	70	140	0.0260	560
SLA140-638	0.95	8.5	80	140	0.0227	560
SLA140-639	0.95	9.0	50	140	0.0304	560
SLA140-640	0.95	9.0	60	140	0.0252	560
SLA140-641	0.95	9.0	70	140	0.0215	560
SLA140-642	0.95	9.0	80	140	0.0187	560
SLA140-643	0.95	9.5	50	140	0.0254	560
SLA140-644	0.95	9.5	60	140	0.0210	560
SLA140-645	0.95	9.5	70	140	0.0179	560
SLA140-646	0.95	9.5	80	140	0.0156	560
SLA140-647	0.95	10.0	50	140	0.0214	560
SLA140-648	0.95	10.0	60	140	0.0177	560

精密用セミロングスプリング 160L

注番	線径	外径	総巻数	自由長	バネ定数	価格
SLA160-1	0.40	4.5	100	160	0.0035	600
SLA160-2	0.40	4.5	110	160	0.0032	600
SLA160-3	0.40	4.5	120	160	0.0029	600
SLA160-4	0.40	5.0	80	160	0.0031	600
SLA160-5	0.40	5.0	90	160	0.0028	600
SLA160-6	0.40	5.0	100	160	0.0025	600
SLA160-7	0.40	5.0	110	160	0.0022	600
SLA160-8	0.40	5.0	120	160	0.0020	600
SLA160-9	0.40	5.5	80	160	0.0023	600
SLA160-10	0.40	5.5	90	160	0.0020	600
SLA160-11	0.40	5.5	100	160	0.0018	600
SLA160-12	0.40	5.5	110	160	0.0016	600
SLA160-13	0.40	5.5	120	160	0.0015	600
SLA160-14	0.40	6.0	80	160	0.0017	600
SLA160-15	0.40	6.0	90	160	0.0015	600
SLA160-16	0.40	6.0	100	160	0.0013	600
SLA160-17	0.40	6.0	110	160	0.0012	600
SLA160-18	0.40	6.0	120	160	0.0011	600
SLA160-19	0.40	6.5	80	160	0.0013	600
SLA160-20	0.40	6.5	90	160	0.0012	600
SLA160-21	0.40	6.5	100	160	0.0010	600
SLA160-22	0.40	6.5	110	160	0.0009	600
SLA160-23	0.40	6.5	120	160	0.0008	600
SLA160-24	0.40	7.0	80	160	0.0010	600
SLA160-25	0.40	7.0	90	160	0.0009	600
SLA160-26	0.40	7.0	100	160	0.0008	600
SLA160-27	0.40	7.0	110	160	0.0007	600
SLA160-28	0.40	7.0	120	160	0.0007	600
SLA160-29	0.40	7.0	80	160	0.0008	600
SLA160-30	0.40	7.5	90	160	0.0007	600
SLA160-31	0.40	7.5	100	160	0.0006	600
SLA160-32	0.40	7.5	110	160	0.0006	600
SLA160-33	0.40	7.5	120	160	0.0005	600
SLA160-34	0.40	8.0	80	160	0.0007	600
SLA160-35	0.40	8.0	90	160	0.0006	600
SLA160-36	0.40	8.0	100	160	0.0005	600

注番	線径	外径	総巻数	自由長	バネ定数	価格
SLA160-37	0.40	8.0	110	160	0.0005	600
SLA160-38	0.40	8.0	120	160	0.0004	600
SLA160-39	0.40	8.5	80	160	0.0005	600
SLA160-40	0.40	8.5	90	160	0.0005	600
SLA160-41	0.40	8.5	100	160	0.0004	600
SLA160-42	0.40	8.5	110	160	0.0004	600
SLA160-43	0.40	8.5	120	160	0.0003	600
SLA160-44	0.40	9.0	80	160	0.0004	600
SLA160-45	0.40	9.0	90	160	0.0004	600
SLA160-46	0.40	9.0	100	160	0.0003	600
SLA160-47	0.40	9.0	110	160	0.0003	600
SLA160-48	0.40	9.0	120	160	0.0003	600
SLA160-49	0.40	9.5	80	160	0.0004	600
SLA160-50	0.40	9.5	90	160	0.0003	600
SLA160-51	0.40	9.5	100	160	0.0003	600
SLA160-52	0.40	9.5	110	160	0.0002	600
SLA160-53	0.40	9.5	120	160	0.0002	600
SLA160-54	0.40	10.0	80	160	0.0003	600
SLA160-55	0.40	10.0	90	160	0.0003	600
SLA160-56	0.40	10.0	100	160	0.0002	600
SLA160-57	0.40	10.0	110	160	0.0002	600
SLA160-58	0.40	10.0	120	160	0.0002	600
SLA160-59	0.45	4.5	110	160	0.0053	600
SLA160-60	0.45	4.5	120	160	0.0049	600
SLA160-61	0.45	5.0	90	160	0.0046	600
SLA160-62	0.45	5.0	100	160	0.0041	600
SLA160-63	0.45	5.0	110	160	0.0037	600
SLA160-64	0.45	5.0	120	160	0.0034	600
SLA160-65	0.45	5.5	80	160	0.0038	600
SLA160-66	0.45	5.5	90	160	0.0033	600
SLA160-67	0.45	5.5	100	160	0.0030	600
SLA160-68	0.45	5.5	110	160	0.0027	600
SLA160-69	0.45	5.5	120	160	0.0025	600
SLA160-70	0.45	6.0	80	160	0.0028	600
SLA160-71	0.45	6.0	90	160	0.0025	600
SLA160-72	0.45	6.0	100	160	0.0022	600

精密用セミロングスプリング 160L

注番	線径	外径	総巻数	自由長	バネ定数	価格
SLA160-73	0.45	6.0	110	160	0.0020	600
SLA160-74	0.45	6.0	120	160	0.0019	600
SLA160-75	0.45	6.5	80	160	0.0022	600
SLA160-76	0.45	6.5	90	160	0.0019	600
SLA160-77	0.45	6.5	100	160	0.0017	600
SLA160-78	0.45	6.5	110	160	0.0016	600
SLA160-79	0.45	6.5	120	160	0.0014	600
SLA160-80	0.45	7.0	80	160	0.0017	600
SLA160-81	0.45	7.0	90	160	0.0015	600
SLA160-82	0.45	7.0	100	160	0.0013	600
SLA160-83	0.45	7.0	110	160	0.0012	600
SLA160-84	0.45	7.0	120	160	0.0011	600
SLA160-85	0.45	7.5	80	160	0.0014	600
SLA160-86	0.45	7.5	90	160	0.0012	600
SLA160-87	0.45	7.5	100	160	0.0011	600
SLA160-88	0.45	7.5	110	160	0.0010	600
SLA160-89	0.45	7.5	120	160	0.0009	600
SLA160-90	0.45	8.0	80	160	0.0011	600
SLA160-91	0.45	8.0	90	160	0.0010	600
SLA160-92	0.45	8.0	100	160	0.0009	600
SLA160-93	0.45	8.0	110	160	0.0008	600
SLA160-94	0.45	8.0	120	160	0.0007	600
SLA160-95	0.45	8.5	80	160	0.0009	600
SLA160-96	0.45	8.5	90	160	0.0008	600
SLA160-97	0.45	8.5	100	160	0.0007	600
SLA160-98	0.45	8.5	110	160	0.0006	600
SLA160-99	0.45	8.5	120	160	0.0006	600
SLA160-100	0.45	9.0	80	160	0.0007	600
SLA160-101	0.45	9.0	90	160	0.0006	600
SLA160-102	0.45	9.0	100	160	0.0006	600
SLA160-103	0.45	9.0	110	160	0.0005	600
SLA160-104	0.45	9.0	120	160	0.0005	600
SLA160-105	0.45	9.5	80	160	0.0006	600
SLA160-106	0.45	9.5	90	160	0.0005	600
SLA160-107	0.45	9.5	100	160	0.0005	600
SLA160-108	0.45	9.5	110	160	0.0004	600

注番	線径	外径	総巻数	自由長	バネ定数	価格
SLA160-109	0.45	9.5	120	160	0.0004	600
SLA160-110	0.45	10.0	80	160	0.0005	600
SLA160-111	0.45	10.0	90	160	0.0005	600
SLA160-112	0.45	10.0	100	160	0.0004	600
SLA160-113	0.45	10.0	110	160	0.0004	600
SLA160-114	0.45	10.0	120	160	0.0003	600
SLA160-115	0.50	4.5	110	160	0.0084	600
SLA160-116	0.50	4.5	120	160	0.0077	600
SLA160-117	0.50	5.0	100	160	0.0065	600
SLA160-118	0.50	5.0	110	160	0.0059	600
SLA160-119	0.50	5.0	120	160	0.0054	600
SLA160-120	0.50	5.5	90	160	0.0053	600
SLA160-121	0.50	5.5	100	160	0.0047	600
SLA160-122	0.50	5.5	110	160	0.0043	600
SLA160-123	0.50	5.5	120	160	0.0039	600
SLA160-124	0.50	6.0	80	160	0.0045	600
SLA160-125	0.50	6.0	90	160	0.0040	600
SLA160-126	0.50	6.0	100	160	0.0035	600
SLA160-127	0.50	6.0	110	160	0.0032	600
SLA160-128	0.50	6.0	120	160	0.0029	600
SLA160-129	0.50	6.5	80	160	0.0034	600
SLA160-130	0.50	6.5	90	160	0.0030	600
SLA160-131	0.50	6.5	100	160	0.0027	600
SLA160-132	0.50	6.5	110	160	0.0025	600
SLA160-133	0.50	6.5	120	160	0.0022	600
SLA160-134	0.50	7.0	80	160	0.0027	600
SLA160-135	0.50	7.0	90	160	0.0024	600
SLA160-136	0.50	7.0	100	160	0.0021	600
SLA160-137	0.50	7.0	110	160	0.0019	600
SLA160-138	0.50	7.0	120	160	0.0018	600
SLA160-139	0.50	7.5	80	160	0.0021	600
SLA160-140	0.50	7.5	90	160	0.0019	600
SLA160-141	0.50	7.5	100	160	0.0017	600
SLA160-142	0.50	7.5	110	160	0.0015	600
SLA160-143	0.50	7.5	120	160	0.0014	600
SLA160-144	0.50	8.0	80	160	0.0017	600

精密用セミロングスプリング 160L

注番	線径	外径	総巻数	自由長	バネ定数	価格
SLA160-145	0.50	8.0	90	160	0.0015	600
SLA160-146	0.50	8.0	100	160	0.0014	600
SLA160-147	0.50	8.0	110	160	0.0012	600
SLA160-148	0.50	8.0	120	160	0.0011	600
SLA160-149	0.50	8.5	80	160	0.0014	600
SLA160-150	0.50	8.5	90	160	0.0013	600
SLA160-151	0.50	8.5	100	160	0.0011	600
SLA160-152	0.50	8.5	110	160	0.0010	600
SLA160-153	0.50	8.5	120	160	0.0009	600
SLA160-154	0.50	9.0	80	160	0.0012	600
SLA160-155	0.50	9.0	90	160	0.0010	600
SLA160-156	0.50	9.0	100	160	0.0009	600
SLA160-157	0.50	9.0	110	160	0.0008	600
SLA160-158	0.50	9.0	120	160	0.0008	600
SLA160-159	0.50	9.5	80	160	0.0010	600
SLA160-160	0.50	9.5	90	160	0.0009	600
SLA160-161	0.50	9.5	100	160	0.0008	600
SLA160-162	0.50	9.5	110	160	0.0007	600
SLA160-163	0.50	9.5	120	160	0.0006	600
SLA160-164	0.50	10.0	80	160	0.0008	600
SLA160-165	0.50	10.0	90	160	0.0007	600
SLA160-166	0.50	10.0	100	160	0.0006	600
SLA160-167	0.50	10.0	110	160	0.0006	600
SLA160-168	0.50	10.0	120	160	0.0005	600
SLA160-169	0.55	5.0	100	160	0.0099	600
SLA160-170	0.55	5.0	110	160	0.0090	600
SLA160-171	0.55	5.0	120	160	0.0082	600
SLA160-172	0.55	5.5	90	160	0.0080	600
SLA160-173	0.55	5.5	100	160	0.0072	600
SLA160-174	0.55	5.5	110	160	0.0065	600
SLA160-175	0.55	5.5	120	160	0.0059	600
SLA160-176	0.55	6.0	80	160	0.0067	600
SLA160-177	0.55	6.0	90	160	0.0060	600
SLA160-178	0.55	6.0	100	160	0.0054	600
SLA160-179	0.55	6.0	110	160	0.0049	600
SLA160-180	0.55	6.0	120	160	0.0044	600

注番	線径	外径	総巻数	自由長	バネ定数	価格
SLA160-181	0.55	6.5	80	160	0.0052	600
SLA160-182	0.55	6.5	90	160	0.0046	600
SLA160-183	0.55	6.5	100	160	0.0041	600
SLA160-184	0.55	6.5	110	160	0.0037	600
SLA160-185	0.55	6.5	120	160	0.0034	600
SLA160-186	0.55	7.0	80	160	0.0040	600
SLA160-187	0.55	7.0	90	160	0.0036	600
SLA160-188	0.55	7.0	100	160	0.0032	600
SLA160-189	0.55	7.0	110	160	0.0029	600
SLA160-190	0.55	7.0	120	160	0.0027	600
SLA160-191	0.55	7.5	80	160	0.0032	600
SLA160-192	0.55	7.5	90	160	0.0029	600
SLA160-193	0.55	7.5	100	160	0.0026	600
SLA160-194	0.55	7.5	110	160	0.0023	600
SLA160-195	0.55	7.5	120	160	0.0021	600
SLA160-196	0.55	8.0	80	160	0.0026	600
SLA160-197	0.55	8.0	90	160	0.0023	600
SLA160-198	0.55	8.0	100	160	0.0021	600
SLA160-199	0.55	8.0	110	160	0.0019	600
SLA160-200	0.55	8.0	120	160	0.0017	600
SLA160-201	0.55	8.5	80	160	0.0021	600
SLA160-202	0.55	8.5	90	160	0.0019	600
SLA160-203	0.55	8.5	100	160	0.0017	600
SLA160-204	0.55	8.5	110	160	0.0015	600
SLA160-205	0.55	8.5	120	160	0.0014	600
SLA160-206	0.55	9.0	80	160	0.0018	600
SLA160-207	0.55	9.0	90	160	0.0016	600
SLA160-208	0.55	9.0	100	160	0.0014	600
SLA160-209	0.55	9.0	110	160	0.0013	600
SLA160-210	0.55	9.0	120	160	0.0012	600
SLA160-211	0.55	9.5	80	160	0.0015	600
SLA160-212	0.55	9.5	90	160	0.0013	600
SLA160-213	0.55	9.5	100	160	0.0012	600
SLA160-214	0.55	9.5	110	160	0.0011	600
SLA160-215	0.55	9.5	120	160	0.0010	600
SLA160-216	0.55	10.0	80	160	0.0013	600

精密用セミロングスプリング 160L

注番	線径	外径	総巻数	自由長	バネ定数	価格
SLA160-217	0.55	10.0	90	160	0.0011	600
SLA160-218	0.55	10.0	100	160	0.0010	600
SLA160-219	0.55	10.0	110	160	0.0009	600
SLA160-220	0.55	10.0	120	160	0.0008	600
SLA160-221	0.60	5.0	110	160	0.0132	600
SLA160-222	0.60	5.0	120	160	0.0120	600
SLA160-223	0.60	5.5	90	160	0.0117	600
SLA160-224	0.60	5.5	100	160	0.1050	600
SLA160-225	0.60	5.5	110	160	0.0095	600
SLA160-226	0.60	5.5	120	160	0.0087	600
SLA160-227	0.60	6.0	80	160	0.0098	600
SLA160-228	0.60	6.0	90	160	0.0087	600
SLA160-229	0.60	6.0	100	160	0.0078	600
SLA160-230	0.60	6.0	110	160	0.0071	600
SLA160-231	0.60	6.0	120	160	0.0065	600
SLA160-232	0.60	6.5	80	160	0.0075	600
SLA160-233	0.60	6.5	90	160	0.0067	600
SLA160-234	0.60	6.5	100	160	0.0060	600
SLA160-235	0.60	6.5	110	160	0.0054	600
SLA160-236	0.60	6.5	120	160	0.0050	600
SLA160-237	0.60	7.0	80	160	0.0059	600
SLA160-238	0.60	7.0	90	160	0.0052	600
SLA160-239	0.60	7.0	100	160	0.0047	600
SLA160-240	0.60	7.0	110	160	0.0042	600
SLA160-241	0.60	7.0	120	160	0.0039	600
SLA160-242	0.60	7.5	80	160	0.0047	600
SLA160-243	0.60	7.5	90	160	0.0042	600
SLA160-244	0.60	7.5	100	160	0.0037	600
SLA160-245	0.60	7.5	110	160	0.0034	600
SLA160-246	0.60	7.5	120	160	0.0031	600
SLA160-247	0.60	8.0	80	160	0.0038	600
SLA160-248	0.60	8.0	90	160	0.0034	600
SLA160-249	0.60	8.0	100	160	0.0030	600
SLA160-250	0.60	8.0	110	160	0.0027	600
SLA160-251	0.60	8.0	120	160	0.0025	600
SLA160-252	0.60	8.5	80	160	0.0031	600

注番	線径	外径	総巻数	自由長	バネ定数	価格
SLA160-253	0.60	8.5	90	160	0.0028	600
SLA160-254	0.60	8.5	100	160	0.0025	600
SLA160-255	0.60	8.5	110	160	0.0022	600
SLA160-256	0.60	8.5	120	160	0.0020	600
SLA160-257	0.60	9.0	80	160	0.0026	600
SLA160-258	0.60	9.0	90	160	0.0023	600
SLA160-259	0.60	9.0	100	160	0.0020	600
SLA160-260	0.60	9.0	110	160	0.0018	600
SLA160-261	0.60	9.0	120	160	0.0017	600
SLA160-262	0.60	9.5	80	160	0.0022	600
SLA160-263	0.60	9.5	90	160	0.0019	600
SLA160-264	0.60	9.5	100	160	0.0017	600
SLA160-265	0.60	9.5	110	160	0.0015	600
SLA160-266	0.60	9.5	120	160	0.0014	600
SLA160-267	0.60	10.0	80	160	0.0018	600
SLA160-268	0.60	10.0	90	160	0.0016	600
SLA160-269	0.60	10.0	100	160	0.0014	600
SLA160-270	0.60	10.0	110	160	0.0013	600
SLA160-271	0.60	10.0	120	160	0.0012	600
SLA160-272	0.65	6.0	90	160	0.0124	600
SLA160-273	0.65	6.0	100	160	0.0111	600
SLA160-274	0.65	6.0	110	160	0.0101	600
SLA160-275	0.65	6.5	80	160	0.0107	600
SLA160-276	0.65	6.5	90	160	0.0094	600
SLA160-277	0.65	6.5	100	160	0.0085	600
SLA160-278	0.65	6.5	110	160	0.0077	600
SLA160-279	0.65	7.0	80	160	0.0083	600
SLA160-280	0.65	7.0	90	160	0.0074	600
SLA160-281	0.65	7.0	100	160	0.0066	600
SLA160-282	0.65	7.0	110	160	0.0060	600
SLA160-283	0.65	7.5	80	160	0.0066	600
SLA160-284	0.65	7.5	90	160	0.0059	600
SLA160-285	0.65	7.5	100	160	0.0053	600
SLA160-286	0.65	7.5	110	160	0.0048	600
SLA160-287	0.65	8.0	80	160	0.0054	600
SLA160-288	0.65	8.0	90	160	0.0047	600

精密用セミロングスプリング 160L

注番	線径	外径	総巻数	自由長	バネ定数	価格
SLA160-289	0.65	8.0	100	160	0.0043	600
SLA160-290	0.65	8.0	110	160	0.0039	600
SLA160-291	0.65	8.5	80	160	0.0044	600
SLA160-292	0.65	8.5	90	160	0.0039	600
SLA160-293	0.65	8.5	100	160	0.0035	600
SLA160-294	0.65	8.5	110	160	0.0032	600
SLA160-295	0.65	9.0	80	160	0.0036	600
SLA160-296	0.65	9.0	90	160	0.0032	600
SLA160-297	0.65	9.0	100	160	0.0029	600
SLA160-298	0.65	9.0	110	160	0.0026	600
SLA160-299	0.65	9.5	80	160	0.0030	600
SLA160-300	0.65	9.5	90	160	0.0027	600
SLA160-301	0.65	9.5	100	160	0.0024	600
SLA160-302	0.65	9.5	110	160	0.0022	600
SLA160-303	0.65	10.0	80	160	0.0026	600
SLA160-304	0.65	10.0	90	160	0.0023	600
SLA160-305	0.65	10.0	100	160	0.0020	600
SLA160-306	0.65	10.0	110	160	0.0018	600
SLA160-307	0.70	6.0	90	160	0.0171	600
SLA160-308	0.70	6.0	100	160	0.0154	600
SLA160-309	0.70	6.0	110	160	0.0139	600
SLA160-310	0.70	6.5	80	160	0.0147	600
SLA160-311	0.70	6.5	90	160	0.0131	600
SLA160-312	0.70	6.5	100	160	0.0117	600
SLA160-313	0.70	6.5	110	160	0.0106	600
SLA160-314	0.70	7.0	80	160	0.0115	600
SLA160-315	0.70	7.0	90	160	0.0102	600
SLA160-316	0.70	7.0	100	160	0.0091	600
SLA160-317	0.70	7.0	110	160	0.0083	600
SLA160-318	0.70	7.5	80	160	0.0091	600
SLA160-319	0.70	7.5	90	160	0.0081	600
SLA160-320	0.70	7.5	100	160	0.0073	600
SLA160-321	0.70	7.5	110	160	0.0066	600
SLA160-322	0.70	8.0	80	160	0.0074	600
SLA160-323	0.70	8.0	90	160	0.0065	600
SLA160-324	0.70	8.0	100	160	0.0059	600

注番	線径	外径	総巻数	自由長	バネ定数	価格
SLA160-325	0.70	8.0	110	160	0.0053	600
SLA160-326	0.70	8.5	80	160	0.0060	600
SLA160-327	0.70	8.5	90	160	0.0053	600
SLA160-328	0.70	8.5	100	160	0.0048	600
SLA160-329	0.70	8.5	110	160	0.0043	600
SLA160-330	0.70	9.0	80	160	0.0050	600
SLA160-331	0.70	9.0	90	160	0.0044	600
SLA160-332	0.70	9.0	100	160	0.0040	600
SLA160-333	0.70	9.0	110	160	0.0036	600
SLA160-334	0.70	9.5	80	160	0.0042	600
SLA160-335	0.70	9.5	90	160	0.0037	600
SLA160-336	0.70	9.5	100	160	0.0033	600
SLA160-337	0.70	9.5	110	160	0.0030	600
SLA160-338	0.70	10.0	80	160	0.0035	600
SLA160-339	0.70	10.0	90	160	0.0031	600
SLA160-340	0.70	10.0	100	160	0.0028	600
SLA160-341	0.70	10.0	110	160	0.0025	600
SLA160-342	0.75	6.0	90	160	0.0232	600
SLA160-343	0.75	6.0	100	160	0.0209	600
SLA160-344	0.75	6.0	110	160	0.0289	600
SLA160-345	0.75	6.5	80	160	0.0200	600
SLA160-346	0.75	6.5	90	160	0.0177	600
SLA160-347	0.75	6.5	100	160	0.0159	600
SLA160-348	0.75	6.5	110	160	0.0144	600
SLA160-349	0.75	7.0	80	160	0.0155	600
SLA160-350	0.75	7.0	90	160	0.0138	600
SLA160-351	0.75	7.0	100	160	0.0123	600
SLA160-352	0.75	7.0	110	160	0.0112	600
SLA160-353	0.75	7.5	80	160	0.0123	600
SLA160-354	0.75	7.5	90	160	0.0109	600
SLA160-355	0.75	7.5	100	160	0.0098	600
SLA160-356	0.75	7.5	110	160	0.0089	600
SLA160-357	0.75	8.0	80	160	0.0099	600
SLA160-358	0.75	8.0	90	160	0.0088	600
SLA160-359	0.75	8.0	100	160	0.0079	600
SLA160-360	0.75	8.0	110	160	0.0072	600

精密用セミロングスプリング 160L

注番	線径	外径	総巻数	自由長	バネ定数	価格
SLA160-361	0.75	8.5	80	160	0.0081	600
SLA160-362	0.75	8.5	90	160	0.0072	600
SLA160-363	0.75	8.5	100	160	0.0065	600
SLA160-364	0.75	8.5	110	160	0.0059	600
SLA160-365	0.75	9.0	80	160	0.0067	600
SLA160-366	0.75	9.0	90	160	0.0060	600
SLA160-367	0.75	9.0	100	160	0.0053	600
SLA160-368	0.75	9.0	110	160	0.0048	600
SLA160-369	0.75	9.5	80	160	0.0056	600
SLA160-370	0.75	9.5	90	160	0.0050	600
SLA160-371	0.75	9.5	100	160	0.0045	600
SLA160-372	0.75	9.5	110	160	0.0040	600
SLA160-373	0.75	10.0	80	160	0.0048	600
SLA160-374	0.75	10.0	90	160	0.0042	600
SLA160-375	0.75	10.0	100	160	0.0038	600
SLA160-376	0.75	10.0	110	160	0.0034	600
SLA160-377	0.80	6.0	100	160	0.0278	600
SLA160-378	0.80	6.0	110	160	0.0252	600
SLA160-379	0.80	6.5	90	160	0.0235	600
SLA160-380	0.80	6.5	100	160	0.0211	600
SLA160-381	0.80	6.5	110	160	0.0191	600
SLA160-382	0.80	7.0	80	160	0.0206	600
SLA160-383	0.80	7.0	90	160	0.0183	600
SLA160-384	0.80	7.0	100	160	0.0164	600
SLA160-385	0.80	7.0	110	160	0.0149	600
SLA160-386	0.80	7.5	80	160	0.0163	600
SLA160-387	0.80	7.5	90	160	0.0145	600
SLA160-388	0.80	7.5	100	160	0.0130	600
SLA160-389	0.80	7.5	110	160	0.0118	600
SLA160-390	0.80	8.0	80	160	0.0131	600
SLA160-391	0.80	8.0	90	160	0.0116	600
SLA160-392	0.80	8.0	100	160	0.0104	600
SLA160-393	0.80	8.0	110	160	0.0095	600
SLA160-394	0.80	8.5	80	160	0.0107	600
SLA160-395	0.80	8.5	90	160	0.0095	600
SLA160-396	0.80	8.5	100	160	0.0085	600

注番	線径	外径	総巻数	自由長	バネ定数	価格
SLA160-397	0.80	8.5	110	160	0.0077	600
SLA160-398	0.80	9.0	80	160	0.0089	600
SLA160-399	0.80	9.0	90	160	0.0079	600
SLA160-400	0.80	9.0	100	160	0.0071	600
SLA160-401	0.80	9.0	110	160	0.0064	600
SLA160-402	0.80	9.5	80	160	0.0074	600
SLA160-403	0.80	9.5	90	160	0.0066	600
SLA160-404	0.80	9.5	100	160	0.0059	600
SLA160-405	0.80	9.5	110	160	0.0053	600
SLA160-406	0.80	10.0	80	160	0.0063	600
SLA160-407	0.80	10.0	90	160	0.0056	600
SLA160-408	0.80	10.0	100	160	0.0050	600
SLA160-409	0.80	10.0	110	160	0.0045	600
SLA160-410	0.85	7.0	80	160	0.0269	600
SLA160-411	0.85	7.0	90	160	0.0239	600
SLA160-412	0.85	7.0	100	160	0.0214	600
SLA160-413	0.85	7.5	80	160	0.0213	600
SLA160-414	0.85	7.5	90	160	0.0189	600
SLA160-415	0.85	7.5	100	160	0.0169	600
SLA160-416	0.85	8.0	80	160	0.0171	600
SLA160-417	0.85	8.0	90	160	0.0152	600
SLA160-418	0.85	8.0	100	160	0.0136	600
SLA160-419	0.85	8.5	80	160	0.0140	600
SLA160-420	0.85	8.5	90	160	0.0124	600
SLA160-421	0.85	8.5	100	160	0.0111	600
SLA160-422	0.85	9.0	80	160	0.0115	600
SLA160-423	0.85	9.0	90	160	0.0102	600
SLA160-424	0.85	9.0	100	160	0.0092	600
SLA160-425	0.85	9.5	80	160	0.0096	600
SLA160-426	0.85	9.5	90	160	0.0085	600
SLA160-427	0.85	9.5	100	160	0.0077	600
SLA160-428	0.85	10.0	80	160	0.0081	600
SLA160-429	0.85	10.0	90	160	0.0072	600
SLA160-430	0.85	10.0	100	160	0.0065	600
SLA160-431	0.85	7.0	80	160	0.0347	600
SLA160-432	0.85	7.0	90	160	0.0307	600

精密用セミロングスプリング 160L

注番	線径	外径	総巻数	自由長	バネ定数	価格	注番	線径	外径	総巻数	自由長	バネ定数	価格
SLA160-433	0.90	7.0	100	160	0.0276	600	SLA160-469	0.95	10.0	80	160	0.0132	600
SLA160-434	0.90	7.5	80	160	0.0274	600	SLA160-470	0.95	10.0	90	160	0.0117	600
SLA160-435	0.90	7.5	90	160	0.0243	600	SLA160-471	1.00	7.0	80	160	0.0556	600
SLA160-436	0.90	7.5	100	160	0.0218	600	SLA160-472	1.00	7.0	90	160	0.0493	600
SLA160-437	0.90	8.0	80	160	0.0220	600	SLA160-473	1.00	7.5	80	160	0.0437	600
SLA160-438	0.90	8.0	90	160	0.0195	600	SLA160-474	1.00	7.5	90	160	0.0387	600
SLA160-439	0.90	8.0	100	160	0.0175	600	SLA160-475	1.00	8.0	70	160	0.0401	600
SLA160-440	0.90	8.5	80	160	0.0179	600	SLA160-476	1.00	8.0	80	160	0.0350	600
SLA160-441	0.90	8.5	90	160	0.0159	600	SLA160-477	1.00	8.0	90	160	0.0310	600
SLA160-442	0.90	8.5	100	160	0.0142	600	SLA160-478	1.00	8.5	70	160	0.0326	600
SLA160-443	0.90	9.0	80	160	0.0148	600	SLA160-479	1.00	8.5	80	160	0.0284	600
SLA160-444	0.90	9.0	90	160	0.0131	600	SLA160-480	1.00	8.5	90	160	0.0252	600
SLA160-445	0.90	9.0	100	160	0.0118	600	SLA160-481	1.00	9.0	70	160	0.0269	600
SLA160-446	0.90	9.5	80	160	0.0123	600	SLA160-482	1.00	9.0	80	160	0.0234	600
SLA160-447	0.90	9.5	90	160	0.0109	600	SLA160-483	1.00	9.0	90	160	0.0208	600
SLA160-448	0.90	9.5	100	160	0.0098	600	SLA160-484	1.00	9.5	70	160	0.0224	600
SLA160-449	0.90	10.0	80	160	0.0104	600	SLA160-485	1.00	9.5	80	160	0.0195	600
SLA160-450	0.90	10.0	90	160	0.0092	600	SLA160-486	1.00	9.5	90	160	0.0173	600
SLA160-451	0.90	10.0	100	160	0.0083	600	SLA160-487	1.00	10.0	70	160	0.0189	600
SLA160-452	0.95	7.0	80	160	0.0442	600	SLA160-488	1.00	10.0	80	160	0.0164	600
SLA160-453	0.95	7.0	90	160	0.0391	600	SLA160-489	1.00	10.0	90	160	0.0146	600
SLA160-454	0.95	7.5	80	160	0.0308	600							
SLA160-455	0.95	7.5	90	160	0.0308	600							
SLA160-456	0.95	8.0	70	160	0.0320	600							
SLA160-457	0.95	8.0	80	160	0.0279	600							
SLA160-458	0.95	8.0	90	160	0.0247	600							
SLA160-459	0.95	8.5	70	160	0.0260	600							
SLA160-460	0.95	8.5	80	160	0.0227	600							
SLA160-461	0.95	8.5	90	160	0.0201	600							
SLA160-462	0.95	9.0	70	160	0.0215	600							
SLA160-463	0.95	9.0	80	160	0.0187	600							
SLA160-464	0.95	9.0	90	160	0.0166	600							
SLA160-465	0.95	9.5	70	160	0.0179	600							
SLA160-466	0.95	9.5	80	160	0.0156	600							
SLA160-467	0.95	9.5	90	160	0.0138	600							
SLA160-468	0.95	10.0	70	160	0.0151	600							

精密用セミロングスプリング 180L

注番	線径	外径	総巻数	自由長	バネ定数	価格
SLA180-1	0.40	5.0	90	180	0.0028	630
SLA180-2	0.40	5.0	100	180	0.0025	630
SLA180-3	0.40	5.0	110	180	0.0022	630
SLA180-4	0.40	5.5	80	180	0.0023	630
SLA180-5	0.40	5.5	90	180	0.0020	630
SLA180-6	0.40	5.5	100	180	0.0018	630
SLA180-7	0.40	5.5	110	180	0.0016	630
SLA180-8	0.40	6.0	80	180	0.0017	630
SLA180-9	0.40	6.0	90	180	0.0015	630
SLA180-10	0.40	6.0	100	180	0.0013	630
SLA180-11	0.40	6.0	110	180	0.0012	630
SLA180-12	0.40	6.5	80	180	0.0013	630
SLA180-13	0.40	6.5	90	180	0.0012	630
SLA180-14	0.40	6.5	100	180	0.0010	630
SLA180-15	0.40	6.5	110	180	0.0009	630
SLA180-16	0.40	7.0	80	180	0.0010	630
SLA180-17	0.40	7.0	90	180	0.0009	630
SLA180-18	0.40	7.0	100	180	0.0008	630
SLA180-19	0.40	7.0	110	180	0.0007	630
SLA180-20	0.40	7.5	80	180	0.0008	630
SLA180-21	0.40	7.5	90	180	0.0007	630
SLA180-22	0.40	7.5	100	180	0.0006	630
SLA180-23	0.40	7.5	110	180	0.0006	630
SLA180-24	0.40	8.0	80	180	0.0007	630
SLA180-25	0.40	8.0	90	180	0.0006	630
SLA180-26	0.40	8.0	100	180	0.0005	630
SLA180-27	0.40	8.0	110	180	0.0005	630
SLA180-28	0.40	8.5	80	180	0.0005	630
SLA180-29	0.40	8.5	90	180	0.0005	630
SLA180-30	0.40	8.5	100	180	0.0004	630
SLA180-31	0.40	8.5	110	180	0.0004	630
SLA180-32	0.40	9.0	80	180	0.0004	630
SLA180-33	0.40	9.0	90	180	0.0004	630
SLA180-34	0.40	9.0	100	180	0.0003	630
SLA180-35	0.40	9.0	110	180	0.0003	630
SLA180-36	0.40	9.5	80	180	0.0004	630

注番	線径	外径	総巻数	自由長	バネ定数	価格
SLA180-37	0.40	9.5	90	180	0.0003	630
SLA180-38	0.40	9.5	100	180	0.0003	630
SLA180-39	0.40	9.5	110	180	0.0002	630
SLA180-40	0.40	10.0	80	180	0.0003	630
SLA180-41	0.40	10.0	90	180	0.0003	630
SLA180-42	0.40	10.0	100	180	0.0002	630
SLA180-43	0.40	10.0	110	180	0.0002	630
SLA180-44	0.45	5.5	90	180	0.0033	630
SLA180-45	0.45	5.5	100	180	0.0030	630
SLA180-46	0.45	5.5	110	180	0.0027	630
SLA180-47	0.45	6.0	80	180	0.0028	630
SLA180-48	0.45	6.0	90	180	0.0025	630
SLA180-49	0.45	6.0	100	180	0.0022	630
SLA180-50	0.45	6.0	110	180	0.0020	630
SLA180-51	0.45	6.5	80	180	0.0022	630
SLA180-52	0.45	6.5	90	180	0.0019	630
SLA180-53	0.45	6.5	100	180	0.0017	630
SLA180-54	0.45	6.5	110	180	0.0016	630
SLA180-55	0.45	7.0	80	180	0.0017	630
SLA180-56	0.45	7.0	90	180	0.0015	630
SLA180-57	0.45	7.0	100	180	0.0013	630
SLA180-58	0.45	7.0	110	180	0.0012	630
SLA180-59	0.45	7.5	80	180	0.0014	630
SLA180-60	0.45	7.5	90	180	0.0012	630
SLA180-61	0.45	7.5	100	180	0.0011	630
SLA180-62	0.45	7.5	110	180	0.0010	630
SLA180-63	0.45	8.0	80	180	0.0011	630
SLA180-64	0.45	8.0	90	180	0.0010	630
SLA180-65	0.45	8.0	100	180	0.0009	630
SLA180-66	0.45	8.0	110	180	0.0008	630
SLA180-67	0.45	8.5	80	180	0.0009	630
SLA180-68	0.45	8.5	90	180	0.0008	630
SLA180-69	0.45	8.5	100	180	0.0007	630
SLA180-70	0.45	8.5	110	180	0.0006	630
SLA180-71	0.45	9.0	80	180	0.0007	630
SLA180-72	0.45	9.0	90	180	0.0006	630

精密用セミロングスプリング 180L

注番	線径	外径	総巻数	自由長	バネ定数	価格
SLA180-73	0.45	9.0	100	180	0.0006	630
SLA180-74	0.45	9.0	110	180	0.0005	630
SLA180-75	0.45	9.5	80	180	0.0006	630
SLA180-76	0.45	9.5	90	180	0.0005	630
SLA180-77	0.45	9.5	100	180	0.0005	630
SLA180-78	0.45	9.5	110	180	0.0004	630
SLA180-79	0.45	10.0	80	180	0.0005	630
SLA180-80	0.45	10.0	90	180	0.0005	630
SLA180-81	0.45	10.0	100	180	0.0004	630
SLA180-82	0.45	10.0	110	180	0.0004	630
SLA180-83	0.50	5.5	90	180	0.0053	630
SLA180-84	0.50	5.5	100	180	0.0047	630
SLA180-85	0.50	5.5	110	180	0.0043	630
SLA180-86	0.50	6.0	80	180	0.0045	630
SLA180-87	0.50	6.0	90	180	0.0040	630
SLA180-88	0.50	6.0	100	180	0.0035	630
SLA180-89	0.50	6.0	110	180	0.0032	630
SLA180-90	0.50	6.5	80	180	0.0034	630
SLA180-91	0.50	6.5	90	180	0.0030	630
SLA180-92	0.50	6.5	100	180	0.0027	630
SLA180-93	0.50	6.5	110	180	0.0025	630
SLA180-94	0.50	7.0	80	180	0.0027	630
SLA180-95	0.50	7.0	90	180	0.0024	630
SLA180-96	0.50	7.0	100	180	0.0021	630
SLA180-97	0.50	7.0	110	180	0.0019	630
SLA180-98	0.50	7.5	80	180	0.0021	630
SLA180-99	0.50	7.5	90	180	0.0019	630
SLA180-100	0.50	7.5	100	180	0.0017	630
SLA180-101	0.50	7.5	110	180	0.0015	630
SLA180-102	0.50	8.0	80	180	0.0017	630
SLA180-103	0.50	8.0	90	180	0.0015	630
SLA180-104	0.50	8.0	100	180	0.0014	630
SLA180-105	0.50	8.0	110	180	0.0012	630
SLA180-106	0.50	8.5	80	180	0.0014	630
SLA180-107	0.50	8.5	90	180	0.0013	630
SLA180-108	0.50	8.5	100	180	0.0011	630

注番	線径	外径	総巻数	自由長	バネ定数	価格
SLA180-109	0.50	8.5	110	180	0.0010	630
SLA180-110	0.50	9.0	80	180	0.0012	630
SLA180-111	0.50	9.0	90	180	0.0010	630
SLA180-112	0.50	9.0	100	180	0.0009	630
SLA180-113	0.50	9.0	110	180	0.0008	630
SLA180-114	0.50	9.5	80	180	0.0010	630
SLA180-115	0.50	9.5	90	180	0.0009	630
SLA180-116	0.50	9.5	100	180	0.0008	630
SLA180-117	0.50	9.5	110	180	0.0007	630
SLA180-118	0.50	10.0	80	180	0.0008	630
SLA180-119	0.50	10.0	90	180	0.0007	630
SLA180-120	0.50	10.0	100	180	0.0006	630
SLA180-121	0.50	10.0	110	180	0.0072	630
SLA180-122	0.55	5.5	100	180	0.0065	630
SLA180-123	0.55	5.5	110	180	0.0060	630
SLA180-124	0.55	6.0	90	180	0.0065	630
SLA180-125	0.55	6.0	100	180	0.0054	630
SLA180-126	0.55	6.0	110	180	0.0049	630
SLA180-127	0.55	6.5	80	180	0.0520	630
SLA180-128	0.55	6.5	90	180	0.0046	630
SLA180-129	0.55	6.5	100	180	0.0041	630
SLA180-130	0.55	6.5	110	180	0.0037	630
SLA180-131	0.55	7.0	80	180	0.0040	630
SLA180-132	0.55	7.0	90	180	0.0036	630
SLA180-133	0.55	7.0	100	180	0.0032	630
SLA180-134	0.55	7.0	110	180	0.0029	630
SLA180-135	0.55	7.5	80	180	0.0032	630
SLA180-136	0.55	7.5	90	180	0.0029	630
SLA180-137	0.55	7.5	100	180	0.0026	630
SLA180-138	0.55	7.5	110	180	0.0023	630
SLA180-139	0.55	8.0	80	180	0.0026	630
SLA180-140	0.55	8.0	90	180	0.0023	630
SLA180-141	0.55	8.0	100	180	0.0021	630
SLA180-142	0.55	8.0	110	180	0.0019	630
SLA180-143	0.55	8.5	80	180	0.0021	630
SLA180-144	0.55	8.5	90	180	0.0019	630

精密用セミロングスプリング 180L

注番	線径	外径	総巻数	自由長	バネ定数	価格
SLA180-145	0.55	8.5	100	180	0.0017	630
SLA180-146	0.55	8.5	110	180	0.0015	630
SLA180-147	0.55	9.0	80	180	0.0018	630
SLA180-148	0.55	9.0	90	180	0.0016	630
SLA180-149	0.55	9.0	100	180	0.0014	630
SLA180-150	0.55	9.0	110	180	0.0013	630
SLA180-151	0.55	9.5	80	180	0.0015	630
SLA180-152	0.55	9.5	90	180	0.0013	630
SLA180-153	0.55	9.5	100	180	0.0012	630
SLA180-154	0.55	9.5	110	180	0.0011	630
SLA180-155	0.55	10.0	80	180	0.0013	630
SLA180-156	0.55	10.0	90	180	0.0011	630
SLA180-157	0.55	10.0	100	180	0.0010	630
SLA180-158	0.55	10.0	110	180	0.0009	630
SLA180-159	0.60	5.5	100	180	0.0105	630
SLA180-160	0.60	5.5	110	180	0.0095	630
SLA180-161	0.60	6.0	90	180	0.0087	630
SLA180-162	0.60	6.0	100	180	0.0078	630
SLA180-163	0.60	6.0	110	180	0.0071	630
SLA180-164	0.60	6.5	80	180	0.0075	630
SLA180-165	0.60	6.5	90	180	0.0067	630
SLA180-166	0.60	6.5	100	180	0.0060	630
SLA180-167	0.60	6.5	110	180	0.0054	630
SLA180-168	0.60	7.0	80	180	0.0059	630
SLA180-169	0.60	7.0	90	180	0.0052	630
SLA180-170	0.60	7.0	100	180	0.0047	630
SLA180-171	0.60	7.0	110	180	0.0042	630
SLA180-172	0.60	7.5	80	180	0.0047	630
SLA180-173	0.60	7.5	90	180	0.0042	630
SLA180-174	0.60	7.5	100	180	0.0037	630
SLA180-175	0.60	7.5	110	180	0.0034	630
SLA180-176	0.60	8.0	80	180	0.0038	630
SLA180-177	0.60	8.0	90	180	0.0034	630
SLA180-178	0.60	8.0	100	180	0.0030	630
SLA180-179	0.60	8.0	110	180	0.0027	630
SLA180-180	0.60	8.5	80	180	0.0031	630

注番	線径	外径	総巻数	自由長	バネ定数	価格
SLA180-181	0.60	8.5	90	180	0.0028	630
SLA180-182	0.60	8.5	100	180	0.0025	630
SLA180-183	0.60	8.5	110	180	0.0022	630
SLA180-184	0.60	9.0	80	180	0.0026	630
SLA180-185	0.60	9.0	90	180	0.0023	630
SLA180-186	0.60	9.0	100	180	0.0020	630
SLA180-187	0.60	9.0	110	180	0.0018	630
SLA180-188	0.60	9.5	80	180	0.0022	630
SLA180-189	0.60	9.5	90	180	0.0019	630
SLA180-190	0.60	9.5	100	180	0.0017	630
SLA180-191	0.60	9.5	110	180	0.0015	630
SLA180-192	0.60	10.0	80	180	0.0018	630
SLA180-193	0.60	10.0	90	180	0.0016	630
SLA180-194	0.60	10.0	100	180	0.0014	630
SLA180-195	0.60	10.0	110	180	0.0013	630
SLA180-196	0.65	6.0	90	180	0.0124	630
SLA180-197	0.65	6.0	100	180	0.0111	630
SLA180-198	0.65	6.0	110	180	0.0101	630
SLA180-199	0.65	6.5	80	180	0.0107	630
SLA180-200	0.65	6.5	90	180	0.0094	630
SLA180-201	0.65	6.5	100	180	0.0085	630
SLA180-202	0.65	6.5	110	180	0.0077	630
SLA180-203	0.65	7.0	80	180	0.0083	630
SLA180-204	0.65	7.0	90	180	0.0074	630
SLA180-205	0.65	7.0	100	180	0.0066	630
SLA180-206	0.65	7.0	110	180	0.0060	630
SLA180-207	0.65	7.5	80	180	0.0066	630
SLA180-208	0.65	7.5	90	180	0.0059	630
SLA180-209	0.65	7.5	100	180	0.0053	630
SLA180-210	0.65	7.5	110	180	0.0048	630
SLA180-211	0.65	8.0	80	180	0.0054	630
SLA180-212	0.65	8.0	90	180	0.0047	630
SLA180-213	0.65	8.0	100	180	0.0043	630
SLA180-214	0.65	8.0	110	180	0.0039	630
SLA180-215	0.65	8.5	80	180	0.0044	630
SLA180-216	0.65	8.5	90	180	0.0039	630

精密用セミロングスプリング 180L

注番	線径	外径	総巻数	自由長	バネ定数	価格
SLA180-217	0.65	8.5	100	180	0.0035	630
SLA180-218	0.65	8.5	110	180	0.0032	630
SLA180-219	0.65	9.0	80	180	0.0036	630
SLA180-220	0.65	9.0	90	180	0.0032	630
SLA180-221	0.65	9.0	100	180	0.0029	630
SLA180-222	0.65	9.0	110	180	0.0026	630
SLA180-223	0.65	9.5	80	180	0.0030	630
SLA180-224	0.65	9.5	90	180	0.0027	630
SLA180-225	0.65	9.5	100	180	0.0024	630
SLA180-226	0.65	9.5	110	180	0.0022	630
SLA180-227	0.65	10.0	80	180	0.0026	630
SLA180-228	0.65	10.0	90	180	0.0023	630
SLA180-229	0.65	10.0	100	180	0.0020	630
SLA180-230	0.65	10.0	110	180	0.0018	630
SLA180-231	0.70	6.0	100	180	0.0154	630
SLA180-232	0.70	6.0	110	180	0.0139	630
SLA180-233	0.70	6.5	90	180	0.0131	630
SLA180-234	0.70	6.5	100	180	0.0117	630
SLA180-235	0.70	6.5	110	180	0.0106	630
SLA180-236	0.70	7.0	80	180	0.0115	630
SLA180-237	0.70	7.0	90	180	0.0102	630
SLA180-238	0.70	7.0	100	180	0.0091	630
SLA180-239	0.70	7.0	110	180	0.0083	630
SLA180-240	0.70	7.5	80	180	0.0091	630
SLA180-241	0.70	7.5	90	180	0.0081	630
SLA180-242	0.70	7.5	100	180	0.0073	630
SLA180-243	0.70	7.5	110	180	0.0066	630
SLA180-244	0.70	8.0	80	180	0.0074	630
SLA180-245	0.70	8.0	90	180	0.0065	630
SLA180-246	0.70	8.0	100	180	0.0059	630
SLA180-247	0.70	8.0	110	180	0.0053	630
SLA180-248	0.70	8.5	80	180	0.0060	630
SLA180-249	0.70	8.5	90	180	0.0053	630
SLA180-250	0.70	8.5	100	180	0.0048	630
SLA180-251	0.70	8.5	110	180	0.0043	630
SLA180-252	0.70	9.0	80	180	0.0050	630

注番	線径	外径	総巻数	自由長	バネ定数	価格
SLA180-253	0.70	9.0	90	180	0.0044	630
SLA180-254	0.70	9.0	100	180	0.0040	630
SLA180-255	0.70	9.0	110	180	0.0036	630
SLA180-256	0.70	9.5	80	180	0.0042	630
SLA180-257	0.70	9.5	90	180	0.0037	630
SLA180-258	0.70	9.5	100	180	0.0033	630
SLA180-259	0.70	9.5	110	180	0.0030	630
SLA180-260	0.70	10.0	80	180	0.0035	630
SLA180-261	0.70	10.0	90	180	0.0031	630
SLA180-262	0.70	10.0	100	180	0.0028	630
SLA180-263	0.70	10.0	110	180	0.0025	630
SLA180-264	0.75	6.0	100	180	0.0209	630
SLA180-265	0.75	6.0	110	180	0.0189	630
SLA180-266	0.75	6.5	90	180	0.0177	630
SLA180-267	0.75	6.5	100	180	0.0159	630
SLA180-268	0.75	6.5	110	180	0.0144	630
SLA180-269	0.75	7.0	80	180	0.0155	630
SLA180-270	0.75	7.0	90	180	0.0138	630
SLA180-271	0.75	7.0	100	180	0.0123	630
SLA180-272	0.75	7.0	110	180	0.0112	630
SLA180-273	0.75	7.5	80	180	0.0123	630
SLA180-274	0.75	7.5	90	180	0.0109	630
SLA180-275	0.75	7.5	100	180	0.0098	630
SLA180-276	0.75	7.5	110	180	0.0089	630
SLA180-277	0.75	8.0	80	180	0.0099	630
SLA180-278	0.75	8.0	90	180	0.0088	630
SLA180-279	0.75	8.0	100	180	0.0079	630
SLA180-280	0.75	8.0	110	180	0.0072	630
SLA180-281	0.75	8.5	80	180	0.0081	630
SLA180-282	0.75	8.5	90	180	0.0072	630
SLA180-283	0.75	8.5	100	180	0.0065	630
SLA180-284	0.75	8.5	110	180	0.0059	630
SLA180-285	0.75	9.0	80	180	0.0067	630
SLA180-286	0.75	9.0	90	180	0.0060	630
SLA180-287	0.75	9.0	100	180	0.0053	630
SLA180-288	0.75	9.0	110	180	0.0048	630

精密用セミロングスプリング 180L

注番	線径	外径	総巻数	自由長	バネ定数	価格
SLA180-289	0.75	9.5	80	180	0.0056	630
SLA180-290	0.75	9.5	90	180	0.0050	630
SLA180-291	0.75	9.5	100	180	0.0045	630
SLA180-292	0.75	9.5	110	180	0.0040	630
SLA180-293	0.75	10.0	80	180	0.0048	630
SLA180-294	0.75	10.0	90	180	0.0042	630
SLA180-295	0.75	10.0	100	180	0.0038	630
SLA180-296	0.75	10.0	110	180	0.0034	630
SLA180-297	0.80	6.0	110	180	0.0252	630
SLA180-298	0.80	6.5	100	180	0.0211	630
SLA180-299	0.80	6.5	110	180	0.0191	630
SLA180-300	0.80	7.0	90	180	0.0183	630
SLA180-301	0.80	7.0	100	180	0.0164	630
SLA180-302	0.80	7.0	110	180	0.0149	630
SLA180-303	0.80	7.5	80	180	0.0163	630
SLA180-304	0.80	7.5	90	180	0.0145	630
SLA180-305	0.80	7.5	100	180	0.0130	630
SLA180-306	0.80	7.5	110	180	0.0118	630
SLA180-307	0.80	8.0	80	180	0.0131	630
SLA180-308	0.80	8.0	90	180	0.0116	630
SLA180-309	0.80	8.0	100	180	0.0104	630
SLA180-310	0.80	8.0	110	180	0.0095	630
SLA180-311	0.80	8.5	80	180	0.0107	630
SLA180-312	0.80	8.5	90	180	0.0095	630
SLA180-313	0.80	8.5	100	180	0.0085	630
SLA180-314	0.80	8.5	110	180	0.0077	630
SLA180-315	0.80	9.0	80	180	0.0089	630
SLA180-316	0.80	9.0	90	180	0.0079	630
SLA180-317	0.80	9.0	100	180	0.0071	630
SLA180-318	0.80	9.0	110	180	0.0064	630
SLA180-319	0.80	9.5	80	180	0.0074	630
SLA180-320	0.80	9.5	90	180	0.0066	630
SLA180-321	0.80	9.5	100	180	0.0059	630
SLA180-322	0.80	9.5	110	180	0.0053	630
SLA180-323	0.80	10.0	80	180	0.0063	630
SLA180-324	0.80	10.0	90	180	0.0056	630

注番	線径	外径	総巻数	自由長	バネ定数	価格
SLA180-325	0.80	10.0	100	180	0.0050	630
SLA180-326	0.80	10.0	110	180	0.0045	630
SLA180-327	0.85	7.0	90	180	0.0239	630
SLA180-328	0.85	7.0	100	180	0.0214	630
SLA180-329	0.85	7.0	110	180	0.0194	630
SLA180-330	0.85	7.5	80	180	0.0213	630
SLA180-331	0.85	7.5	90	180	0.0189	630
SLA180-332	0.85	7.5	100	180	0.0169	630
SLA180-333	0.85	7.5	110	180	0.0154	630
SLA180-334	0.85	8.0	80	180	0.0171	630
SLA180-335	0.85	8.0	90	180	0.0152	630
SLA180-336	0.85	8.0	100	180	0.0136	630
SLA180-337	0.85	8.0	110	180	0.0123	630
SLA180-338	0.85	8.5	80	180	0.0140	630
SLA180-339	0.85	8.5	90	180	0.0124	630
SLA180-340	0.85	8.5	100	180	0.0111	630
SLA180-341	0.85	8.5	110	180	0.0101	630
SLA180-342	0.85	9.0	80	180	0.0115	630
SLA180-343	0.85	9.0	90	180	0.0102	630
SLA180-344	0.85	9.0	100	180	0.0092	630
SLA180-345	0.85	9.0	110	180	0.0083	630
SLA180-346	0.85	9.5	80	180	0.0096	630
SLA180-347	0.85	9.5	90	180	0.0085	630
SLA180-348	0.85	9.5	100	180	0.0077	630
SLA180-349	0.85	9.5	110	180	0.0070	630
SLA180-350	0.85	10.0	80	180	0.0081	630
SLA180-351	0.85	10.0	90	180	0.0072	630
SLA180-352	0.85	10.0	100	180	0.0065	630
SLA180-353	0.85	10.0	110	180	0.0059	630
SLA180-354	0.90	7.0	90	180	0.0307	630
SLA180-355	0.90	7.0	100	180	0.0276	630
SLA180-356	0.90	7.0	110	180	0.0250	630
SLA180-357	0.90	7.5	80	180	0.0274	630
SLA180-358	0.90	7.5	90	180	0.0243	630
SLA180-359	0.90	7.5	100	180	0.0218	630
SLA180-360	0.90	7.5	110	180	0.0198	630

精密用セミロングスプリング 180L

注番	線径	外径	総巻数	自由長	バネ定数	価格
SLA180-361	0.90	8.0	80	180	0.0220	630
SLA180-362	0.90	8.0	90	180	0.0195	630
SLA180-363	0.90	8.0	100	180	0.0175	630
SLA180-364	0.90	8.0	110	180	0.0159	630
SLA180-365	0.90	8.5	80	180	0.0179	630
SLA180-366	0.90	8.5	90	180	0.0159	630
SLA180-367	0.90	8.5	100	180	0.0142	630
SLA180-368	0.90	8.5	110	180	0.0129	630
SLA180-369	0.90	9.0	80	180	0.0148	630
SLA180-370	0.90	9.0	90	180	0.0131	630
SLA180-371	0.90	9.0	100	180	0.0118	630
SLA180-372	0.90	9.0	110	180	0.0107	630
SLA180-373	0.90	9.5	80	180	0.0123	630
SLA180-374	0.90	9.5	90	180	0.0109	630
SLA180-375	0.90	9.5	100	180	0.0098	630
SLA180-376	0.90	9.5	110	180	0.0089	630
SLA180-377	0.90	10.0	80	180	0.0104	630
SLA180-378	0.90	10.0	90	180	0.0092	630
SLA180-379	0.90	10.0	100	180	0.0083	630
SLA180-380	0.90	10.0	110	180	0.0075	630
SLA180-381	0.95	7.0	90	180	0.0391	630
SLA180-382	0.95	7.0	100	180	0.0351	630
SLA180-383	0.95	7.5	80	180	0.0348	630
SLA180-384	0.95	7.5	90	180	0.0308	630
SLA180-385	0.95	7.5	100	180	0.0277	630
SLA180-386	0.95	8.0	80	180	0.0279	630
SLA180-387	0.95	8.0	90	180	0.0247	630
SLA180-388	0.95	8.0	100	180	0.0222	630
SLA180-389	0.95	8.5	70	180	0.0260	630
SLA180-390	0.95	8.5	80	180	0.0227	630
SLA180-391	0.95	8.5	90	180	0.0201	630
SLA180-392	0.95	8.5	100	180	0.0181	630
SLA180-393	0.95	9.0	70	180	0.0215	630
SLA180-394	0.95	9.0	80	180	0.0187	630
SLA180-395	0.95	9.0	90	180	0.0166	630
SLA180-396	0.95	9.0	100	180	0.0149	630

注番	線径	外径	総巻数	自由長	バネ定数	価格
SLA180-397	0.95	9.5	70	180	0.0179	630
SLA180-398	0.95	9.5	80	180	0.0156	630
SLA180-399	0.95	9.5	90	180	0.0138	630
SLA180-400	0.95	9.5	100	180	0.0124	630
SLA180-401	0.95	10.0	70	180	0.0151	630
SLA180-402	0.95	10.0	80	180	0.0132	630
SLA180-403	0.95	10.0	90	180	0.0117	630
SLA180-404	0.95	10.0	100	180	0.0105	630
SLA180-405	1.00	7.0	90	180	0.0493	630
SLA180-406	1.00	7.0	100	180	0.0442	630
SLA180-407	1.00	7.5	90	180	0.0387	630
SLA180-408	1.00	7.5	100	180	0.0348	630
SLA180-409	1.00	8.0	80	180	0.0350	630
SLA180-410	1.00	8.0	90	180	0.0310	630
SLA180-411	1.00	8.0	100	180	0.0278	630
SLA180-412	1.00	8.5	70	180	0.0326	630
SLA180-413	1.00	8.5	80	180	0.0284	630
SLA180-414	1.00	8.5	90	180	0.0252	630
SLA180-415	1.00	8.5	100	180	0.0226	630
SLA180-416	1.00	9.0	70	180	0.0269	630
SLA180-417	1.00	9.0	80	180	0.0234	630
SLA180-418	1.00	9.0	90	180	0.0208	630
SLA180-419	1.00	9.0	100	180	0.0186	630
SLA180-420	1.00	9.5	70	180	0.0224	630
SLA180-421	1.00	9.5	80	180	0.0195	630
SLA180-422	1.00	9.5	90	180	0.0173	630
SLA180-423	1.00	9.5	100	180	0.0155	630
SLA180-424	1.00	10.0	70	180	0.0189	630
SLA180-425	1.00	10.0	80	180	0.0164	630
SLA180-426	1.00	10.0	90	180	0.0146	630
SLA180-427	1.00	10.0	100	180	0.0131	630

精密用セミロングスプリング 200L

注番	線径	外径	総巻数	自由長	バネ定数	価格
SLA200-1	0.40	5.0	100	200	0.0025	680
SLA200-2	0.40	5.0	110	200	0.0022	680
SLA200-3	0.40	5.0	120	200	0.0020	680
SLA200-4	0.40	5.5	100	200	0.0018	680
SLA200-5	0.40	5.5	110	200	0.0016	680
SLA200-6	0.40	5.5	120	200	0.0015	680
SLA200-7	0.40	6.0	100	200	0.0013	680
SLA200-8	0.40	6.0	110	200	0.0012	680
SLA200-9	0.40	6.0	120	200	0.0011	680
SLA200-10	0.40	6.5	100	200	0.0010	680
SLA200-11	0.40	6.5	110	200	0.0009	680
SLA200-12	0.40	6.5	120	200	0.0008	680
SLA200-13	0.40	7.0	100	200	0.0008	680
SLA200-14	0.40	7.0	110	200	0.0007	680
SLA200-15	0.40	7.0	120	200	0.0006	680
SLA200-16	0.40	7.5	100	200	0.0006	680
SLA200-17	0.40	7.5	110	200	0.0005	680
SLA200-18	0.40	7.5	120	200	0.0005	680
SLA200-19	0.40	8.0	100	200	0.0005	680
SLA200-20	0.40	8.0	110	200	0.0005	680
SLA200-21	0.40	8.0	120	200	0.0004	680
SLA200-22	0.40	8.5	100	200	0.0004	680
SLA200-23	0.40	8.5	110	200	0.0004	680
SLA200-24	0.40	8.5	120	200	0.0003	680
SLA200-25	0.40	9.0	100	200	0.0003	680
SLA200-26	0.40	9.0	110	200	0.0003	680
SLA200-27	0.40	9.0	120	200	0.0003	680
SLA200-28	0.40	9.5	100	200	0.0003	680
SLA200-29	0.40	9.5	110	200	0.0002	680
SLA200-30	0.40	9.5	120	200	0.0002	680
SLA200-31	0.40	10.0	100	200	0.0002	680
SLA200-32	0.40	10.0	110	200	0.0002	680
SLA200-33	0.40	10.0	120	200	0.0002	680
SLA200-34	0.45	6.0	100	200	0.0022	680
SLA200-35	0.45	6.0	110	200	0.0020	680
SLA200-36	0.45	6.0	120	200	0.0019	680

注番	線径	外径	総巻数	自由長	バネ定数	価格
SLA200-37	0.45	6.5	100	200	0.0017	680
SLA200-38	0.45	6.5	110	200	0.0016	680
SLA200-39	0.45	6.5	120	200	0.0014	680
SLA200-40	0.45	7.0	100	200	0.0013	680
SLA200-41	0.45	7.0	110	200	0.0012	680
SLA200-42	0.45	7.0	120	200	0.0011	680
SLA200-43	0.45	7.5	100	200	0.0011	680
SLA200-44	0.45	7.5	110	200	0.0010	680
SLA200-45	0.45	7.5	120	200	0.0009	680
SLA200-46	0.45	8.0	100	200	0.0009	680
SLA200-47	0.45	8.0	110	200	0.0008	680
SLA200-48	0.45	8.0	120	200	0.0007	680
SLA200-49	0.45	8.5	100	200	0.0007	680
SLA200-50	0.45	8.5	110	200	0.0006	680
SLA200-51	0.45	8.5	120	200	0.0006	680
SLA200-52	0.45	9.0	100	200	0.0060	680
SLA200-53	0.45	9.0	110	200	0.0005	680
SLA200-54	0.45	9.0	120	200	0.0005	680
SLA200-55	0.45	9.5	100	200	0.0005	680
SLA200-56	0.45	9.5	110	200	0.0004	680
SLA200-57	0.45	9.5	120	200	0.0004	680
SLA200-58	0.45	10.0	100	200	0.0004	680
SLA200-59	0.45	10.0	110	200	0.0004	680
SLA200-60	0.45	10.0	120	200	0.0003	680
SLA200-61	0.50	6.0	100	200	0.0035	680
SLA200-62	0.50	6.0	110	200	0.0032	680
SLA200-63	0.50	6.0	120	200	0.0029	680
SLA200-64	0.50	6.5	100	200	0.0027	680
SLA200-65	0.50	6.5	110	200	0.0025	680
SLA200-66	0.50	6.5	120	200	0.0022	680
SLA200-67	0.50	7.0	100	200	0.0021	680
SLA200-68	0.50	7.0	110	200	0.0019	680
SLA200-69	0.50	7.0	120	200	0.0018	680
SLA200-70	0.50	7.5	100	200	0.0017	680
SLA200-71	0.50	7.5	110	200	0.0015	680
SLA200-72	0.50	7.5	120	200	0.0014	680

精密用セミロングスプリング 200L

注番	線径	外径	総巻数	自由長	バネ定数	価格
SLA200-73	0.50	8.0	100	200	0.0014	680
SLA200-74	0.50	8.0	110	200	0.0012	680
SLA200-75	0.50	8.0	120	200	0.0011	680
SLA200-76	0.50	8.5	100	200	0.0011	680
SLA200-77	0.50	8.5	110	200	0.0010	680
SLA200-78	0.50	8.5	120	200	0.0009	680
SLA200-79	0.50	9.0	100	200	0.0009	680
SLA200-80	0.50	9.0	110	200	0.0008	680
SLA200-81	0.50	9.0	120	200	0.0008	680
SLA200-82	0.50	9.5	100	200	0.0008	680
SLA200-83	0.50	9.5	110	200	0.0007	680
SLA200-84	0.50	9.5	120	200	0.0006	680
SLA200-85	0.55	10.0	100	200	0.0006	680
SLA200-86	0.55	10.0	110	200	0.0006	680
SLA200-87	0.55	10.0	120	200	0.0005	680
SLA200-88	0.55	6.0	100	200	0.0054	680
SLA200-89	0.55	6.0	110	200	0.0049	680
SLA200-90	0.55	6.0	120	200	0.0044	680
SLA200-91	0.55	6.5	100	200	0.0041	680
SLA200-92	0.55	6.5	110	200	0.0037	680
SLA200-93	0.55	6.5	120	200	0.0034	680
SLA200-94	0.55	7.0	100	200	0.0032	680
SLA200-95	0.55	7.0	110	200	0.0029	680
SLA200-96	0.55	7.0	120	200	0.0027	680
SLA200-97	0.55	7.5	100	200	0.0026	680
SLA200-98	0.55	7.5	110	200	0.0023	680
SLA200-99	0.55	7.5	120	200	0.0021	680
SLA200-100	0.55	8.0	100	200	0.0021	680
SLA200-101	0.55	8.0	110	200	0.0019	680
SLA200-102	0.55	8.0	120	200	0.0017	680
SLA200-103	0.55	8.5	100	200	0.0017	680
SLA200-104	0.55	8.5	110	200	0.0015	680
SLA200-105	0.55	8.5	120	200	0.0014	680
SLA200-106	0.55	9.0	100	200	0.0014	680
SLA200-107	0.55	9.0	110	200	0.0013	680
SLA200-108	0.55	9.0	120	200	0.0012	680

注番	線径	外径	総巻数	自由長	バネ定数	価格
SLA200-109	0.55	9.5	100	200	0.0012	680
SLA200-110	0.55	9.5	110	200	0.0011	680
SLA200-111	0.55	9.5	120	200	0.0010	680
SLA200-112	0.55	10.0	100	200	0.0010	680
SLA200-113	0.55	10.0	110	200	0.0009	680
SLA200-114	0.55	10.0	120	200	0.0008	680
SLA200-115	0.60	6.0	100	200	0.0078	680
SLA200-116	0.60	6.0	110	200	0.0071	680
SLA200-117	0.60	6.0	120	200	0.0065	680
SLA200-118	0.60	6.5	100	200	0.0060	680
SLA200-119	0.60	6.5	110	200	0.0054	680
SLA200-120	0.60	6.5	120	200	0.0050	680
SLA200-121	0.60	7.0	100	200	0.0047	680
SLA200-122	0.60	7.0	110	200	0.0042	680
SLA200-123	0.60	7.0	120	200	0.0039	680
SLA200-124	0.60	7.5	100	200	0.0037	680
SLA200-125	0.60	7.5	110	200	0.0034	680
SLA200-126	0.60	7.5	120	200	0.0031	680
SLA200-127	0.60	8.0	100	200	0.0030	680
SLA200-128	0.60	8.0	110	200	0.0027	680
SLA200-129	0.60	8.0	120	200	0.0025	680
SLA200-130	0.60	8.5	100	200	0.0025	680
SLA200-131	0.60	8.5	110	200	0.0022	680
SLA200-132	0.60	8.5	120	200	0.0020	680
SLA200-133	0.60	9.0	100	200	0.0020	680
SLA200-134	0.60	9.0	110	200	0.0018	680
SLA200-135	0.60	9.0	120	200	0.0017	680
SLA200-136	0.60	9.5	100	200	0.0017	680
SLA200-137	0.60	9.5	110	200	0.0015	680
SLA200-138	0.60	9.5	120	200	0.0014	680
SLA200-139	0.60	10.0	100	200	0.0014	680
SLA200-140	0.60	10.0	110	200	0.0013	680
SLA200-141	0.60	10.0	120	200	0.0012	680
SLA200-142	0.65	6.5	100	200	0.0085	680
SLA200-143	0.65	6.5	110	200	0.0077	680
SLA200-144	0.65	6.5	120	200	0.0070	680

精密用セミロングスプリング 200L

注番	線径	外径	総巻数	自由長	バネ定数	価格
SLA200-145	0.65	7.0	100	200	0.0066	680
SLA200-146	0.65	7.0	110	200	0.0060	680
SLA200-147	0.65	7.0	120	200	0.0055	680
SLA200-148	0.65	7.5	100	200	0.0053	680
SLA200-149	0.65	7.5	110	200	0.0048	680
SLA200-150	0.65	7.5	120	200	0.0044	680
SLA200-151	0.65	8.0	100	200	0.0043	680
SLA200-152	0.65	8.0	110	200	0.0039	680
SLA200-153	0.65	8.0	120	200	0.0035	680
SLA200-154	0.65	8.5	100	200	0.0035	680
SLA200-155	0.65	8.5	110	200	0.0032	680
SLA200-156	0.65	8.5	120	200	0.0029	680
SLA200-157	0.65	9.0	100	200	0.0029	680
SLA200-158	0.65	9.0	110	200	0.0026	680
SLA200-159	0.65	9.0	120	200	0.0024	680
SLA200-160	0.65	9.5	100	200	0.0024	680
SLA200-161	0.65	9.5	110	200	0.0022	680
SLA200-162	0.65	9.5	120	200	0.0020	680
SLA200-163	0.65	10.0	100	200	0.0020	680
SLA200-164	0.65	10.0	110	200	0.0018	680
SLA200-165	0.65	10.0	120	200	0.0017	680
SLA200-166	0.70	6.5	100	200	0.0017	680
SLA200-167	0.70	6.5	110	200	0.0106	680
SLA200-168	0.70	6.5	120	200	0.0097	680
SLA200-169	0.70	7.0	100	200	0.0091	680
SLA200-170	0.70	7.0	110	200	0.0083	680
SLA200-171	0.70	7.0	120	200	0.0076	680
SLA200-172	0.70	7.5	100	200	0.0073	680
SLA200-173	0.70	7.5	110	200	0.0066	680
SLA200-174	0.70	7.5	120	200	0.0060	680
SLA200-175	0.70	8.0	100	200	0.0059	680
SLA200-176	0.70	8.0	110	200	0.0053	680
SLA200-177	0.70	8.0	120	200	0.0049	680
SLA200-178	0.70	8.5	100	200	0.0048	680
SLA200-179	0.70	8.5	110	200	0.0043	680
SLA200-180	0.70	8.5	120	200	0.0040	680

注番	線径	外径	総巻数	自由長	バネ定数	価格
SLA200-181	0.70	9.0	100	200	0.0040	680
SLA200-182	0.70	9.0	110	200	0.0036	680
SLA200-183	0.70	9.0	120	200	0.0033	680
SLA200-184	0.70	9.5	100	200	0.0033	680
SLA200-185	0.70	9.5	110	200	0.0030	680
SLA200-186	0.70	9.5	120	200	0.0027	680
SLA200-187	0.70	10.0	100	200	0.0028	680
SLA200-188	0.70	10.0	110	200	0.0025	680
SLA200-189	0.70	10.0	120	200	0.0023	680
SLA200-190	0.75	6.5	100	200	0.0159	680
SLA200-191	0.75	6.5	110	200	0.0144	680
SLA200-192	0.75	6.5	120	200	0.0132	680
SLA200-193	0.75	7.0	100	200	0.0123	680
SLA200-194	0.75	7.0	110	200	0.0112	680
SLA200-195	0.75	7.0	120	200	0.0102	680
SLA200-196	0.75	7.5	100	200	0.0098	680
SLA200-197	0.75	7.5	110	200	0.0089	680
SLA200-198	0.75	7.5	120	200	0.0081	680
SLA200-199	0.75	8.0	100	200	0.0079	680
SLA200-200	0.75	8.0	110	200	0.0072	680
SLA200-201	0.75	8.0	120	200	0.0065	680
SLA200-202	0.75	8.5	100	200	0.0065	680
SLA200-203	0.75	8.5	110	200	0.0059	680
SLA200-204	0.75	8.5	120	200	0.0054	680
SLA200-205	0.75	9.0	100	200	0.0053	680
SLA200-206	0.75	9.0	110	200	0.0048	680
SLA200-207	0.75	9.0	120	200	0.0044	680
SLA200-208	0.75	9.5	100	200	0.0045	680
SLA200-209	0.75	9.5	110	200	0.0040	680
SLA200-210	0.75	9.5	120	200	0.0037	680
SLA200-211	0.75	10.0	100	200	0.0038	680
SLA200-212	0.75	10.0	110	200	0.0034	680
SLA200-213	0.75	10.0	120	200	0.0031	680
SLA200-214	0.80	6.5	110	200	0.0191	680
SLA200-215	0.80	6.5	120	200	0.0175	680
SLA200-216	0.80	7.0	100	200	0.0164	680

精密用セミロングスプリング 200L

注番	線径	外径	総巻数	自由長	バネ定数	価格
SLA200-217	0.80	7.0	110	200	0.0149	680
SLA200-218	0.80	7.0	120	200	0.0136	680
SLA200-219	0.80	7.5	100	200	0.0130	680
SLA200-220	0.80	7.5	110	200	0.0118	680
SLA200-221	0.80	7.5	120	200	0.0108	680
SLA200-222	0.80	8.0	100	200	0.0104	680
SLA200-223	0.80	8.0	110	200	0.0095	680
SLA200-224	0.80	8.0	120	200	0.0087	680
SLA200-225	0.80	8.5	100	200	0.0085	680
SLA200-226	0.80	8.5	110	200	0.0077	680
SLA200-227	0.80	8.5	120	200	0.0071	680
SLA200-228	0.80	9.0	100	200	0.0710	680
SLA200-229	0.80	9.0	110	200	0.0064	680
SLA200-230	0.80	9.0	120	200	0.0059	680
SLA200-231	0.80	9.5	100	200	0.0059	680
SLA200-232	0.80	9.5	110	200	0.0053	680
SLA200-233	0.80	9.5	120	200	0.0049	680
SLA200-234	0.80	10.0	100	200	0.0050	680
SLA200-235	0.80	10.0	110	200	0.0045	680
SLA200-236	0.80	10.0	120	200	0.0041	680
SLA200-237	0.85	7.0	100	200	0.0214	680
SLA200-238	0.85	7.0	110	200	0.0194	680
SLA200-239	0.85	7.0	120	200	0.0178	680
SLA200-240	0.85	7.5	100	200	0.0169	680
SLA200-241	0.85	7.5	110	200	0.0154	680
SLA200-242	0.85	7.5	120	200	0.0141	680
SLA200-243	0.85	8.0	100	200	0.0136	680
SLA200-244	0.85	8.0	110	200	0.0123	680
SLA200-245	0.85	8.0	120	200	0.0113	680
SLA200-246	0.85	8.5	100	200	0.0111	680
SLA200-247	0.85	8.5	110	200	0.0101	680
SLA200-248	0.85	8.5	120	200	0.0092	680
SLA200-249	0.85	9.0	100	200	0.0920	680
SLA200-250	0.85	9.0	110	200	0.0083	680
SLA200-251	0.85	9.0	120	200	0.0076	680
SLA200-252	0.85	9.5	100	200	0.0077	680

注番	線径	外径	総巻数	自由長	バネ定数	価格
SLA200-253	0.85	9.5	110	200	0.0070	680
SLA200-254	0.85	9.5	120	200	0.0064	680
SLA200-255	0.85	10.0	100	200	0.0065	680
SLA200-256	0.85	10.0	110	200	0.0059	680
SLA200-257	0.85	10.0	120	200	0.0054	680
SLA200-258	0.90	7.0	100	200	0.0276	680
SLA200-259	0.90	7.0	110	200	0.0250	680
SLA200-260	0.90	7.0	120	200	0.0229	680
SLA200-261	0.90	7.5	100	200	0.0218	680
SLA200-262	0.90	7.5	110	200	0.0198	680
SLA200-263	0.90	7.5	120	200	0.0181	680
SLA200-264	0.90	8.0	100	200	0.0175	680
SLA200-265	0.90	8.0	110	200	0.0159	680
SLA200-266	0.90	8.0	120	200	0.0145	680
SLA200-267	0.90	8.5	100	200	0.0142	680
SLA200-268	0.90	8.5	110	200	0.0129	680
SLA200-269	0.90	8.5	120	200	0.0118	680
SLA200-270	0.90	9.0	100	200	0.0118	680
SLA200-271	0.90	9.0	110	200	0.0107	680
SLA200-272	0.90	9.0	120	200	0.0098	680
SLA200-273	0.90	9.5	100	200	0.0098	680
SLA200-274	0.90	9.5	110	200	0.0089	680
SLA200-275	0.90	9.5	120	200	0.0081	680
SLA200-276	0.90	10.0	100	200	0.0083	680
SLA200-277	0.90	10.0	110	200	0.0075	680
SLA200-278	0.90	10.0	120	200	0.0069	680
SLA200-279	0.95	7.0	100	200	0.0351	680
SLA200-280	0.95	7.0	110	200	0.0319	680
SLA200-281	0.95	7.5	90	200	0.0308	680
SLA200-282	0.95	7.5	100	200	0.0277	680
SLA200-283	0.95	7.5	110	200	0.0251	680
SLA200-284	0.95	8.0	90	200	0.0247	680
SLA200-285	0.95	8.0	100	200	0.0222	680
SLA200-286	0.95	8.0	110	200	0.0201	680
SLA200-287	0.95	8.5	90	200	0.0201	680
SLA200-288	0.95	8.5	100	200	0.0181	680

