

精密用トーションスプリング・TR45タイプ

注番	線径	内径	巻数	アーム長さ	1パック	価格
TR45-1	0.20	1.5	2	5	20	1200
TR45-2	0.20	1.5	2	10	20	1200
TR45-3	0.20	1.5	3	5	20	1200
TR45-4	0.20	1.5	3	10	20	1200
TR45-5	0.20	1.5	4	5	20	1200
TR45-6	0.20	1.5	4	10	20	1200
TR45-7	0.20	1.5	5	5	20	1200
TR45-8	0.20	1.5	5	10	20	1200
TR45-9	0.20	2.0	2	5	20	1200
TR45-10	0.20	2.0	2	10	20	1200
TR45-11	0.20	2.0	2	13	20	1200
TR45-12	0.20	2.0	3	5	20	1200
TR45-13	0.20	2.0	3	10	20	1200
TR45-14	0.20	2.0	3	13	20	1200
TR45-15	0.20	2.0	4	5	20	1200
TR45-16	0.20	2.0	4	10	20	1200
TR45-17	0.20	2.0	4	13	20	1200
TR45-18	0.20	2.0	5	5	20	1200
TR45-19	0.20	2.0	5	10	20	1200
TR45-20	0.20	2.0	5	13	20	1200
TR45-21	0.20	2.0	8	10	20	1200
TR45-22	0.25	2.0	2	10	20	1200
TR45-23	0.25	2.0	2	15	20	1200
TR45-24	0.25	2.0	3	10	20	1200
TR45-25	0.25	2.0	3	15	20	1200
TR45-26	0.25	2.0	4	10	20	1200
TR45-27	0.25	2.0	4	15	20	1200
TR45-28	0.25	2.0	5	10	20	1200
TR45-29	0.25	2.0	5	15	20	1200
TR45-30	0.25	2.0	8	15	20	1200
TR45-31	0.25	2.5	2	10	20	1200
TR45-32	0.25	2.5	2	15	20	1200
TR45-33	0.25	2.5	3	10	20	1200
TR45-34	0.25	2.5	3	15	20	1200
TR45-35	0.25	2.5	4	10	20	1200
TR45-36	0.25	2.5	4	15	20	1200

注番	線径	内径	巻数	アーム長さ	1パック	価格
TR45-37	0.25	2.5	5	10	20	1200
TR45-38	0.25	2.5	5	15	20	1200
TR45-39	0.25	2.5	8	15	20	1200
TR45-40	0.25	3.0	2	10	20	1200
TR45-41	0.25	3.0	2	15	20	1200
TR45-42	0.25	3.0	3	10	20	1200
TR45-43	0.25	3.0	3	15	20	1200
TR45-44	0.25	3.0	4	10	20	1200
TR45-45	0.25	3.0	4	15	20	1200
TR45-46	0.25	3.0	5	10	20	1200
TR45-47	0.25	3.0	5	15	20	1200
TR45-48	0.25	3.0	8	10	20	1200
TR45-49	0.25	3.0	8	15	20	1200
TR45-50	0.25	3.0	10	15	20	1200
TR45-51	0.25	3.5	2	15	20	1200
TR45-52	0.25	3.5	3	15	20	1200
TR45-53	0.25	3.5	4	15	20	1200
TR45-54	0.25	3.5	4	20	20	1200
TR45-55	0.25	3.5	5	15	20	1200
TR45-56	0.25	3.5	5	20	20	1200
TR45-57	0.25	3.5	8	15	20	1200
TR45-58	0.25	3.5	8	20	20	1200
TR45-59	0.25	3.5	10	15	20	1200
TR45-60	0.25	3.5	10	20	20	1200
TR45-61	0.25	4.0	2	15	20	1200
TR45-62	0.25	4.0	4	15	20	1200
TR45-63	0.25	4.0	4	20	20	1200
TR45-64	0.25	4.0	6	15	20	1200
TR45-65	0.25	4.0	6	20	20	1200
TR45-66	0.25	4.0	8	15	20	1200
TR45-67	0.25	4.0	8	20	20	1200
TR45-68	0.25	4.0	10	20	20	1200
TR45-69	0.30	2.0	2	15	20	1200
TR45-70	0.30	2.0	3	15	20	1200
TR45-71	0.30	2.0	5	15	20	1200
TR45-72	0.30	2.0	5	20	20	1200

精密用トーションスプリング・TR45タイプ

注番	線径	内径	巻数	アーム長さ	1パック	価格
TR45-73	0.30	2.5	2	15	20	1200
TR45-74	0.30	2.5	3	15	20	1200
TR45-75	0.30	2.5	5	20	20	1200
TR45-76	0.30	2.5	8	20	20	1200
TR45-77	0.30	2.5	10	20	20	1200
TR45-78	0.30	3.0	2	15	20	1200
TR45-79	0.30	3.0	3	15	20	1200
TR45-80	0.30	3.0	5	20	20	1200
TR45-81	0.30	3.0	8	20	20	1200
TR45-82	0.30	3.0	10	20	20	1200
TR45-83	0.30	3.5	2	15	20	1200
TR45-84	0.30	3.5	5	20	20	1200
TR45-85	0.30	3.5	8	20	20	1200
TR45-86	0.30	3.5	10	20	20	1200
TR45-87	0.30	4.0	2	20	20	1200
TR45-88	0.30	4.0	4	20	20	1200
TR45-89	0.30	4.0	6	20	20	1200
TR45-90	0.30	4.0	8	20	20	1200
TR45-91	0.30	4.0	10	20	20	1200
TR45-92	0.30	4.5	2	20	20	1200
TR45-93	0.30	4.5	4	20	20	1200
TR45-94	0.30	4.5	6	20	20	1200
TR45-95	0.30	4.5	6	25	20	1200
TR45-96	0.30	4.5	8	20	20	1200
TR45-97	0.30	4.5	8	25	20	1200
TR45-98	0.30	4.5	10	20	20	1200
TR45-99	0.30	4.5	10	25	20	1200
TR45-100	0.30	5.0	2	20	20	1200
TR45-101	0.30	5.0	4	20	20	1200
TR45-102	0.30	5.0	4	25	20	1200
TR45-103	0.30	5.0	6	15	20	1200
TR45-104	0.30	5.0	6	25	20	1200
TR45-105	0.30	5.0	8	15	20	1200
TR45-106	0.30	5.0	8	20	20	1200
TR45-107	0.30	5.0	10	20	20	1200
TR45-108	0.35	3.0	2	20	20	1200

注番	線径	内径	巻数	アーム長さ	1パック	価格
TR45-109	0.35	3.0	4	20	20	1200
TR45-110	0.35	3.0	6	20	20	1200
TR45-111	0.35	3.0	8	20	20	1200
TR45-112	0.35	3.0	10	20	20	1200
TR45-113	0.35	3.5	2	20	20	1200
TR45-114	0.35	3.5	4	20	20	1200
TR45-115	0.35	3.5	6	20	20	1200
TR45-116	0.35	3.5	8	20	20	1200
TR45-117	0.35	3.5	10	23	20	1200
TR45-118	0.35	4.0	2	20	20	1200
TR45-119	0.35	4.0	4	20	20	1200
TR45-120	0.35	4.0	6	25	20	1200
TR45-121	0.35	4.0	8	25	20	1200
TR45-122	0.35	4.0	10	25	20	1200
TR45-123	0.35	4.5	2	25	20	1200
TR45-124	0.35	4.5	4	25	20	1200
TR45-125	0.35	4.5	6	25	20	1200
TR45-126	0.35	4.5	8	25	20	1200
TR45-127	0.35	4.5	10	25	20	1200
TR45-128	0.35	5.0	2	25	20	1200
TR45-129	0.35	5.0	4	25	20	1200
TR45-130	0.35	5.0	6	25	20	1200
TR45-131	0.35	5.0	8	25	20	1200
TR45-132	0.35	5.0	10	25	20	1200
TR45-133	0.40	2.5	2	15	20	1200
TR45-134	0.40	2.5	3	15	20	1200
TR45-135	0.40	2.5	4	15	20	1200
TR45-136	0.40	2.5	5	20	20	1200
TR45-137	0.40	2.5	6	20	20	1200
TR45-138	0.40	2.5	8	20	20	1200
TR45-139	0.40	2.5	10	20	20	1200
TR45-140	0.40	3.0	2	20	20	1200
TR45-141	0.40	3.0	4	20	20	1200
TR45-142	0.40	3.0	6	20	20	1200
TR45-143	0.40	3.0	8	20	20	1200
TR45-144	0.40	3.0	10	20	20	1200

精密用トーションスプリング・TR45タイプ

注番	線径	内径	巻数	アーム長さ	1パック	価格
TR45-145	0.40	3.5	2	20	20	1200
TR45-146	0.40	3.5	4	20	20	1200
TR45-147	0.40	3.5	6	29	20	1200
TR45-148	0.40	3.5	8	20	20	1200
TR45-149	0.40	3.5	10	20	20	1200
TR45-150	0.40	4.0	2	20	20	1200
TR45-151	0.40	4.0	4	10	20	1200
TR45-152	0.40	4.0	6	10	20	1200
TR45-153	0.40	4.0	8	15	20	1200
TR45-154	0.40	4.0	10	20	20	1200
TR45-155	0.40	4.5	2	15	20	1200
TR45-156	0.40	4.5	4	15	20	1200
TR45-157	0.40	4.5	6	15	20	1200
TR45-158	0.40	4.5	8	20	20	1200
TR45-159	0.40	4.5	10	20	20	1200
TR45-160	0.40	5.0	2	15	20	1200
TR45-161	0.40	5.0	4	15	20	1200
TR45-162	0.40	5.0	6	15	20	1200
TR45-163	0.40	5.0	8	20	20	1200
TR45-164	0.40	5.0	10	20	20	1200
TR45-165	0.40	5.5	2	15	20	1200
TR45-166	0.40	5.5	4	15	20	1200
TR45-167	0.40	5.5	6	15	20	1200
TR45-168	0.40	5.5	8	20	20	1200
TR45-169	0.40	5.5	10	25	20	1200
TR45-170	0.40	6.0	4	20	20	1200
TR45-171	0.40	6.0	6	20	20	1200
TR45-172	0.45	3.0	2	20	20	1200
TR45-173	0.45	3.0	4	20	20	1200
TR45-174	0.45	3.0	6	20	20	1200
TR45-175	0.45	3.0	8	25	20	1200
TR45-176	0.45	3.5	2	20	20	1200
TR45-177	0.45	3.5	4	20	20	1200
TR45-178	0.45	3.5	6	20	20	1200
TR45-179	0.45	3.5	8	25	20	1200
TR45-180	0.45	3.5	10	25	20	1200

注番	線径	内径	巻数	アーム長さ	1パック	価格
TR45-181	0.45	4.0	2	20	20	1200
TR45-182	0.45	4.0	4	20	20	1200
TR45-183	0.45	4.0	6	20	20	1200
TR45-184	0.45	4.0	8	25	20	1200
TR45-185	0.45	4.0	10	25	20	1200
TR45-186	0.45	4.5	2	20	20	1200
TR45-187	0.45	4.5	4	20	20	1200
TR45-188	0.45	4.5	6	20	20	1200
TR45-189	0.45	4.5	8	25	20	1200
TR45-190	0.45	4.5	10	30	20	1200
TR45-191	0.45	5.0	2	20	20	1200
TR45-192	0.45	5.0	4	20	20	1200
TR45-193	0.45	5.0	6	20	20	1200
TR45-194	0.45	5.0	8	25	20	1200
TR45-195	0.45	5.0	10	25	20	1200
TR45-196	0.45	5.5	2	20	20	1200
TR45-197	0.45	5.5	4	20	20	1200
TR45-198	0.45	5.5	6	20	20	1200
TR45-199	0.45	5.5	8	25	20	1200
TR45-200	0.45	5.5	10	25	20	1200
TR45-201	0.50	3.0	2	15	20	1200
TR45-202	0.50	3.0	4	15	20	1200
TR45-203	0.50	3.0	6	20	20	1200
TR45-204	0.50	3.0	8	20	20	1200
TR45-205	0.50	3.0	10	20	20	1200
TR45-206	0.50	3.5	2	15	20	1200
TR45-207	0.50	3.5	4	15	20	1200
TR45-208	0.50	3.5	6	20	20	1200
TR45-209	0.50	3.5	8	20	20	1200
TR45-210	0.50	3.5	10	20	20	1200
TR45-211	0.50	4.0	2	15	20	1200
TR45-212	0.50	4.0	4	15	20	1200
TR45-213	0.50	4.0	6	15	20	1200
TR45-214	0.50	4.0	8	20	20	1200
TR45-215	0.50	4.0	10	20	20	1200
TR45-216	0.50	4.5	2	15	20	1200

精密用トーションスプリング・TR45タイプ

注番	線径	内径	巻数	アーム長さ	1パック	価格
TR45-217	0.50	4.5	4	15	20	1200
TR45-218	0.50	4.5	6	15	20	1200
TR45-219	0.50	4.5	8	20	20	1200
TR45-220	0.50	4.5	10	20	20	1200
TR45-221	0.50	5.0	2	20	20	1200
TR45-222	0.50	5.0	4	20	20	1200
TR45-223	0.50	5.0	6	20	20	1200
TR45-224	0.50	5.0	8	25	20	1200
TR45-225	0.50	5.0	10	25	20	1200
TR45-226	0.55	3.0	2	15	20	1200
TR45-227	0.55	3.0	4	15	20	1200
TR45-228	0.55	3.0	6	20	20	1200
TR45-229	0.55	3.0	8	20	20	1200
TR45-230	0.55	3.5	2	15	20	1200
TR45-231	0.55	3.5	4	15	20	1200
TR45-232	0.55	3.5	6	15	20	1200
TR45-233	0.55	3.5	8	20	20	1200
TR45-234	0.55	4.0	2	20	20	1200
TR45-235	0.55	4.0	4	20	20	1200
TR45-236	0.55	4.0	6	20	20	1200
TR45-237	0.55	4.0	8	20	20	1200
TR45-238	0.55	4.0	10	20	20	1200
TR45-239	0.55	4.5	2	20	20	1200
TR45-240	0.55	4.5	4	20	20	1200
TR45-241	0.55	4.5	6	20	20	1200
TR45-242	0.55	4.5	8	25	20	1200
TR45-243	0.55	4.5	10	25	20	1200
TR45-244	0.55	5.0	2	20	20	1200
TR45-245	0.55	5.0	4	20	20	1200
TR45-246	0.55	5.0	6	20	20	1200
TR45-247	0.55	5.0	8	20	20	1200
TR45-248	0.55	5.0	10	25	20	1200
TR45-249	0.55	5.5	2	20	20	1200
TR45-250	0.55	5.5	4	20	20	1200
TR45-251	0.55	5.5	6	20	20	1200
TR45-252	0.55	5.5	8	25	20	1200

注番	線径	内径	巻数	アーム長さ	1パック	価格
TR45-253	0.55	5.5	10	25	20	1200
TR45-254	0.55	6.0	2	20	20	1200
TR45-255	0.55	6.0	4	20	20	1200
TR45-256	0.55	6.0	6	20	20	1200
TR45-257	0.55	6.0	8	25	20	1200
TR45-258	0.55	6.0	10	25	20	1200
TR45-259	0.60	3.5	2	20	20	1200
TR45-260	0.60	3.5	4	20	20	1200
TR45-261	0.60	3.5	6	20	20	1200
TR45-262	0.60	3.5	8	20	20	1200
TR45-263	0.60	3.5	10	25	20	1200
TR45-264	0.60	4.0	2	20	20	1200
TR45-265	0.60	4.0	4	20	20	1200
TR45-266	0.60	4.0	6	20	20	1200
TR45-267	0.60	4.0	8	20	20	1200
TR45-268	0.60	4.0	10	25	20	1200
TR45-269	0.60	4.5	2	20	20	1200
TR45-270	0.60	4.5	4	20	20	1200
TR45-271	0.60	4.5	6	20	20	1200
TR45-272	0.60	4.5	8	25	20	1200
TR45-273	0.60	4.5	10	25	20	1200
TR45-274	0.60	5.0	2	20	20	1200
TR45-275	0.60	5.0	4	20	20	1200
TR45-276	0.60	5.0	6	20	20	1200
TR45-277	0.60	5.0	8	20	20	1200
TR45-278	0.60	5.0	10	20	20	1200
TR45-279	0.60	5.5	2	20	20	1200
TR45-280	0.60	5.5	4	20	20	1200
TR45-281	0.60	5.5	6	20	20	1200
TR45-282	0.60	5.5	8	20	20	1200
TR45-283	0.60	5.5	10	25	20	1200
TR45-284	0.60	6.0	2	20	20	1200
TR45-285	0.60	6.0	4	20	20	1200
TR45-286	0.60	6.0	6	20	20	1200
TR45-287	0.60	6.0	8	20	20	1200
TR45-288	0.60	6.0	10	20	20	1200

