

精密用トーションスプリング・TR90タイプ

注番	線径	内径	巻数	アーム長さ	1パック	価格
TR90-1	0.20	1.5	2	10	20	1200
TR90-2	0.20	1.5	3	10	20	1200
TR90-3	0.20	1.5	4	15	20	1200
TR90-4	0.20	1.5	5	15	20	1200
TR90-5	0.20	1.8	2	10	20	1200
TR90-6	0.20	1.8	3	10	20	1200
TR90-7	0.20	1.8	4	15	20	1200
TR90-8	0.20	1.8	5	15	20	1200
TR90-9	0.20	2.0	2	15	20	1200
TR90-10	0.20	2.0	4	15	20	1200
TR90-11	0.20	2.0	6	15	20	1200
TR90-12	0.20	2.5	2	15	20	1200
TR90-13	0.20	2.5	4	15	20	1200
TR90-14	0.20	2.5	5	15	20	1200
TR90-15	0.20	2.5	8	15	20	1200
TR90-16	0.23	1.5	2	15	20	1200
TR90-17	0.23	1.5	3	15	20	1200
TR90-18	0.23	1.5	4	15	20	1200
TR90-19	0.23	1.5	5	15	20	1200
TR90-20	0.23	1.8	2	15	20	1200
TR90-21	0.23	1.8	4	15	20	1200
TR90-22	0.23	2.0	2	10	20	1200
TR90-23	0.23	2.0	3	10	20	1200
TR90-24	0.23	2.0	4	15	20	1200
TR90-25	0.23	2.0	6	15	20	1200
TR90-26	0.25	2.0	2	15	20	1200
TR90-27	0.25	2.0	3	15	20	1200
TR90-28	0.25	2.0	4	15	20	1200
TR90-29	0.25	2.0	5	15	20	1200
TR90-30	0.25	2.5	2	15	20	1200
TR90-31	0.25	2.5	3	15	20	1200
TR90-32	0.25	2.5	4	15	20	1200
TR90-33	0.25	2.5	5	15	20	1200
TR90-34	0.25	3.0	2	15	20	1200
TR90-35	0.25	3.0	3	15	20	1200
TR90-36	0.25	3.0	4	20	20	1200

注番	線径	内径	巻数	アーム長さ	1パック	価格
TR90-37	0.25	3.0	6	20	20	1200
TR90-38	0.25	3.5	2	18	20	1200
TR90-39	0.25	3.5	4	25	20	1200
TR90-40	0.25	3.5	6	25	20	1200
TR90-41	0.30	2.0	2	15	20	1200
TR90-42	0.30	2.0	3	15	20	1200
TR90-43	0.30	2.0	4	15	20	1200
TR90-44	0.30	2.0	6	15	20	1200
TR90-45	0.30	2.0	8	15	20	1200
TR90-46	0.30	2.0	10	15	20	1200
TR90-47	0.30	2.3	2	15	20	1200
TR90-48	0.30	2.3	4	15	20	1200
TR90-49	0.30	2.3	6	20	20	1200
TR90-50	0.30	2.3	8	20	20	1200
TR90-51	0.30	2.5	2	15	20	1200
TR90-52	0.30	2.5	4	15	20	1200
TR90-53	0.30	2.5	6	15	20	1200
TR90-54	0.30	2.5	8	15	20	1200
TR90-55	0.30	2.5	10	20	20	1200
TR90-56	0.30	3.0	2	15	20	1200
TR90-57	0.30	3.0	4	15	20	1200
TR90-58	0.30	3.0	6	20	20	1200
TR90-59	0.30	3.0	8	20	20	1200
TR90-60	0.30	3.0	10	20	20	1200
TR90-61	0.30	3.5	2	20	20	1200
TR90-62	0.30	3.5	4	20	20	1200
TR90-63	0.30	3.5	6	20	20	1200
TR90-64	0.30	3.5	8	20	20	1200
TR90-65	0.30	3.5	10	25	20	1200
TR90-66	0.30	4.0	2	15	20	1200
TR90-67	0.30	4.0	4	20	20	1200
TR90-68	0.30	4.0	6	20	20	1200
TR90-69	0.30	4.0	8	20	20	1200
TR90-70	0.30	4.0	10	25	20	1200
TR90-71	0.30	4.5	2	20	20	1200
TR90-72	0.30	4.5	4	20	20	1200

精密用トーシヨンスプリング・TR90タイプ

注番	線径	内径	巻数	アーム長さ	1パック	価格
TR90-73	0.30	4.5	6	20	20	1200
TR90-74	0.30	4.5	8	20	20	1200
TR90-75	0.30	4.5	10	25	20	1200
TR90-76	0.30	5.0	2	20	20	1200
TR90-77	0.30	5.0	4	20	20	1200
TR90-78	0.30	5.0	6	20	20	1200
TR90-79	0.30	5.0	8	20	20	1200
TR90-80	0.30	5.0	10	25	20	1200
TR90-81	0.30	5.0	15	25	20	1200
TR90-82	0.35	2.0	2	20	20	1200
TR90-83	0.35	2.0	4	20	20	1200
TR90-84	0.35	2.0	8	20	20	1200
TR90-85	0.35	3.0	2	15	20	1200
TR90-86	0.35	3.0	4	15	20	1200
TR90-87	0.35	3.0	8	20	20	1200
TR90-88	0.35	4.0	2	15	20	1200
TR90-89	0.35	4.0	6	15	20	1200
TR90-90	0.35	4.0	10	20	20	1200
TR90-91	0.40	2.0	2	15	20	1200
TR90-92	0.40	2.0	4	20	20	1200
TR90-93	0.40	2.0	6	20	20	1200
TR90-94	0.40	2.0	8	20	20	1200
TR90-95	0.40	2.0	10	20	20	1200
TR90-96	0.40	2.5	2	15	20	1200
TR90-97	0.40	2.5	4	20	20	1200
TR90-98	0.40	2.5	6	20	20	1200
TR90-99	0.40	2.5	8	20	20	1200
TR90-100	0.40	2.5	10	20	20	1200
TR90-101	0.40	3.0	2	15	20	1200
TR90-102	0.40	3.0	4	15	20	1200
TR90-103	0.40	3.0	6	20	20	1200
TR90-104	0.40	3.0	8	20	20	1200
TR90-105	0.40	3.0	10	20	20	1200
TR90-106	0.40	3.5	2	20	20	1200
TR90-107	0.40	3.5	4	20	20	1200
TR90-108	0.40	3.5	6	20	20	1200

注番	線径	内径	巻数	アーム長さ	1パック	価格
TR90-109	0.40	3.5	8	20	20	1200
TR90-110	0.40	3.5	10	20	20	1200
TR90-111	0.40	4.0	2	20	20	1200
TR90-112	0.40	4.0	4	20	20	1200
TR90-113	0.40	4.0	6	20	20	1200
TR90-114	0.40	4.0	8	20	20	1200
TR90-115	0.40	4.0	10	25	20	1200
TR90-116	0.40	4.5	2	20	20	1200
TR90-117	0.40	4.5	4	20	20	1200
TR90-118	0.40	4.5	6	20	20	1200
TR90-119	0.40	4.5	8	20	20	1200
TR90-120	0.40	4.5	10	25	20	1200
TR90-121	0.40	5.0	2	20	20	1200
TR90-122	0.40	5.0	4	20	20	1200
TR90-123	0.40	5.0	6	20	20	1200
TR90-124	0.40	5.0	8	20	20	1200
TR90-125	0.40	5.0	10	25	20	1200
TR90-126	0.40	5.5	2	20	20	1200
TR90-127	0.40	5.5	4	20	20	1200
TR90-128	0.40	5.5	6	20	20	1200
TR90-129	0.40	5.5	8	20	20	1200
TR90-130	0.40	5.5	10	20	20	1200
TR90-131	0.40	5.5	15	25	20	1200
TR90-132	0.40	6.0	4	20	20	1200
TR90-133	0.40	6.0	8	20	20	1200
TR90-134	0.40	6.0	12	20	20	1200
TR90-135	0.45	3.0	4	20	20	1200
TR90-136	0.45	3.0	8	20	20	1200
TR90-137	0.45	3.0	12	20	20	1200
TR90-138	0.45	3.5	5	20	20	1200
TR90-139	0.45	3.5	10	20	20	1200
TR90-140	0.45	3.5	15	20	20	1200
TR90-141	0.45	4.0	4	20	20	1200
TR90-142	0.45	4.0	6	20	20	1200
TR90-143	0.45	4.0	10	20	20	1200
TR90-144	0.45	4.5	5	20	20	1200

精密用トーションスプリング・TR90タイプ

注番	線径	内径	巻数	アーム長さ	1パック	価格
TR90-145	0.45	4.5	8	25	20	1200
TR90-146	0.45	4.5	12	25	20	1200
TR90-147	0.45	5.0	4	25	20	1200
TR90-148	0.45	5.0	6	25	20	1200
TR90-149	0.45	5.0	8	25	20	1200
TR90-150	0.45	5.0	10	25	20	1200
TR90-151	0.50	2.5	3	15	20	1200
TR90-152	0.50	2.5	5	15	20	1200
TR90-153	0.50	2.5	8	15	20	1200
TR90-154	0.50	3.0	3	15	20	1200
TR90-155	0.50	3.0	5	15	20	1200
TR90-156	0.50	3.0	8	15	20	1200
TR90-157	0.50	3.0	12	15	20	1200
TR90-158	0.50	3.5	3	15	20	1200
TR90-159	0.50	3.5	6	15	20	1200
TR90-160	0.50	3.5	10	20	20	1200
TR90-161	0.50	3.5	15	20	20	1200
TR90-162	0.50	4.0	3	20	20	1200
TR90-163	0.50	4.0	6	20	20	1200
TR90-164	0.50	4.0	10	20	20	1200
TR90-165	0.50	4.0	15	20	20	1200
TR90-166	0.50	4.5	3	20	20	1200
TR90-167	0.50	4.5	6	20	20	1200
TR90-168	0.50	4.5	10	20	20	1200
TR90-169	0.50	4.5	15	20	20	1200
TR90-170	0.50	5.0	3	20	20	1200
TR90-171	0.50	5.0	6	20	20	1200
TR90-172	0.50	5.0	10	20	20	1200
TR90-173	0.50	5.0	12	20	20	1200
TR90-174	0.50	5.0	20	20	20	1200
TR90-175	0.50	5.5	4	20	20	1200
TR90-176	0.50	5.5	8	25	20	1200
TR90-177	0.50	5.5	12	25	20	1200
TR90-178	0.50	6.0	4	25	20	1200
TR90-179	0.50	6.0	8	25	20	1200
TR90-180	0.50	6.0	12	25	20	1200

注番	線径	内径	巻数	アーム長さ	1パック	価格
TR90-181	0.50	6.5	4	25	20	1200
TR90-182	0.50	6.5	8	25	20	1200
TR90-183	0.50	7.0	5	25	20	1200
TR90-184	0.50	7.0	10	25	20	1200
TR90-185	0.50	8.0	5	25	20	1200
TR90-186	0.50	8.0	10	25	20	1200
TR90-187	0.55	4.0	4	25	20	1200
TR90-188	0.55	4.0	8	25	20	1200
TR90-189	0.55	4.0	12	25	20	1200
TR90-190	0.55	4.5	4	25	20	1200
TR90-191	0.55	4.5	8	25	20	1200
TR90-192	0.55	4.5	12	25	20	1200
TR90-193	0.55	5.0	4	25	20	1200
TR90-194	0.55	5.0	8	25	20	1200
TR90-195	0.55	5.0	12	25	20	1200
TR90-196	0.55	5.5	4	25	20	1200
TR90-197	0.55	5.5	8	25	20	1200
TR90-198	0.55	5.5	12	25	20	1200
TR90-199	0.55	6.0	4	25	20	1200
TR90-200	0.55	6.0	8	25	20	1200
TR90-201	0.60	3.0	4	20	20	1200
TR90-202	0.60	3.0	6	20	20	1200
TR90-203	0.60	3.0	8	20	20	1200
TR90-204	0.60	3.0	12	20	20	1200
TR90-205	0.60	3.5	3	20	20	1200
TR90-206	0.60	3.5	6	20	20	1200
TR90-207	0.60	3.5	10	20	20	1200
TR90-208	0.60	3.5	15	20	20	1200
TR90-209	0.60	4.0	4	23	20	1200
TR90-210	0.60	4.0	6	23	20	1200
TR90-211	0.60	4.0	8	23	20	1200
TR90-212	0.60	4.0	10	25	20	1200
TR90-213	0.60	4.0	15	25	20	1200
TR90-214	0.60	4.5	4	23	20	1200
TR90-215	0.60	4.5	6	23	20	1200
TR90-216	0.60	4.5	8	25	20	1200

精密用トーションスプリング・TR90タイプ

注番	線径	内径	巻数	アーム長さ	1パック	価格
TR90-217	0.60	4.5	10	25	20	1200
TR90-218	0.60	4.5	15	25	20	1200
TR90-219	0.60	5.0	4	25	20	1200
TR90-220	0.60	5.0	6	25	20	1200
TR90-221	0.60	5.0	8	25	20	1200
TR90-222	0.60	5.0	10	25	20	1200
TR90-223	0.60	5.0	15	25	20	1200
TR90-224	0.60	5.5	4	25	20	1200
TR90-225	0.60	5.5	8	25	20	1200
TR90-226	0.60	6.0	5	25	20	1200
TR90-227	0.60	6.0	10	25	20	1200
TR90-228	0.60	6.0	15	25	20	1200
TR90-229	0.60	6.5	3	25	20	1200
TR90-230	0.60	6.5	8	25	20	1200
TR90-231	0.60	6.5	12	25	20	1200
TR90-232	0.60	7.0	5	25	20	1200
TR90-233	0.60	7.0	10	25	20	1200
TR90-234	0.60	7.0	15	25	20	1200
TR90-235	0.60	7.5	5	25	20	1200
TR90-236	0.60	7.5	10	25	20	1200
TR90-237	0.60	7.5	15	25	20	1200
TR90-238	0.60	8.0	5	25	20	1200
TR90-239	0.60	8.0	10	25	20	1200
TR90-240	0.60	8.0	15	25	20	1200
TR90-241	0.70	5.0	4	25	20	1200
TR90-242	0.70	5.0	7	25	20	1200
TR90-243	0.70	5.0	10	25	20	1200
TR90-244	0.70	5.5	4	25	20	1200
TR90-245	0.70	5.5	7	25	20	1200
TR90-246	0.70	5.5	10	25	20	1200
TR90-247	0.70	6.0	4	25	20	1200
TR90-248	0.70	6.0	7	25	20	1200
TR90-249	0.70	6.0	10	25	20	1200
TR90-250	0.70	6.5	4	25	20	1200
TR90-251	0.70	6.5	7	25	20	1200
TR90-252	0.70	6.5	10	25	20	1200

注番	線径	内径	巻数	アーム長さ	1パック	価格
TR90-253	0.70	7.0	4	25	20	1200
TR90-254	0.70	7.0	7	25	20	1200
TR90-255	0.70	7.0	10	25	20	1200
TR90-256	0.70	8.0	4	25	20	1200
TR90-257	0.70	8.0	7	25	20	1200
TR90-258	0.70	8.0	10	25	20	1200
TR90-259	0.70	8.5	4	25	20	1200
TR90-260	0.70	8.5	7	25	20	1200
TR90-261	0.70	8.5	10	25	20	1200
TR90-262	0.70	9.0	4	25	20	1200
TR90-263	0.70	9.0	7	25	20	1200
TR90-264	0.70	9.0	10	25	20	1200
TR90-265	0.70	9.5	4	25	20	1200
TR90-266	0.70	9.5	7	25	20	1200
TR90-267	0.70	9.5	10	25	20	1200
TR90-268	0.70	10.0	4	25	20	1200
TR90-269	0.70	10.0	7	25	20	1200
TR90-270	0.70	10.0	10	25	20	1200
TR90-271	0.80	5.0	2	25	20	1200
TR90-272	0.80	5.0	5	25	20	1200
TR90-273	0.80	5.0	8	25	20	1200
TR90-274	0.80	5.5	2	25	20	1200
TR90-275	0.80	5.5	6	25	20	1200
TR90-276	0.80	5.5	10	25	20	1200
TR90-277	0.80	5.5	15	25	20	1200
TR90-278	0.80	6.0	2	25	20	1200
TR90-279	0.80	6.0	4	25	20	1200
TR90-280	0.80	6.0	6	25	20	1200
TR90-281	0.80	6.0	8	30	20	1200
TR90-282	0.80	6.0	10	30	20	1200
TR90-283	0.80	6.5	2	30	20	1200
TR90-284	0.80	6.5	4	30	20	1200
TR90-285	0.80	6.5	6	30	20	1200
TR90-286	0.80	6.5	8	30	20	1200
TR90-287	0.80	6.5	10	30	20	1200
TR90-288	0.80	7.0	2	30	20	1200

